| State and county                                    | Location              | Dates and name of news-<br>paper where notice was<br>published             | Chief executive officer of community  | Effective date of modification | Community<br>No. |
|---|-----------------------|--|---|--------------------------------|------------------|
| Pennsylvania: Clinton<br>(FEMA Docket No.<br>7169). | Borough of Flemington | Nov. 21, 1995, Nov. 28,<br>1995, <i>The Lock Haven</i><br><i>Express</i> . | Mr. Gerry Yanneralla, President of the Flemington Borough Council, 126 High Street, Flemington, Pennsylvania 17745. | Nov. 13, 1995                  | 420326B          |
| Wisconsin: Juneau<br>(FEMA Docket No.<br>7165).     | Unincorporated areas  | June 1, 1995, June 8,<br>1995, <i>Juneau County</i><br><i>Star Times</i> . | Mr. James Barrett, President of the Juneau County Board, 220 State Street, Juneau, Wisconsin 53948.                 | May 25, 1995                   | 550580C          |

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: May 13, 1996.

Richard W. Krimm,

Acting Associate Director for Mitigation. [FR Doc. 96–12715 Filed 5–20–96; 8:45 am]

BILLING CODE 6718-03-P

#### 44 CFR Part 67

#### **Final Flood Elevation Determinations**

**AGENCY:** Federal Emergency Management Agency (FEMA).

**ACTION:** Final rule.

SUMMARY: Base (1% annual chance) flood elevations and modified base flood elevations are made final for the communities listed below. The base flood elevations and modified base flood elevations are the basis for the floodplain management measures that each community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

**EFFECTIVE DATE:** The date of issuance of the Flood Insurance Rate Map (FIRM) showing base flood elevations and modified base flood elevations for each community. This date may be obtained by contacting the office where the maps are available for inspection as indicated on the table below.

ADDRESSES: The final base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT: Michael K. Buckley, P.E., Chief, Hazard Identification Branch, Mitigation Directorate, 500 C Street, SW., Washington, DC 20472, (202) 646–2756.

**SUPPLEMENTARY INFORMATION:** The Federal Emergency Management Agency (FEMA or Agency) makes final determinations listed below of base flood elevations and modified base flood elevations for each community listed. The proposed base flood elevations and proposed modified base flood elevations were published in newspapers of local circulation and an opportunity for the community or individuals to appeal the proposed determinations to or through the community was provided for a period of ninety (90) days. The proposed base flood elevations and proposed modified base flood elevations were also published in the Federal Register.

This final rule is issued in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR part 67.

The Agency has developed criteria for floodplain management in floodprone areas in accordance with 44 CFR part 60.

Interested lessees and owners of real property are encouraged to review the proof Flood Insurance Study and Flood Insurance Rate Map available at the address cited below for each community.

The base flood elevations and modified base flood elevations are made final in the communities listed below. Elevations at selected locations in each community are shown.

### National Environmental Policy Act

This rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

## Regulatory Flexibility Act

The Acting Associate Director, Mitigation Directorate, certifies that this rule is exempt from the requirements of the Regulatory Flexibility Act because final or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the National Flood Insurance Program. No regulatory flexibility analysis has been prepared.

### Regulatory Classification

This final rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism

This rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

Executive Order 12778, Civil Justice Reform

This rule meets the applicable standards of section 2(b)(2) of Executive Order 12778.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is amended as follows:

# PART 67—[AMENDED]

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 et seq.; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

## § 67.11 [Amended]

2. The tables published under the authority of § 67.11 are amended as follows:

| Source of flooding and location  | # Depth in<br>feet above<br>ground.<br>* Elevation<br>in feet<br>(NGVD) | Source of flooding and location   | # Depth in<br>feet above<br>ground.<br>* Elevation<br>in feet<br>(NGVD) | Source of flooding and location   | # Depth in<br>feet above<br>ground.<br>* Elevation<br>in feet<br>(NGVD) |
|--|---|---|---|---|---|
| ALABAMA  |   | Maps available for inspection   |   | Maps available for inspection   |   |
| Oneonta (city), Blount County<br>(FEMA Docket No. 7168)  |   | at the Hartland Township Of-<br>fice, 3191 Hartland Road,<br>Hartland, Michigan.  |   | at the Elmira Town Hall, 1255<br>West Water Street, Elmira,<br>New York.  |   |
| Dry Creek: Approximately 0.4 mile downstream of Pocoda Drive   |   | MINNESOTA   |   | Elmira Heights (village), Chemung County (FEMA  |   |
| At U.S. Route 231  Maps available for inspection at the Oneonta City Hall, 202 Third Avenue East, Oneonta, Alabama.        |   | Koochiching County (unin-<br>corporated areas) (FEMA<br>Docket No. 7138)<br>Rainy River:<br>At downstream county bound- |   | Docket No. 7164)  McCann's Tributary:  At McCann's Boulevard  Approximately 1,000 feet upstream of McCann's Boule-            | *861  |
| MASSACHUSETTS  |   | ary with the City of Inter-<br>national Falls   | *1,111  | vard  Maps available for inspection   | *862  |
| Gay Head (town), Dukes<br>County (FEMA Docket No.<br>7164)   |   | At Canadian National Railroad bridge  | *1,112  | at the Elmira Heights Village<br>Hall, 215 Elmwood Avenue,<br>Elmira Heights, New York.                                       |   |
| Atlantic Ocean: Approximately 0.7 mile west of the intersection of Black Brook and Moshup Trail                            | *9  | at the Administration Office,<br>Koochiching County Court-<br>house, International Falls, Min-<br>nesota.               |   | Geneseo (town), Livingston<br>County (FEMA Docket No.<br>7168)  |   |
| Approximately 1,400 feet southwest of the intersection   |   | NORTH CAROLINA  |   | Jaycox Creek: At Lima Road  | *815  |
| of Moshup Trail and South  |   | Williamston (town), Martin  | -   | Approximately 2.79 miles upstream of Lima Road  | *1001   |
| Road near Lighthouse Road  Menemsha Bight:  Approximately 600 feet north of the intersection of Lobsterville Road and West | *11   | County (FEMA Docket No. 7164)  Roanoke River: Approximately 0.3 mile down-  |   | Maps available for inspection at the Geneseo Town Office, 119 Main Street, Geneseo, New York.                                 | 1001  |
| Payson Road<br>Approximately 500 feet north<br>of the intersection of<br>Lobsterville Road and West                        | *12   | stream of U.S. Route 13 Approximately 0.4 mile upstream of U.S. Route 13 Maps available for inspection                  | *12<br>*12  | Geneseo (village), Livingston<br>County (FEMA Docket No.<br>7168)   |   |
| Payson Road  | *10   | at the Town Hall, 100 East<br>Main Street, Williamston,<br>North Carolina.  |   | Jaycox Creek: Approximately 75 feet downstream of downstream corporate limits   | *822  |
| Road and Moshup Trail  Maps available for inspection   | *11   | NEW YORK  |   | Approximately 330 feet upstream of Seminole Avenue  | *867  |
| at the Office of the Building In-<br>spector, 65 State Road, Gay<br>Head, Massachusetts.                                   |   | Dresden (town), Washington County (FEMA Docket No.  |   | Genesee River: At downstream corporate limit  | *557  |
| West Tisbury (Town), Dukes County (FEMA Docket No. 7164)   |   | 7164)  Lake George: Entire shoreline within community   | *321  | At upstream corporate limit  Maps available for inspection at the Geneseo Village Office, 119 Main Street, Geneseo, New York. | *558  |
| Atlantic Ocean: Approximately 700 feet south of the end of Butlers Pond Road   | *10   | Maps available for inspection<br>at the Town Hall, Dresden<br>Center Road, RD 1, Whitehall,<br>New York.                |   | Hague (town), Warren County<br>(FEMA Docket 7168)   |   |
| Approximately 650 feet south of the intersection of Jennie Athearn Road and Little Homer Pond Road                         | *9  | Elmira (town), Chemung<br>County (FEMA Docket No.<br>7164)  |   | Entire shoreline within community   | *321  |
| Maps available for inspection<br>at the West Tisbury Town Hall,<br>1059 State Street, West<br>Tisbury, Massachusetts.      |   | Newtown Creek: Approximately 0.5 mile downstream of confluence of Diven Creek   | *861  | at the Town of Hague Community Center, Route 8, Hague, New York.  |   |
| MICHIGAN   |   | Approximately 0.51 mile up-<br>stream of confluence of  |   | Hillburn (village), Rockland<br>County (FEMA Docket No.   |   |
| Hartland (township), Living-<br>ston County (FEMA Docket<br>No. 7155)  |   | Diven Creek  McCann's Tributary:  At confluence with Diven  Creek   | *862<br>*861  | 7164)  Ramapo River:  Approximately 550 feet downstream of the downstream   |   |
| North Ore Creek: At Parshallville Road At Fenton Road  | *909<br>*966  | Approximately 825 feet up-<br>stream of McCann's Boule-<br>vard   | *862  | crossing of the Conrail At upstream corporate limits  | *277<br>*299  |

| Source of flooding and location  | # Depth in<br>feet above<br>ground.<br>* Elevation<br>in feet<br>(NGVD) | Source of flooding and location  | # Depth in<br>feet above<br>ground.<br>* Elevation<br>in feet<br>(NGVD) | Source of flooding and location   | # Depth in<br>feet above<br>ground.<br>* Elevation<br>in feet<br>(NGVD) |
|--|---|--|---|---|---|
| Maps available for inspection at the Village Hall, 31 Mountain Avenue, Hillburn, New York.                               |   | OHIO  Dayton (city), Montgomery County (FEMA Docket No. 7164)                              |   | North side of intersection of Fairpark Avenue and Fairfax Avenue  | #2  |
| Horseheads (town), Chemung<br>County (FEMA Docket No.<br>7164)   |   | Lilly Creek: Approximately 0.15 mile upstream of confluence with Mad River                 | *761  | Approximately 700 feet north-<br>west of the intersection of<br>Byesville Boulevard and<br>Fairfax Avenue | *766  |
| Beaver Brook: At confluence with Newtown Creek   | *877  | Approximately 0.60 mile up-<br>stream of Byesville Boule-<br>vard                          | *781  | Approximately 500 feet north<br>of intersection of Glendean<br>Avenue and Springfield Ave-                |   |
| Approximately 1,035 feet up-<br>stream of East Mills Street<br>North Branch Newtown Creek:<br>At confluence with Newtown | *885  | Shallow Ponding Area (Zone AH): Just Southeast of Springfield Pike; approximately 900 feet | 701   | nue   | *766  |
| CreekApproximately 325 feet upstream   | *929  | northeast of unnamed road<br>Approximately 200 feet north-                                 | *767  | Ohio.   |   |
| of confluence with Newtown Creek   | *932  | west of Springfield Pike  Maps available for inspection at the Dayton City Hall, 101       | *766  | PENNSYLVANIA  Shirley (Township), Hunting-  |   |
| at the Horseheads Town Hall,<br>150 Wygant Road, Horse-<br>heads, New York.  |   | West Third Street, Dayton,<br>Ohio.  |   | don County (FEMA Docket<br>No. 7164)<br>Aughwick Creek:   |   |
| Horseheads (village), Chemung County (FEMA Docket No. 7164)  |   | Montgomery County (unin-<br>corporated areas) (FEMA<br>Docket No. 7168)<br>Lilly Creek:    |   | Approximately 1,090 feet upstream of U.S. Route 522 Approximately 1,775 feet upstream of U.S. Route 522   | *571<br>*571  |
| Newtown Creek: Approximately 750 feet downstream of Route 14/17  | *877  | Ápproximately 100 feet down-<br>stream of downstream cor-<br>porate limits                 | *780<br>*786  | Maps available for inspection<br>at the Shirley Township Build-<br>ing, Shirleysburg, Pennsylva-<br>nia.  |   |
| Approximately 535 feet up-<br>stream of East Franklin<br>Street  | *891  | Maps available for inspection<br>at the County Planning Com-<br>mission, 451 North Third   |   | PUERTO RICO   |   |
| Maps available for inspection<br>at the Horseheads Village<br>Hall, 202 South Main Street,<br>Horseheads, New York.      |   | Street, Dayton, Ohio.   Riverside (city), Montgomery                                       |   | Commonwealth (FEMA Docket<br>No. 7149)<br>Espiritu Santo River:   |   |
| Lake George (village), Warren  |   | County (FEMA Docket No. 7168) Lilly Creek:   |   | Approximately 0.65 kilometer upstream of the confluence with the Atlantic Ocean                           | *2.2  |
| County (FEMA Docket No. 7159)  Lake George:  |   | Approximately 200 feet up-<br>stream of Byesville Boule-<br>vard                           | *768  | Approximately 4.61 kilometers upstream of the confluence with the Atlantic Ocean                          | *6.9  |
| Entire shoreline within community  | *321  | Approximately 132 feet down-<br>stream of Harshman Road<br>Shallow Ponding Area (Zone      | *787  | Rio Guanajibo: Approximately 1,200 meters downstream of Puerto Rico                                       | *90.0   |
| at the Village of Lake George<br>Administrative Building, Am-<br>herst Street, Lake George,                              |   | AH): Approximately 700 feet northwest of the intersection of Byesville Boulevard and       |   | Highway 2 Approximately 870 meters downstream of Puerto Rico Highway 368                                  | *80.0<br>*100.8   |
| New York.  |   | Fairfax Avenue<br>Approximately 500 feet north<br>of intersection of Glendean              | *766  | *Elevation in meters (Mean Sea<br>Level)  | 100.8   |
| Lewis (town), Lewis County<br>(FEMA Docket No. 7168)<br>East Branch Mohawk River:  |   | Avenue and Springfield Avenue  | *766  | Maps available for inspection<br>at the North Minillas Building,<br>Dediezo Avenue, 22 Top,               |   |
| Approximately 0.47 mile down-<br>stream of State Route 26<br>Approximately 0.74 mile up-                                 | *1457   | Springfield Pike and Fairfax Avenue North side of intersection of                          | *767  | Santurce, Puerto Rico.  (Catalog of Federal Domestic Assi   | stance No.  |
| stream of State Route 26  Maps available for inspection at the Lewis Town Clerk's Of-                                    | *1499   | Fairfax Avenue and Derwent<br>Drive  | *767  | 83.100, "Flood Insurance.")<br>Dated: May 13, 1996.   |   |
| fice, 791 Main Street, West<br>Leyden, New York.   |   | AO): Southside of intersection of Fairfax Avenue and Derwent                               |   | Richard W. Krimm,<br>Acting Associate Director for Mitig<br>[FR Doc. 96–12713 Filed 5–20–96               |   |