

*Frequency of Report:* Annually.

**Donald J. Andreotta,**

*Deputy Chief Information Officer*

*(Operations), Office of the Administrator.*

[FR Doc. 97-17767 Filed 7-7-97; 8:45 am]

BILLING CODE 7510-01-M

## NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

[Notice 97-092]

### NASA Advisory Council, Minority Business Resource Advisory Committee Meeting

**AGENCY:** National Aeronautics and Space Administration.

**ACTION:** Notice of Meeting.

**SUMMARY:** In accordance with the Federal Advisory Committee Act, Public Law 92-463, as amended, the National Aeronautics and Space Administration announces a forthcoming meeting of the NASA Advisory Council, Minority Business Resource Advisory Committee.

**DATES:** July 29, 1997, 9:00 a.m. to 4:00 p.m. and July 30, 1997, 9:00 a.m. to 1:00 p.m.

**ADDRESSES:** NASA Headquarters, 300 E Street, SW, Room 9H40, Washington, DC 20546.

**FOR FURTHER INFORMATION CONTACT:** Mr. Ralph C. Thomas III, Office of Small and Disadvantaged Business Utilization, National Aeronautics and Space Administration, Room 9K70, 300 E Street SW, Washington, DC 20546, (202) 358-2088.

**SUPPLEMENTARY INFORMATION:** The meeting will be open to the public up to the seating capacity of the room. The agenda for the meeting is as follows:

- Call to Order
- Reading of Minutes
- Small Business Implementation Plan
- Report on Action Items
- Public Comment
- Subpanel Reports
- New Business
- Adjourn

It is imperative that the meeting be held on these dates to accommodate the scheduling priorities of the key participants. Visitors will be requested to sign a visitor's register.

Dated: June 30, 1997.

**Leslie M. Nolan,**

*Advisory Committee Management Officer,  
National Aeronautics and Space Administration.*

[FR Doc. 97-17765 Filed 7-7-97; 8:45 am]

BILLING CODE 7510-01-M

## NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

[Notice (97-093)]

### Notice of Prospective Patent License

**AGENCY:** National Aeronautics and Space Administration.

**ACTION:** Notice of Prospective Patent License.

**SUMMARY:** NASA hereby gives notice that International Fire & Gas Sales & Consulting Service, Inc., Epping, NH, has applied for an exclusive license to practice U.S. Patent No. 5,625,342, entitled "Plural-Wavelength Flame Detector that Discriminates Between Direct and Reflected Radiation," which is assigned to the United States of America as represented by the Administrator of the National Aeronautics and Space Administration. Written objections to the prospective grant of a license should be sent to Kennedy Space Center.

**DATE:** Responses to this notice must be received by September 8, 1997.

**FOR FURTHER INFORMATION CONTACT:** Beth Vrioni, John F. Kennedy Space Center, Mail Code DE-TPO, Kennedy Space Center, FL 32899, telephone (407) 867-2544.

Dated: June 25, 1997.

**Edward A. Frankle,**

*General Counsel.*

[FR Doc. 97-17766 Filed 7-7-97; 8:45 am]

BILLING CODE 7510-01-M

## NATIONAL SCIENCE FOUNDATION

### Advisory Committee for Education and Human Resources; Committee of Visitors; Notice of Meeting

In accordance with the Federal Advisory Committee Act (Pub. L. 92-463, as amended), the National Science Foundation announces the following meeting:

**Name:** Advisory Committee for Education and Human Resources; Committee of Visitors (#1119).

**Date and Time:** July 24-25, 1997 from 8:00 AM to 5:00 PM.

**Place:** Room 340, NSF, 4201 Wilson Boulevard, Arlington, VA.

**Type of Meeting:** Closed.

**Contact Person:** Dr. Gerhard Salinger, Program Director, Division of Elementary, Secondary and Informal Education, National Science Foundation, 4201 Wilson Boulevard, Arlington, VA 22230. Telephone: (703) 306-1670.

**Purpose of Meeting:** To carry out Committee of Visitors (COV) review, including examination of decisions on proposals, reviewer comments, and other privileged materials.

**Agenda:** To provide oversight review of the Instructional Materials Development Program.

**Reason For Closing:** The meeting is closed to the public because the Committee is reviewing proposal actions that include privileged intellectual property and personal information that could harm individuals if they are disclosed. If discussions were open to the public, these matters that are exempt under 5 U.S.C. 552b (c) (4) and (6) of the Government in the Sunshine Act would be improperly disclosed.

**M. Rebecca Winkler,**

*Committee Management Officer.*

[FR Doc. 97-17719 Filed 7-7-97; 8:45 am]

BILLING CODE 7555-01-M

## NATIONAL SCIENCE FOUNDATION

### Advisory Committee for Mathematical and Physical Sciences; Committee of Visitors; Notice of Meeting

In accordance with the Federal Advisory Committee Act (Pub. L. 92-463, as amended), the National Science Foundation announces the following meeting.

**Name:** Advisory Committee for Mathematical and Physical Sciences (66).

**Date and Time:** July 23-24, 1997, 8:30 a.m.-6:00 p.m.; July 25, 1997, 8:30 a.m.-3:00 p.m.

**Place:** Rm. 310, NSF, 4201 Wilson Boulevard, Arlington, VA.

**Type of Meeting:** Closed.

**Contact Person:** Dr. David Berley, Program Director for Gravitational Physics, Mathematical Sciences Division, National Science Foundation, 4201 Wilson Boulevard, Arlington, VA 22230. Telephone: (703) 306-1892.

**Purpose of Meeting:** To carry out Committee of Visitors (COV) review, including examination of decisions on proposals, reviewer comments, and other privileged materials.

**Agenda:** To provide oversight review of the Physics programs.

**Reason for Closing:** The meeting is closed to the public because the Committee is reviewing proposal actions that will include privileged intellectual property and personal information that could harm individuals if they are disclosed. If discussions were open to the public, these matters that are exempt under 5 U.S.C. 552b(c) (4) and (6) of the Government in the Sunshine Act would be improperly disclosed.

**M. Rebecca Winkler,**

*Committee Management Officer.*

[FR Doc. 97-17720 Filed 7-7-97; 8:45 am]

BILLING CODE 7555-01-M

## NATIONAL TRANSPORTATION SAFETY BOARD

### Sunshine Act Meeting

**TIME:** 9:30 a.m., Tuesday, July 15, 1997.

**PLACE:** The Board Room, 5th Floor, 490 L'Enfant Plaza, SW., Washington, DC 20594.

**STATUS:** Open.

**MATTERS TO BE DISCUSSED:**

6822A Aircraft Accident Report—Uncontrolled Flight into Terrain, ABX AIR INC (Airborne Express), Douglas DC-8-63, N827AX, Narrows, Virginia, December 22, 1996.

**NEWS MEDIA CONTACT:** Telephone: (202) 314-6100.

**FOR MORE INFORMATION CONTACT:** Bea Hardesty, (202) 314-6065.

Dated: July 3, 1997.

**Bea Hardesty,**

*Federal Register Liaison Officer.*

[FR Doc. 97-17926 Filed 7-3-97; 12:26 pm]

BILLING CODE 7533-01-P

## NUCLEAR REGULATORY COMMISSION

[Docket No. 50-334]

**Duquesne Light Company, Ohio Edison Company, Pennsylvania Power Company (Beaver Valley Power Station, Unit No. 1); Exemption**

### I

Duquesne Light Company (DLC), Ohio Edison Company (OEC), and Pennsylvania Power Company (PPC), the licensees, are holders of Facility Operating License No. DPR-66, which authorizes operation of the Beaver Valley Power Station, Unit No. 1 (BVPS-1). The license provides that the licensee is subject to all rules, regulations, and orders of the Nuclear Regulatory Commission (the Commission) now or hereafter in effect.

The facility consists of a pressurized water reactor at the licensee's site located in Beaver County, Pennsylvania.

### II

The *Code of Federal Regulations*, 10 CFR 70.24, "Criticality Accident Requirements," requires that each licensee authorized to possess special nuclear material shall maintain a criticality accident monitoring system in each area where such material is handled, used, or stored. Subsection a(2) of 10 CFR 70.24 specifies detection and sensitivity requirements that these monitors must meet. Subsection (a)(3) of 10 CFR 70.24 requires licensees to maintain emergency procedures for each area in which this licensed special nuclear material is handled, used, or stored and provides (1) that the procedures ensure that all personnel

withdraw to an area of safety upon the sounding of a criticality accident monitor alarm, (2) that the procedures must include drills to familiarize personnel with the evacuation plan, and (3) that the procedures designate responsible individuals for determining the cause of the alarm and placement of radiation survey instruments in accessible locations for use in such an emergency. Subsection (b)(1) of 10 CFR 70.24 requires licensees to have a means to identify quickly personnel who have received a dose of 10 rads or more. Subsection (b)(2) of 10 CFR 70.24 requires licensees to maintain personnel decontamination facilities, to maintain arrangements for a physician and other medical personnel qualified to handle radiation emergencies, and to maintain arrangements for the transportation of contaminated individuals to treatment facilities outside the site boundary. Paragraph (c) of 10 CFR 70.24 exempts Part 50 licensees from the requirements of paragraph (b) of 10 CFR 70.24 for special nuclear material used or to be used in the reactor. Subsection (d) of 10 CFR 70.24 states that any licensee who believes that there is good cause why he should be granted an exemption from all or part of 10 CFR 70.24 may apply to the Commission for such an exemption and shall specify the reasons for the relief requested.

### III

The special nuclear material that could be assembled into a critical mass at BVPS-1 is in the form of nuclear fuel; the quantity of special nuclear material other than fuel that is stored on site is small enough to preclude achieving a critical mass. The Commission's technical staff has evaluated the possibility of an inadvertent criticality of the nuclear fuel at BVPS-1 and has determined that such an accident is unlikely to occur if the licensee meets the following seven criteria:

1. Only 1 pressurized water reactor fuel assembly is allowed out of a shipping cask or storage rack at one time.
2. With the fresh fuel storage racks filled with fuel of the maximum permissible U-235 enrichment and flooded with pure water, the maximum k-effective shall not exceed 0.95, at a 95% probability, 95% confidence level.
3. With the fresh fuel storage racks filled with fuel of the maximum permissible U-235 enrichment and flooded with moderator at the (low) density corresponding to optimum moderation, the maximum k-effective shall not exceed 0.98, at a 95% probability, 95% confidence level.

4. With the spent fuel storage racks filled with fuel of the maximum permissible U-235 enrichment and flooded with pure water, the maximum k-effective shall not exceed 0.95, at a 95% probability, 95% confidence level.

5. The quantity of other forms of special nuclear material, such as sources, detectors, etc., that are stored on site is small enough to preclude achieving a critical mass.

6. Radiation monitors, as required by General Design Criterion 63, are provided in fuel storage and handling areas to detect excessive radiation levels and to initiate appropriate safety actions.

7. The maximum nominal U-235 enrichment is limited to 5 weight percent.

By letter dated December 18, 1996, as supplemented April 10 and June 11, 1997, DLC requested an exemption from 10 CFR 70.24. In this exemption request, DLC addressed the seven criteria given above. The Commission's technical staff has reviewed DLC's submittal and has determined that BVPS-1 meets the criteria for prevention of inadvertent criticality; therefore, the staff has determined that an inadvertent criticality in special nuclear materials handling or storage areas at BVPS-1 is highly unlikely.

The purpose of the criticality monitors required by 10 CFR 70.24 is to ensure that if a criticality were to occur during the handling of special nuclear material, personnel would be alerted to that fact and would take appropriate action. Although the staff has determined that an inadvertent criticality event is highly unlikely, the licensee has radiation monitors, as required by General Design Criterion 63 (GDC 63), in fuel storage and handling areas. These monitors will alert personnel to excessive radiation levels and allow them to initiate appropriate safety actions. The low probability of an inadvertent criticality together with the licensee's adherence to GDC 63 constitutes good cause for granting an exemption to the requirements of 10 CFR 70.24.

### IV

The Commission has determined that, pursuant to 10 CFR 70.14, this exemption is authorized by law, will not endanger life or property or the common defense and security, and is otherwise in the public interest; therefore, the Commission hereby grants the following exemption: DLC, OEC, and PPC are exempt from the requirements of 10 CFR 70.24 for BVPS-1.

Pursuant to 10 CFR 51.32, the Commission has determined that the