

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
Maps are available for inspection at the Town of Calhan Town Hall, 556 Colorado Avenue, Calhan, Colorado.		Friendswood (City), Galveston and Harris Counties (FEMA Docket No. 7242)	
TEXAS		Clear Creek:	
Brazoria County and Incorporated Areas (FEMA Docket No. 7242)		Just downstream of Whispering Pines Avenue	
Clear Creek:		Just upstream of Edgewood Drive	
Just upstream of Country Club Drive		Chigger Creek:	
Approximately 1,000 feet upstream of Mykawa Road ...		Just upstream of confluence with Clear Creek	
Approximately 800 feet upstream of South Freeway ..		Just downstream of Windwood Drive	
Chigger Creek:		Just downstream of Saint Cloud Drive	
Just upstream of State Highway 35		Chigger Creek Bypass:	
Just downstream of Atchison Topeka & Santa Fe Railway		At confluence with Chigger Creek	
Chigger Creek Bypass:		Cowart Creek:	
At divergence from Chigger Creek		At confluence with Clear Creek	
Cowart Creek:		Cedar Gully:	
Just upstream of FM 2351		At confluence with Clear Creek	
Just upstream of State Highway 35		Just downstream of Blackhawk Boulevard	
Just upstream of County Road 827		Marys Creek:	
Marys Creek:		At confluence with Clear Creek	
Approximately 200 feet upstream of FM 518		Just upstream of Winding Road	
Just upstream of State Highway 35		Turkey Creek:	
Approximately 2,500 feet upstream of FM 1128		At confluence with Clear Creek	
Just downstream of Old Chocolate Bayou Road		Tributary 0.16 to Turkey Creek:	
Hickory Slough:		At confluence with Turkey Creek	
Just downstream of Old Alvin Road		Approximately 2,400 feet upstream of confluence with Turkey Creek	
Just downstream of Garden Road (County Road 109) ..		Halls Road Ditch:	
Approximately 2,000 feet upstream of Cullen Boulevard (FM 518)		At confluence with Clear Creek	
Marys Creek Bypass:		+NGVD-1973 Releveling	
Just upstream of Brazoria/Galveston County Boundary		+NGVD-1978 Releveling	
Approximately 3,500 feet downstream of County Road 963		Maps are available for inspection at the City of League City Engineering Building, c/o Mr. Bob Williams, 300 West Walker, League City, Texas.	
League City (City), Galveston and Harris Counties (FEMA Docket No. 7242)		Maps are available for inspection at the City of Friendswood Public Works Building, 1306 Deepwood Drive, Friendswood, Texas.	
Clear Creek:		Maps are available for inspection at the City of Pearland Permits Department, City Hall, 3519 Liberty Drive, Pearland, Texas.	
Approximately 4,300 feet upstream of Interstate 45/75		Maps are available for inspection at the City of Brookside Village City Hall, 6243 Brookside Road, Brookside Village, Texas.	
Unnamed Tributary to Clear Creek:		Maps are available for inspection at the Brazoria County Courthouse, 111 East Locust Street, Angleton, Texas.	
At confluence with Clear Creek		(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance")	
Approximately 800 feet upstream of Parker Road			
Magnolia Creek:			
At confluence with Clear Creek			
Approximately 500 feet upstream of FM 518			

Dated: September 27, 1999.

Michael J. Armstrong,

Associate Director for Mitigation.

[FR Doc. 99-25807 Filed 10-4-99; 8:45 am]

BILLING CODE 6718-04-U

FEDERAL EMERGENCY MANAGEMENT AGENCY**44 CFR Part 67****Final Flood Elevation Determinations****AGENCY:** Federal Emergency Management Agency (FEMA).**ACTION:** Final rule.

SUMMARY: Base (1% annual chance) flood elevations and modified base flood elevations are made final for the communities listed below. The base flood elevations and modified base flood elevations are the basis for the floodplain management measures that each community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

EFFECTIVE DATES: The date of issuance of the Flood Insurance Rate Map (FIRM) showing base flood elevations and modified base flood elevations for each community. This date may be obtained by contacting the office where the maps are available for inspection as indicated on the table below.

ADDRESSES: The final base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT: Matthew B. Miller, P.E., Chief, Hazards Study Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646-3461, or (email) matt.miller@fema.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA or Agency) makes final determinations listed below of base flood elevations and modified base flood elevations for each community listed. The proposed base flood elevations and proposed modified base flood elevations were published in newspapers of local circulation and an opportunity for the community or individuals to appeal the proposed determinations to or through the community was provided for a period of ninety (90) days. The proposed base flood elevations and proposed modified

base flood elevations were also published in the **Federal Register**.

This final rule is issued in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR part 67.

The Agency has developed criteria for floodplain management in floodprone areas in accordance with 44 CFR part 60.

Interested lessees and owners of real property are encouraged to review the proof Flood Insurance Study and Flood Insurance Rate Map available at the address cited below for each community.

The base flood elevations and modified base flood elevations are made final in the communities listed below. Elevations at selected locations in each community are shown.

National Environmental Policy Act

This rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act

The Associate Director, Mitigation Directorate, certifies that this rule is exempt from the requirements of the Regulatory Flexibility Act because final or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the National Flood Insurance Program. No regulatory flexibility analysis has been prepared.

Regulatory Classification

This final rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism

This rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

Executive Order 12778, Civil Justice Reform

This rule meets the applicable standards of section 2(b)(2) of Executive Order 12778.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is amended as follows:

PART 67—[AMENDED]

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.11 [Amended]

2. The tables published under the authority of § 67.11 are amended as follows:

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
FLORIDA	
Escambia County (Unincorporated Areas) (FEMA Docket No. 7283)	
<i>Gulf of Mexico:</i>	
Approximately 1.93 miles east of Pensacola Beach-Santa Rosa Island Authority/Escambia County eastern boundary along Gulf of Mexico	*16
Approximately 200 feet north of intersection of Sandy Key Road and State Route 292	*10
<i>Santa Rosa Sound:</i>	
Approximately 500 feet east of Pensacola Beach-Santa Rosa Island Authority/Escambia County eastern boundary near Big Sabine Point	*12
Approximately 3,000 feet south of the tip of Big Sabine Point	*11
<i>Pensacola Bay:</i>	
At the intersection of Burlington Northern Railroad and Redoust Narva Road	*7
Approximately 1,000 feet west of the intersection of State Road 399/Ft. Pickens Road and Via De Luna	*12
<i>Big Lagoon:</i>	
Approximately 3,600 feet south of western tip of Sherman Cove	*12
Approximately 350 feet south of intersection of Gulf Beach Highway and Constance Street	*8
Approximately 1,400 feet south of eastern tip of Sherman Cove	*10
<i>Jones Creek:</i>	
Approximately 500 feet east of the point where North Navy Boulevard crosses Jones Creek	*7
Maps available for inspection at the Escambia County Office of Development Services, 1190 West Leonard Street, Pensacola, Florida 32501-1129.	
Gulf Breeze (City), Santa Rosa County (FEMA Docket No. 7283)	
<i>Santa Rosa Sound:</i>	

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
At the intersection of Deerpoint Circle and Deerpoint Drive	*12
Approximately 0.4 mile west on Gulf Breeze Parkway from the intersection of Bayshore Road and Gulf Breeze Parkway	*8
<i>Pensacola Bay:</i>	
Approximately 1,600 feet northwest of the intersection of Fairpoint Drive and Shoreline Drive	*10
Approximately 700 feet east of the intersection of Cadiz Street and Cordoba Street	*6
Maps available for inspection at the Gulf Breeze City Hall, 1070 Shoreline Drive, Gulf Breeze, Florida.	
Pensacola (City), Escambia County (FEMA Docket No. 7283)	
<i>Pensacola Bay:</i>	
West of Pensacola Bay Bridge	*11
At the intersection of Intendencia Street and North 9th Avenue	*7
Maps available for inspection at the City of Pensacola Inspections Department, 180 Governmental Center, 5th Floor, Pensacola, Florida.	
<i>Pensacola Beach-Santa Rosa Island Authority (Escambia County) (FEMA Docket No. 7283).</i>	
<i>Gulf of Mexico:</i>	
sacola Beach-Santa Rosa Island Authority Escambia County east boundary at Gulf of Mexico	*16
At the intersection of Ariola Drive and Avenida 11	*11
<i>Santa Rosa Sound:</i>	
Approximately 600 feet north of intersection of Via De Luna and Avenida 11.	
At the intersection of Via De Luna and Avenida 11.	
Maps available for inspection at the Santa Rosa Island Authority, 7 Via Luna, Pensacola Beach, Florida.	
Santa Rosa County (Unincorporated Areas) (FEMA Docket No. 7283)	
<i>Gulf of Mexico:</i>	
Approximately 1.6 miles south of the intersection of U.S. Route 98 (Gulf Breeze Parkway) and Calle of Palencia	*16
Approximately 1.5 miles south of the intersection of U.S. Route 98 (Gulf Breeze Parkway) and Belle Meade Circle	*11
<i>Santa Rosa Sound:</i>	

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
Approximately 500 feet south of the intersection of Avenger Drive and North Shores Drive	*12	Approximately 170 feet upstream of the confluence with Rockcastle Creek	*610	Just downstream of Old Robin Hood Road	*162
Approximately 3,400 feet south of the intersection of U.S. Route 98 (Gulf Breeze Parkway) and Mohawk Trail	*8	Immediately downstream of State Route 40	*654	Maps available for inspection at the City of Aberdeen Planning Department, 3 West Bel Air Avenue, Aberdeen, Maryland.	
Maps available for inspection at the Santa Rosa County Administration Building, 6495 Caroline Street, Milton, Florida.		Rockcastle Creek: Approximately 5,500 feet downstream of State Route 40	*630	Bel Air (Town), Harford County (FEMA Docket No. 7275)	
Walton County (Unincorporated Areas) (FEMA Docket No. 7283)		At the upstream corporate limits	*631	Plumtree Run: At corporate limits, approximately 2,575 feet downstream of Route 24	*289
Gulf of Mexico:		Maps available for inspection at the Disaster Emergency Services Director's Office, Route 40, Courthouse Square, Inez, Kentucky.		Approximately 240 feet upstream of Thomas Street ..	*352
Shoreline approximately 550 feet south of intersection of Seacrest Drive and County Route 30-A	*16	MAINE		Bynum Run: Approximately 750 feet upstream of Brierhill Drive	*258
Entire shoreline of Morrison Lake	*8	Dallas Plantation, Franklin County (FEMA Docket No. 7287)		Approximately 1,630 feet upstream of North Hickory Avenue	*339
Approximately 800 feet northeast of intersection of Lakeshore Drive and Earl Road	*10	Haley Pond: For the entire shoreline within the community	*1,528	Maps available for inspection at the Town of Bel Air Public Works and Planning Department, 705 Churchville Road, Bel Air, Maryland.	
Choctawhatchee Bay: Approximately 300 feet north of intersection of Bayshore Drive and Geronimo Street	*7	Maps available for inspection at the Dallas Plantation Office, Dallas Hill Road, Dallas Plantation, Maine.		Harford County (Unincorporated Areas) (FEMA Docket No. 7275)	
Approximately 1,800 feet south of Marsh Drive and State Route 20	*10	Starks (Town), Somerset County (FEMA Docket No. 7287)		Bear Cabin Branch: Confluence with Winters Run	*259
Approximately 700 feet south of State Route 20 bridge over Linton Spring Branch	*10	Sandy River: Approximately 2,500 feet downstream of Sandy River Dam Road	*194	Approximately 1.4 miles upstream of Bernadette Drive	*397
Lake Powell: Approximately 800 feet north of intersection of Orange Street and Pinewood Lane	*8	At upstream corporate limits	*235	Bread and Cheese Branch: Confluence with Winters Run	*289
Approximately 200 feet east of intersection of Pinewood Lane and Lakeshore Drive	*9	Lemon Stream: Approximately 1.1 miles downstream of State Route 43	*247	At a point approximately 1,200 feet upstream of Ryan Road	*373
Alaqua Creek: Approximately 2,300 feet southeast of intersection of State Route 20 and Whitfield Road	*9	Approximately 100 feet upstream of State Route 43 ..	*270	Broad Run: Confluence with James Run	*214
Maps available for inspection at the Walton County Courthouse Annex, 47 North 6th Street, DeFuniak Springs, Florida.		Maps available for inspection at the Starks Town Office, Lockhill Road, Starks, Maine.		Approximately 1,320 feet upstream of Edwards Lane ...	*304
KENTUCKY		MARYLAND		Tributary 1 to Broad Run: At confluence with Broad Run	*264
Inez (City), Martin County (FEMA Docket No. 7283)		Aberdeen (City), Harford County (FEMA Docket No. 7275)		Approximately 640 feet upstream of Asbury Road	*308
Rockcastle Creek: At the downstream corporate limits	*631	Carsins Run: Confluence with Swan Creek Just downstream of Interstate 95	*140	Tributary 2 to Broad Run: At confluence with Broad Run	*296
Approximately 340 feet upstream of State Route 40 ..	*633	Swan Creek: A point approximately 1.06 miles downstream of North Post Road	*176	Approximately 870 feet upstream of Flint Lock Drive	*358
Maps available for inspection at the Inez City Hall, Main Street, Inez, Kentucky.		A point approximately 160 feet downstream of centerline of Interstate 95	*13	Bynum Run: Approximately 260 feet downstream of Philadelphia Road/State Route 7 ...	*16
Martin County (Unincorporated Areas) (FEMA Docket No. 7283)		Tributary 4 to Swan Creek: Approximately 2,625 feet downstream of Aberdeen Thruway	*173	Approximately 0.7 mile upstream of Ma and Pa Railroad	*438
Rockhouse Fork:		A point approximately 500 feet upstream of Paradise Road	*60	Tributary 1 to Bynum Run: Confluence with Bynum Run	*270
		Tributary 3 to Swan Creek: Approximately 180 feet downstream of Old Robin Hood Road	*121	A point approximately 0.6 mile upstream of confluence with Bynum Run ...	*292
			*156	Tributary 2 to Bynum Run: Confluence with Tributary 1 to Bynum Run	*270
				At Southampton Road	*294
				Carsins Run: Just downstream of Interstate 95	*176
				A point approximately 930 feet upstream of Carsins Road	*277
				East Branch:	

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
Confluence with Winters Run A point approximately 1,150 feet upstream of confluence with Winters Run ..	*341	<i>Tributary to Wildcat Branch:</i> Confluence with Wildcat Branch	*354	MASSACHUSETTS	
<i>Grays Run:</i> At CSX Transportation	*10	Upstream side of Bel Air Road	None	Millbury (Town), Worcester County (FEMA Docket No. 7279)	
A point approximately 500 feet upstream of James Run Road	*297	<i>Winters Run:</i> Approximately 50 feet downstream of U.S. Route 40 ...	*16	<i>Ramshorn Brook:</i> Approximately 1,300 feet downstream of Dolan Road and Dam	*610
<i>James Run:</i> Approximately 500 feet upstream of confluence with Bynum Run	*13	Confluence of East Branch and West Branch	*341	Approximately 0.5 mile upstream of Dolan Road and Dam (upstream corporate limits)	*633
A point approximately 940 feet upstream of Snake Lane	*265	<i>Tributary 1 to Winters Run:</i> Confluence with Winters Run	*36	<i>Dorothy Pond:</i> Upstream side of Riverlin Street	*393
<i>Tributary 1 to James Run:</i> Confluence with James Run	*61	A point approximately 1.0 mile upstream from the confluence of Winters Run	*64	Approximately 700 feet upstream of Wheelock Avenue	*399
A point approximately 1,250 feet upstream of Goat Hill Road	*112	<i>Tributary 2 to Winters Run:</i> Confluence with Winters Run	*24		
<i>Long Branch:</i> A point approximately 320 feet upstream of confluence with Winters Run ..	*294	At Paul Martin Drive	*40	Maps available for inspection at the Town Hall, Planner's Office, 127 Elm Street, Millbury, Massachusetts.	
A point approximately 60 feet upstream of Rock Spring Church Road	*395	<i>Tributary 3 to Winters Run:</i> A point approximately 1.4 miles upstream from the confluence with Winters Run	*88	MISSISSIPPI	
<i>Plumtree Run:</i> Confluence with Winters Run	*126	A point approximately 360 feet upstream of State Route 24	*269	Brookhaven (City), Lincoln County (FEMA Docket No. 7279)	
A point approximately 160 feet upstream of Thomas Street	*352	<i>Tributary 4 to Winters Run:</i> Confluence with Winters Run	*124	<i>Stream 4 (Halbert Branch):</i> Approximately 520 feet downstream of Natchez Avenue	*430
<i>Rocky Branch:</i> Confluence with Wildcat Branch	*296	A point approximately 0.7 mile upstream from the confluence with Winters Run	*201	Approximately 250 feet upstream of East Meadowbrook Drive	*468
Approximately at Harford Road/State Road 147	*371	<i>Tributary 5 to Winters Run:</i> Confluence with Winters Run	*59	Maps available for inspection at the Building Inspector's Office, 301 South First Street, Brookhaven, Mississippi.	
<i>Swan Creek:</i> A point approximately 1.68 miles downstream of North Post Road	*11	A point approximately 720 feet upstream of State Route 24	*202	Lincoln County (Unincorporated Areas) (FEMA Docket No. 7279)	
A point approximately 1,200 feet upstream of Aldino Road	*342	<i>Tributary 6 to Winters Run:</i> Confluence with Winters Run	*51	<i>Halbert Branch:</i> Approximately 50 feet upstream of U.S. Highway 51	*413
<i>Tributary 1 to Swan Creek:</i> A point approximately 2,050 feet downstream of Oakington Road	*11	Approximately 205 feet upstream of Porter Drive	*163	Approximately 1.35 miles upstream of U.S. Highway 84	*429
A point approximately 1,090 feet upstream of CSX Transportation Railroad	*84	<i>Wysong Branch:</i> Confluence with Bynum Run	*323	Maps available for inspection at the Lincoln County Records Room, 301 South First Street, Brookhaven, Mississippi.	
<i>Tributary 2 to Swan Creek:</i> Confluence with Swan Creek	*63	Approximately 950 feet upstream of Henderson Road	*340	NEW YORK	
A point approximately 1,010 feet upstream of Titan Terrace	*131	<i>Lilly Run:</i> Just upstream of Revolution Street	*42	Ellicottville (Town), Cattaraugus County (FEMA Docket No. 7267)	
<i>Tributary 3 to Swan Creek:</i> Just upstream of Old Robin Hood Road	*162	Just upstream of CSX Transportation culvert	*75	<i>Great Valley Creek:</i> At private drive	*1,543
A point approximately 620 feet upstream of Gravel Hill Road	*354	Maps available for inspection at the Harford County Planning and Zoning Department, 220 South Main Street—2nd Floor, Bel Air, Maryland.		Approximately 70 feet upstream of Chessie System	*1,554
<i>Tributary 4 to Swan Creek:</i> Confluence with Swan Creek	*35	Havre de Grace (City), Harford County (FEMA Docket No. 7275)		Maps available for inspection at the Ellicottville Town Hall, 1 West Washington Street, Ellicottville, New York.	
A point approximately 800 feet upstream of CONRAIL	*62	<i>Chesapeake Bay:</i> Corporate limit	*14	NORTH CAROLINA	
<i>West Branch:</i> Confluence with Winters Run	*341	A point approximately 500 feet southwest of the intersection of Seneca Avenue and Chesapeake Drive	*13	Burgaw (Town), Pender County (FEMA Docket No. 7275)	
A point approximately 1,360 feet upstream of confluence with Winters Run ..	*341	<i>Lilly Run:</i> Downstream of Locust Road	*12	<i>Burgaw Creek:</i>	
<i>Wildcat Branch:</i> A point approximately 350 feet upstream from the confluence with Little	*199	Approximately 200 feet upstream of CSX Transportation culvert	*75		
<i>Gunpowder River</i> Approximately at Bel Air Road	*417	Maps available for inspection at the City of Havre de Grace Planning Department, 711 Pennington Avenue, Havre de Grace, Maryland 21078.			

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
At downstream side of CSX Transportation Approximately 1,650 feet upstream of Wilmington Street <i>Osgood Canal:</i> Approximately 800 feet upstream of confluence with Burgaw Creek Approximately 50 feet upstream of CSX Transportation	*36 *52 *35 *51	Approximately 1,800 feet upstream of Normal Avenue Maps available for inspection at the Kutztown Code Office, Municipal Building, 45 Railroad Street, Kutztown, Pennsylvania. Maxatawny (Township), Berks County (FEMA Docket No. 7275) <i>Sacony Creek:</i> Approximately 1,100 feet downstream of Deturks Bridge Approximately 800 feet upstream of Fleetwood Road Maps available for inspection at the Township Building, 663 Noble Street, Kutztown, Pennsylvania.	*407 *390 *467	Lexington County (Unincorporated Areas) (FEMA Docket No. 7271) <i>First Creek:</i> Approximately 550 feet downstream of Dogwood Road Approximately 300 feet upstream of Goodwin Pond Road <i>Kinley Creek:</i> Approximately 25 feet downstream of Piney Grove Road Approximately 150 feet downstream of Beaver Dam Road <i>Congaree Creek:</i> Approximately 700 feet upstream of I-26 At upstream side of Platt Springs Road <i>Fourteen Mile Creek:</i> Approximately 1,700 feet upstream of Old Chapin Road Approximately 50 feet upstream of Wise Ferry Road <i>Lick Fork Branch:</i> At confluence with Red Bank Creek At downstream side of Kitt Wake Drive Dam <i>Red Bank Creek:</i> Approximately 50 feet upstream at confluence with Congaree Creek At upstream side of Calk's Ferry Road <i>Savana Branch:</i> At confluence with Congaree Creek Approximately 100 feet upstream of St. David's Church Road <i>Second Creek:</i> At confluence with First Creek At confluence of Bear Creek <i>Bear Creek:</i> At confluence with Second Branch At confluence of Hunt Branch <i>Hunt Branch:</i> At confluence with Bear Creek Approximately 350 feet upstream of Darden Pond Dam <i>Lake Murray:</i> Entire shoreline within county <i>Twelve Mile Creek:</i> Approximately 0.83 mile upstream of Corley Mill Road Approximately 0.47 mile upstream of Taylor Mill Pond Dam <i>Tributary to Fourteen Mile Creek:</i> Approximately 550 feet upstream of confluence with Fourteen Mile Creek Approximately 1,880 feet upstream of confluence with Fourteen Mile Creek	*168 *306 *201 *231 *143 *288 *349 *458 *185 *260 *164 *380 *144 *288 *179 *222 *222 *274 *274 *330 *363 *193 *441 *265 *277
Cornelius (Town), Mecklenburg County (FEMA Docket No. 7275) <i>Lake Norman:</i> Entire shoreline within community	*761	SOUTH CAROLINA Cayce (City), Lexington County (FEMA Docket No. 7271) <i>Congaree Creek:</i> Approximately 700 feet upstream of I-26 Approximately 2,040 feet upstream of I-26	*143 *143		
Maps available for inspection at the Cornelius Town Hall, 21410 Catawba Avenue, Cornelius, North Carolina.		Maps available for inspection at the Cayce City Hall, 1800 12th Street Extension, Cayce, South Carolina.			
Davidson (Town), Mecklenburg County (FEMA Docket No. 7275) <i>Lake Norman:</i> Entire shoreline within community	*761	Columbia (City), Lexington County (FEMA Docket No. 7271) <i>Kinley Creek:</i> At downstream corporate limits approximately 50 feet upstream of Harbison Boulevard At upstream corporate limits approximately 1,100 feet downstream of Beaver Dam Road	*228 *228		
Maps available for inspection at the Davidson Town Hall—Planner's Department, 216 South Main Street, Davidson, North Carolina.		Maps available for inspection at the City of Columbia Department of Utilities & Engineering, 1225 Laurel Street, Columbia, South Carolina.			
PENNSYLVANIA		Lexington (Town), Lexington County (FEMA Docket No. 7271) <i>Fourteen Mile Creek:</i> Approximately 1,150 feet downstream of Park Road Approximately 1,150 feet upstream of Park Road <i>Twelve Mile Creek:</i> Approximately 0.64 mile downstream of the confluence of Tributary TM-1 Approximately 0.42 mile downstream of Wildlife Road Maps available for inspection at the Lexington Town Hall, 11 Maiden Lane, Lexington, South Carolina.	*352 *363 *243 *318		
Clarks Summit (Borough), Lackawanna County (FEMA Docket No. 7279) <i>Tributary A:</i> Approximately 355 feet downstream of U.S. Routes 6 and 11 Approximately 30 feet downstream of corporate limits .. <i>Tributary A1:</i> At confluence with Tributary A Just downstream of South Abington Road <i>Tributary B:</i> Just downstream of Terrace Drive Approximately 60 feet upstream of upstream corporate limits	*1,147 *1,261 *1,155 *1,262 *1,227 *1,326				
Maps available for inspection at the Clarks Summit Borough Hall, 304 South State Street, Clarks Summit, Pennsylvania.					
Kutztown (Borough), Berks County (FEMA Docket No. 7275) <i>Sacony Creek:</i> Approximately 1,800 feet downstream of U.S. Route 222	*399				

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
Maps available for inspection at the Lexington County Planning Department, 212 South Lake Drive, 5th Floor, Administration Building, Lexington, South Carolina.	
Pine Ridge (Town), Lexington County (FEMA Docket No. 7271)	
<i>Congaree Creek:</i>	
Approximately 1,750 feet downstream of confluence with Savana Bridge	*143
Approximately 600 feet downstream of Southern Railway bridge	*148
<i>First Creek:</i>	
Approximately 1,125 feet downstream of Dogwood Road	*168
Approximately 320 feet upstream of Dogwood Road	*173
<i>Savana Branch:</i>	
At confluence with Congaree Creek	*144
Approximately 650 feet downstream of Old Dunbar Road	*147
Maps available for inspection at the Pine Ridge Town Hall, 1200 Fish Hatchery Road, West Columbia, South Carolina.	
South Congaree (Town), Lexington County (FEMA Docket No. 7271)	
<i>Congaree Creek:</i>	
Approximately 1,775 feet upstream of Southern Railway	*151
Approximately 1,150 feet upstream of the confluence of Red Bank Creek	*165
<i>First Creek:</i>	
At confluence with Congaree Creek	*152
Approximately 400 feet downstream of Dogwood Road	*170
<i>Red Bank Creek:</i>	
At confluence with Congaree Creek	*164
Maps available for inspection at the South Congaree Town Hall, 119 West Berry Road, West Columbia, South Carolina.	
TENNESSEE	
Decatur County (Unincorporated Areas) (FEMA Docket No. 7279)	
<i>Tennessee River:</i>	
Upstream county boundary ...	*374
At confluence of Rockets Creek	*376
At confluence of Cub Creek	*377
At confluence of Lick Creek ..	*377
At confluence of Beech River ..	*380
At confluence of Whites Creek	*383
At confluence of Turnbo Creek	*391
At confluence of Stewman Creek	*391

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
At confluence of Doe Creek Downstream county boundary	*392
Maps available for inspection at the Decatur County Courthouse, County Executive Office, 22 Main Street, Decaturville, Tennessee.	*393
VIRGINIA	
Halifax (Town), Halifax County (FEMA Docket No. 7283)	
<i>Banister Lake:</i>	
Approximately 120 feet downstream of downstream corporate limit	*365
At the upstream corporate limit	*365
Maps available for inspection at the Halifax Town Hall, 70 Main Street, Halifax, Virginia.	

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance")

Dated: September 27, 1999.

Michael J. Armstrong,
Associate Director for Mitigation.

[FR Doc. 99-25802 Filed 10-4-99; 8:45 am]

BILLING CODE 6718-04-P

FEDERAL COMMUNICATIONS COMMISSION

47 CFR Part 64

[CC Docket No. 96-115; FCC 99-227]

Telecommunications Carriers' Use of Customer Proprietary Network Information and Other Customer Information

AGENCY: Federal Communications Commission.

ACTION: Final rule.

SUMMARY: This document establishes rules to implement section 222(e) by requiring all telecommunications carriers to provide subscriber list information gathered in their capacity as providers of telephone exchange service to any person upon request for the purpose of publishing directories in any format, including Internet directories. The intended effect is to further Congress's goals of preventing unfair local exchange carrier (LEC) practices and encouraging the development of competition in directory publishing. **DATES:** Effective December 14, 1999. Written comments by the public on the information collection requirements are due November 4, 1999. OMB must submit written comments on the information collection requirements on or before December 6, 1999.

FOR FURTHER INFORMATION CONTACT: William A. Kehoe, Special Counsel, Common Carrier Bureau, Policy and Program Planning Division, (202) 418-1580 or via the Internet at bkehoe@fcc.gov. Further information may also be obtained by calling the Common Carrier Bureau's TTY number: 202-418-0484. For additional information concerning the information collections contained in this Order contact Judy Boley at (202) 418-0214, or via the Internet at jboley@fcc.gov.

SUPPLEMENTARY INFORMATION: This is a summary of the Commission's Order adopted August 23, 1999, and released September 9, 1999. The full text of this Third Report and Order is available for inspection and copying during normal business hours in the FCC Reference Center, 445 12th Street, SW, Room CY-A257, Washington, DC The complete text also may be obtained through the World Wide Web, at <http://www.fcc.gov/Bureaus/Common Carrier/Orders/fcc99227.wp>, or may be purchased from the Commission's copy contractor, International Transcription Service, Inc., (202) 857-3800, 1231 20th St., NW, Washington, DC 20036. This Order contains information collections subject to the Paperwork Reduction Act of 1995 (PRA). It has been submitted to the Office of Management and Budget (OMB) for review under the PRA. The general public and other federal agencies are invited to comment on the information collections contained in this proceeding.

Regulatory Flexibility Certification

As required by the Regulatory Flexibility Act, the Order contains a Final Regulatory Flexibility Analysis which is set forth in an Appendix to the Order. A brief description of the analysis follows. Pursuant to section 604 of the Regulatory Flexibility Act, the Commission performed a comprehensive analysis of the Order with regard to small entities. This analysis includes: (1) A succinct statement of the need for, and objectives of, the Commission's decisions in the Order; (2) A summary of the significant issues raised by the public comments in response to the initial regulatory flexibility analysis, a summary of the Commission's assessment of these issues, and a statement of any changes made in the Order as a result of the comments; (3) A description of and an estimate of the number of small entities to which the Order will apply; (4) A description of the projected reporting, recordkeeping and other compliance