2. Each such employer shall forward to the Federal Air Surgeon a copy of the report of any evaluation performed under the provisions of section VI.C. of this appendix within 2 working days of the employer's receipt of the report.

\* \* \* \* \*

### E. Required Evaluation and Testing

No covered employee who has engaged in conduct prohibited by § 65.46a, 121.458, or 135.253 of this chapter shall perform safety-sensitive functions unless the employee has met the requirements of 49 CFR part 40. No employer shall permit a covered employee who has engaged in such conduct to perform safety-sensitive functions unless the employee has met the requirements of 49 CFR part 40.

# VI. ALCOHOL MISUSE INFORMATION, TRAINING, AND SUBSTANCE ABUSE PROFESSIONAL

A. Employer Obligation to Promulgate a Policy on the Misuse of Alcohol

(i) The consequences for covered employees found to have violated the prohibitions in this chapter, including the requirement that the employee be removed immediately from performing safety-sensitive functions, and the process in 49 CFR part 40, subpart O.

Issued in Washington, DC, on November 14, 2001.

### Donald P. Byrne,

Assistant Chief Counsel, Regulations Division.

[FR Doc. 01-28868 Filed 11-16-01; 8:45 am]

BILLING CODE 4910-13-M

### **FEDERAL TRADE COMMISSION**

### 16 CFR Part 305

Rule Concerning Disclosures
Regarding Energy Consumption and
Water Use of Certain Home Appliances
and Other Products Required Under
the Energy Policy and Conservation
Act ("Appliance Labeling Rule")

**AGENCY:** Federal Trade Commission. **ACTION:** Final rule.

SUMMARY: The Federal Trade
Commission ("Commission") amends
its Appliance Labeling Rule by
publishing new ranges of comparability
to be used on required labels for
refrigerators, refrigerator-freezers, and
freezers. The Commission is also
making minor, corrective amendments
to the portions of Appendices H
(Cooling Performance and Cost for
Central Air Conditioners) and I (Heating
Performance and Cost for Central Air
Conditioners) to Part 305 that contain
cost calculation formulas.

## **EFFECTIVE DATE:** February 19, 2002. **FOR FURTHER INFORMATION CONTACT:**

Hampton Newsome, Attorney, Division of Enforcement, Federal Trade Commission, Washington, DC 20580 (202–326–2889); hnewsome@ftc.gov.

SUPPLEMENTARY INFORMATION: The Appliance Labeling Rule was issued by the Commission in 1979, 44 FR 66466 (Nov. 19, 1979), in response to a directive in the Energy Policy and Conservation Act of 1975. The Rule covers eight categories of major household appliances: Refrigerators and refrigerator-freezers, freezers, dishwashers, clothes washers, water heaters (this category includes storagetype water heaters, gas-fired instantaneous water heaters, and heat pump water heaters), room air conditioners, furnaces (this category includes boilers), and central air conditioners (this category includes heat pumps). The Rule also covers pool heaters, 59 FR 49556 (Sept. 28, 1994), and contains requirements that pertain to fluorescent lamp ballasts, 54 FR 28031 (July 5, 1989), certain plumbing products, 58 FR 54955 (Oct. 25, 1993) and certain lighting products, 59 FR 25176 (May 13, 1994, eff. May 15, 1995).

The Rule requires manufacturers of all covered appliances and pool heaters to disclose specific energy consumption or efficiency information (derived from the DOE test procedures) at the point of sale in the form of an "EnergyGuide" label and in catalogs. It also requires manufacturers of furnaces, central air conditioners, and heat pumps either to provide fact sheets showing additional cost information, or to be listed in an industry directory showing the cost information for their products. The Rule requires manufacturers to include, on labels and fact sheets, an energy consumption or efficiency figure and a "range of comparability." This range shows the highest and lowest energy consumption or efficiencies for all comparable appliance models so consumers can compare the energy consumption or efficiency of other models (perhaps competing brands) similar to the labeled model. The Rule also requires manufacturers to include, on labels for some products, a secondary energy usage disclosure in the form of an estimated annual operating cost based on a specified DOE national average cost for the fuel the appliance uses.

Section 305.8(b) of the Rule requires manufacturers, after filing an initial report, to report certain information annually to the Commission by specified dates for each product type.2 These reports, which are to assist the Commission in preparing the ranges of comparability, contain the estimated annual energy consumption or energy efficiency ratings for the appliances derived from tests performed pursuant to the DOE test procedures. Because manufacturers regularly add new models to their lines, improve existing models, and drop others, the data base from which the ranges of comparability are calculated is constantly changing. To keep the required information consistent with these changes, under section 305.10 of the Rule, the Commission will publish new ranges if an analysis of the new information indicates that the upper or lower limits of the ranges have changed by more than 15%. Otherwise, the Commission will publish a statement that the prior ranges remain in effect for the next year.

### New Ranges of Comparability for Refrigerators, Refrigerator-Freezers, and Freezers

The Commission has analyzed 2001 submissions of data for refrigerators, refrigerator-freezers, and freezers. Analysis of the submission indicates that the ranges for these products have changed significantly.3 Therefore, the Commission is publishing new ranges of comparability for refrigerators, refrigerator-freezers, and freezers. Today's publication of the new ranges for refrigerators, refrigerator-freezers, and freezers also means that, after February 19, 2002, manufacturers of these products must calculate the operating cost figures at the bottom of labels for the products using the 2001 cost for electricity (8.29 cents per kilowatt-hour).

## Minor Amendments to Appendices H and I

The Commission is also amending the cost calculation formulas appearing in the Appendices (H and I) to part 305 that contain, for central air conditioners and heat pumps, heating and cooling performance costs and the ranges of comparability. These formulas must be provided on fact sheets and in directories so consumers can calculate their own costs of operation for the central air conditioners and heat pumps that they are considering purchasing.

<sup>&</sup>lt;sup>1</sup>42 U.S.C. 6294. The statute also requires the Department of Energy (DOE) to develop test procedures that measure how much energy the appliances use, and to determine the representative average cost a consumer pays for the different types of energy available.

 $<sup>^2\,\</sup>mathrm{Reports}$  for refrigerators, refrigerator-freezers, and freezers are due August 1.

<sup>&</sup>lt;sup>3</sup> New DOE energy conservation standards for these products became effective on July 1, 2001. 62 FR 23102 (April 28, 1987).

This amendment corrects some of the figures in the formulas to reflect the current Representative Average Unit Cost of Electricity—8.29 cents per kilowatt-hour—that was published by DOE on March 8, 2001 (66 FR 13917), and by the Commission on May 21, 2001 (66 FR 27856).

### Regulatory Flexibility Act

The provisions of the Regulatory Flexibility Act relating to a Regulatory Flexibility Act analysis (5 U.S.C. 603– 604) are not applicable to this proceeding because the amendments do not impose any new obligations on entities regulated by the Appliance Labeling Rule. Thus, the amendments will not have a "significant economic impact on a substantial number of small entities." 5 U.S.C. 605. The Commission has concluded, therefore, that a regulatory flexibility analysis is not necessary, and certifies, under section 605 of the Regulatory Flexibility Act (5 U.S.C. 605(b)), that the amendments announced today will not have a

significant economic impact on a substantial number of small entities.

### List of Subjects in 16 CFR Part 305

Advertising, Energy conservation, Household applicances, Labeling Reporting and recordkeeping requirements.

1. The authority citation for part 305 continues to read as follows:

Authority: 42 U.S.C. 6249.

2. Appendix A1 to part 305 is revised to read as follows:

## APPENDIX A1 TO PART 305.—REFRIGERATORS WITH AUTOMATIC DEFROST [Range Information]

Manufacturer's rated total refrigerated volume in cubic feet	Range of estimated an- nual energy consumption (kWh/yr.)	
	Low	High
Less than 2.5	318	338
2.5 to 4.4	319	385
4.5 to 6.4	383	436
6.5 to 8.4	(*)	(*)
8.5 to 10.4	348	380
10.5 to 12.4	(*)	(*)
12.5 to 14.4	(*)	(*)
14.5 to 16.4	428	428
16.5 and over	318	438

<sup>\*</sup> No data submitted for units meeting the Department of Energy's Energy Conservation Standards effective July 1, 2001.

### 3. Appendix A2 to part 305 is revised to read as follows:

# APPENDIX A2 TO PART 305.—REFRIGERATORS WITH AUTOMATIC DEFROST [Range Information]

Manufacturer's rated total refrigerated volume in cubic feet	Range of estimated annual energy consumption (kWh/yr.)	
	Low	High
Less than 2.5	280	320
2.5 to 4.4	292	345
4.5 to 6.4	296	364
6.5 to 8.4	387	387
3.5 to 10.4	273	379
10.5 to 12.4	286	286
2.5 to 14.4	(*)	(*)
4.5 to 16.4	(*)	(*)
16.5 to 18.4	(396)	(438)
8.5 to 20.4	(*)	(*)
20.5 to 22.4	(*)	(*)
2.5 to 24.4	(*)	(*)
4.5 to 26.4	(*)	(*)
26.5 to 28.4	(*)	(*)
28.5 and over	(*)	(*)

<sup>\*</sup> No data submitted for units meeting the Department of Energy's Energy Conservation Standards effective July 1, 2001.

<sup>4.</sup> Appendix A3 to part 305 is revised to read as follows:

# APPENDIX A3 TO PART 305—REFRIGERATOR-FREEZERS WITH PARTIAL AUTOMATIC DEFROST Range Information

Manufacturer's rated total refrigerated volume in cubic feet	Range of es nual energy ( (kWh	
	Low	High
Less than 10.5	285	434
10.5 to 12.4	313	313
12.5 to 14.4	(*)	(*)
14.5 to 16.4	(*)	(*)
16.5 to 18.4	(*)	(*)
18.5 to 20.4	(*)	(*)
20.5 to 22.4	(*)	(*)
22.5 to 24.4	(*)	(*)
24.5 to 26.4	(*)	(*)
26.5 to 28.4	(*)	(*)
28.5 and over	(*)	(*)

<sup>(\*)</sup> No data submitted for units meeting the Department of Energy's Energy Conservation Standards effective July 1, 2001.

## 5. Appendix A4 to part 305 is revised to read as follows:

# APPENDIX A4 TO PART 305—REFRIGERATOR-FREEZERS WITH AUTOMATIC DEFROST WITH TOP-MOUNTED FREEZER WITHOUT THROUGH-THE-DOOR ICE SERVICE

Range Information

Manufacturer's rated total refrigerated volume in cubic feet	Range of es nual energy ( (kWh	consumption	
	Low	High	
Less than 10.5	356	356	
10.5 to 12.4	408	409	
12.5 to 14.4	394	440	
14.5 to 16.4	372	460	
16.5 to 18.4	414	489	
18.5 to 20.4	416	509	
20.5 to 22.4	457	530	
22.5 to 24.4	499	558	
24.5 to 26.4	523	560	
26.5 to 28.4	(*)	(*)	
28.5 and over	(*)	(* <u>´</u>	

<sup>(\*)</sup> No data submitted for units meeting the Department of Energy's Energy Conservation Standards effective July 1, 2001.

## 6. Appendix A5 to part 305 is revised to read as follows:

# APPENDIX A5 TO PART 305—REFRIGERATOR-FREEZERS WITH AUTOMATIC DEFROST WITH SIDE-MOUNTED FREEZER WITHOUT THROUGH-THE-DOOR ICE SERVICE

Range Information

Manufacturer's rated total refrigerated volume in cubic feet	Range of es nual energy (kWl	timated an- consumption n/yr.)	
	Low	High	
Less than 10.5	(*)	(*)	
10.5 to 12.4	(*)	(*)	
12.5 to 14.4	(*)	(*)	
14.5 to 16.4	(*)	(*)	
16.5 to 18.4	(*)	(*)	
18.5 to 20.4	623	624	
20.5 to 22.4	568	640	
22.5 to 24.4	605	643	
24.5 to 26.4	591	659	
26.5 to 28.4	(*)	(*)	

# APPENDIX A5 TO PART 305—REFRIGERATOR-FREEZERS WITH AUTOMATIC DEFROST WITH SIDE-MOUNTED FREEZER WITHOUT THROUGH-THE-DOOR ICE SERVICE—Continued

### Range Information

Manufacturer's rated total refrigerated volume in cubic feet	Range of estimated an- nual energy consumption (kWh/yr.)	
	Low	High
28.5 and over	614	679

<sup>(\*)</sup> No data submitted for units meeting the Department of Energy's Energy Conservation Standards effective July 1, 2001.

## 7. Appendix A6 to part 305 is revised to read as follows:

# APPENDIX A6 TO PART 305—REFRIGERATOR-FREEZERS WITH AUTOMATIC DEFROST WITH BOTTOM-MOUNTED FREEZER WITHOUT THROUGH-THE-DOOR ICE SERVICE

### Range Information

Manufacturer's rated total refrigerated volume in cubic feet	Range of es nual energy ( (kWh	consumption
	Low	High
Less than 10.5	447	500
10.5 to 12.4	(*)	(*)
12.5 to 14.4	(*)	(*)
14.5 to 16.4	544	544
16.5 to 18.4	502	548
18.5 to 20.4	564	564
20.5 to 22.4	511	572
22.5 to 24.4	(*)	(*)
24.5 to 26.4	(* <u>´</u>	(* <u>´</u>
26.5 to 28.4	(*)	(*)
28.5 and over	(*)	(*)

<sup>(\*)</sup> No data submitted for units meeting the Department of Energy's Energy Conservation Standards effective July 1, 2001.

## 8. Appendix A7 to part 305 is revised to read as follows:

## APPENDIX A7 TO PART 305.—REFRIGERATOR-FREEZERS WITH AUTOMATIC DEFROST WITH TOP-MOUNTED FREEZER WITH THROUGH-THE-DOOR ICE SERVICE

### [Range Information]

Manufacturer's rated total refrigerated volume in cubic feet	nual energy of	ange of estimated an- al energy consumption (kWh/yr.)	
	Low	High	
Less than 10.5	(*)	(*)	
10.5 to 12.4	544	544	
12.5 to 14.4	544	544	
14.5 to 16.4	(*)	(*)	
16.5 to 18.4	(*)	(*)	
18.5 to 20.4	(*)	(*)	
20.5 to 22.4	555	555	
22.5 to 24.4	(*)	(*)	
24.5 to 26.4	(*)	(*)	
26.5 to 28.4	(*)	(*)	
28.5 and over	(*)	(*)	

<sup>\*</sup> No data submitted for units meeting the Department of Energy's Energy Conservation Standards effectively July 1, 2001.

# APPENDIX A8 TO PART 305.—REFRIGERATOR-FREEZERS WITH AUTOMATIC DEFROST WITH SIDE-MOUNTED FREEZER WITH THROUGH-THE-DOOR ICE SERVICE

[Range Information]

Manufacturer's rated total refrigerated volume in cubic feet	Range of estimated an- nual energy consumption (kWh.yr.)	
	Low	High
Less than 10.5	(*) (*) (*) (*) (*)	(*) (*) (*) (*)
16.5 to 18.4	(^) 647	(^) 650
20.5 to 22.4	597 617	686 698
24.5 to 26.4	618 647	727 751
28.5 and over	691	765

<sup>\*</sup> No data submitted for units meeting the Department of Energy's Energy Conservation Standards effective July 1, 2001.

Cost Information for Appendices A1 Through

When the ranges of comparability in Appendices A1 through A8 are used on EnergyGuide labels for refrigerators and refrigerator-freezers, the estimated annual operating cost disclosure appearing in the box at the bottom of the labels must be derived using the 2001 Representative Average Unit Cost for electricity (8.29¢ per

kilowatt-hour), and the text below the box must identify the cost as such.

10. Appendix B1 to part 305 is revised to read as follows:

# APPENDIX B1 TO PART 305.—UPRIGHT FREEZERS WITH MANUAL DEFROST [Range Information]

Manufacturer's rated total refrigerated volume in cubic feet	Range of es nual energy of (kWh	consumption
	Low	High
Less than 5.5	(*)	(*)
5.5 to 7.4	354	354
7.5 to 9.4	372	372
9.5 to 11.4	392	392
11.5 to 13.4	409	410
13.5 to 15.4	442	442
15.5 to 17.4	477	482
17.5 to 19.4	(*)	(*)
19.5 to 21.4	5Ì2	5 <u>2</u> 7
21.5 to 23.4	(*)	(*)
23.5 to 25.4	5 <u>8</u> 0	5 <b>8</b> 0
25.5 to 27.4	(*)	(*)
27.5 to 29.4	(*)	(*)
29.5 and over	1,748	1,7 <b>à</b> 8

<sup>\*</sup> No data submitted for units meeting the Department of Energy's Energy Conservation Standards effective July 1, 2001.

11. Appendix B2 to part 305 is revised to read as follows:

# APPENDIX B2 TO PART 305.—UPRIGHT FREEZERS WITH AUTOMATIC DEFROST [Range Information]

Manufacturer's rated total refrigerated volume in cubic feet	Range of es nual energy of (kWh	timated an- consumption /yr.)
	Low	High
Less than 5.5	482	491
5.5 to 7.4	(*)	(*)
7.5 to 9.4	(*)	(*)
9.5 to 11.4	564	564
11.5 to 13.4	(*)	(*)
13.5 to 15.4	621 l	6 <del>5</del> 5
15.5 to 17.4	682	683
17.5 to 19.4	742	742

# APPENDIX B2 TO PART 305.—UPRIGHT FREEZERS WITH AUTOMATIC DEFROST—Continued [Range Information]

Manufacturer's rated total refrigerated volume in cubic feet	Range of es nual energy ( (kWh	timated an- consumption l/yr.)
	Low	High
19.5 to 21.4	745	763
21.5 to 23.4	796	796
23.5 to 25.4	(*)	(*)
25.5 to 27.4	(*)	(*)
27.5 to 29.4	(*)	(*)
29.5 and over	2,003	2,033

<sup>\*</sup> No data submitted for units meeting the Department of Energy's Energy Conservation Standards effective July 1, 2001.

12. Appendix B3 to part 305 is revised to read as follows:

# APPENDIX B3 TO PART 305.—CHEST FREEZERS AND ALL OTHER FREEZERS [Range Information]

[]								
Manufacturer's rated total refrigerated volume in cubic feet	Range of estimated annual energy consumption (kWh/yr.)							
	Low	High						
Less than 5.5	166	245						
5.5 to 7.4	276	280						
7.5 to 9.4	294	294						
9.5 to 11.4	312	312						
11.5 to 13.4	350	362						
13.5 to 15.4	394	397						
15.5 to 17.4	(*)	(*)						
17.5 to 19.4	445	445						
19.5 to 21.4	480	480						
21.5 to 23.4	512	532						
23.5 to 25.4	569	570						
25.5 to 27.4	(*)	(*)						
27.5 to 29.4	(*)	(*)						
29.5 and over	(*)	(*)						

<sup>\*</sup>No data submitted for units meeting the Department of Energy's Energy Conservation Standards effective July 1, 2001.

Cost Information for Appendices B1 Through B3

When the ranges of comparability in Appendices B1 through B3 are used on EnergyGuide labels for freezers, the estimated annual operating cost disclosure appearing in the box at the bottom of the labels must be derived using the 2001 Representative Average Unit Cost for electricity (8.29¢ per kilowatt-hour), and the text below the box must identify the cost as such.

13. In section 2 of Appendix H of Part 305, the formula is revised to read as follows in both places that it appears:

Appendix H to Part 305—Cooling Performance and Cost for Central Air Conditioners

\* \* \* \* \*

Your estimated cost = 
$$\frac{\text{Listed average annual}}{\text{operating cost}*} \times \frac{\text{Your cooling}}{\frac{\text{load hours}**}{1,000}} \times \frac{\text{Your electrical rate}}{\frac{\text{in cents per KWH}}{8.29 \text{¢}}}$$

\* \* \* \* \*

14. In section 2 of Appendix I of Part 305, the "NOTE" following the EnergyGuide label is amended by removing the figure "8.31¢" and by

adding, in its place, the figure "8.29¢". In addition, the formula in section 2 of Appendix I of Part 305 is revised to read as follows in both places that it appears:

Appendix I to Part 305—Heating Performance and Cost For Central Air Conditioners

\* \* \* \* \*

Your electrical cost in cents per KWH Your estimated cost = Listed annual heating cost  $\times$ 

8.29¢

By direction of the Commission.

#### Donald S. Clark,

Secretary.

[FR Doc. 01-28438 Filed 11-16-01; 8:45 am] BILLING CODE 6750-01-M

### **DEPARTMENT OF HEALTH AND HUMAN SERVICES**

### **Food and Drug Administration**

### 21 CFR Part 558

New Animal Drugs for Use in Animal Feeds; Arsanilic Acid; Technical Amendment

**AGENCY:** Food and Drug Administration,

**ACTION:** Final rule; technical amendment.

**SUMMARY:** The Food and Drug Administration (FDA) is amending the animal drug regulations to reflect the dose range of arsanilic acid for Type C medicated poultry feeds reported by the

National Academy of Sciences/National

Research Council (NAS/NRC) Drug Efficacy Study in 1972. This action is being taken to improve the accuracy of the regulations.

**DATES:** This rule is effective November 19, 2001.

### FOR FURTHER INFORMATION CONTACT:

Dianne T. McRae, Center for Veterinary Medicine (HFV-102), Food and Drug Administration, 7500 Standish Pl., Rockville, MD 20855, 301-827-0212, email: dmcrae@cvm.fda.gov.

SUPPLEMENTARY INFORMATION: FDA has found that the animal drug regulations do not reflect the dose range of arsanilic acid for Type C medicated poultry feeds reported to the agency by the NAS/NRC Drug Efficacy Study in 1972. At this time, the regulations are being amended in 21 CFR 558.62 to reflect a dose range of 45 to 90 grams per ton of medicated poultry feed.

Publication of this document constitutes final action on these changes under the Administrative Procedure Act (5 U.S.C. 553). Notice and public procedure are unnecessary because FDA is merely correcting nonsubstantive errors.

This rule does not meet the definition of "rule" in 5 U.S.C. 804(3)(A) because it is a rule of "particular applicability." Therefore, it is not subject to the congressional review requirements in 5 U.S.C. 801-808.

### List of Subjects in 21 CFR Part 558

Animal drugs, Animal feeds.

Therefore, under the Federal Food, Drug, and Cosmetic Act and under authority delegated to the Commissioner of Food and Drugs and redelegated to the Center for Veterinary Medicine, 21 CFR part 558 is amended as follows:

### PART 558—NEW ANIMAL DRUGS FOR **USE IN ANIMAL FEEDS**

1. The authority citation for 21 CFR part 558 continues to read as follows:

Authority: 21 U.S.C. 360b, 371.

2. Section 558.62 is amended in the table in paragraph (c)(1) by revising entries (i) and (ii) to read as follows:

#### § 558.62 Arsanilic acid.

(c) \* \* \*

(1) \*

Arsanilic acid in grams per ton	Combination in grams per ton	Indications for use		L	Sponsor	
(i) 45 to 90			s: For growth promotion cy; improving pigmenta-	Withdraw 5 days source of organ	before slaughter; as solenic arsenic.	e 015565
		2. Growing turkeys	s: For growth promotion cy; improving pigmenta-	do		. 015565
			For increased rate of improved feed efficiency.	do		. 015565
(ii) 90			in control of swine dys nagic enteritis, bloody	do		. 015565
*	*	*	*	*	*	*

Dated: November 6, 2001.

#### Stephen F. Sundlof,

Director, Center for Veterinary Medicine. [FR Doc. 01-28765 Filed 11-16-01; 8:45 am] BILLING CODE 4160-01-S

### DEPARTMENT OF TRANSPORTATION

**Coast Guard** 

33 CFR Part 100

[CGD05-01-013]

RIN 2115-AE46

**Special Local Regulations for Marine** Events; Fireworks Displays, Atlantic Ocean, Virginia Beach, VA

**AGENCY:** Coast Guard, DOT.

**ACTION:** Final rule.

**SUMMARY:** The Coast Guard is adopting permanent special local regulations for fireworks displays to be held over the waters of the Atlantic Ocean, Virginia Beach, Virginia. These special local regulations are necessary to provide for the safety of life on navigable waters during the fireworks displays. This action will temporarily restrict vessel traffic during the fireworks displays to protect spectator craft and other vessels transiting the event area from the dangers associated with the fireworks.

**DATES:** This rule is effective December 19, 2001.