(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.") Dated: November 4, 2003.

Anthony S. Lowe, Administrator, Federal Insurance and Mitigation Administration. [FR Doc. 03–28638 Filed 11–14–03; 8:45 am] BILLING CODE 6718-04-P

#### DEPARTMENT OF HOMELAND SECURITY

### Federal Emergency Management Agency

## 44 CFR Part 67

### **Final Flood Elevation Determinations**

**AGENCY:** Federal Emergency Management Agency, Emergency Preparedness and Response Directorate, Department of Homeland Security. **ACTION:** Final rule.

**SUMMARY:** Base (1% annual-chance) Flood Elevations and modified Base Flood Elevations (BFEs) are made final for the communities listed below. The BFEs and modified BFEs are the basis for the floodplain management measures that each community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

**EFFECTIVE DATE:** The date of issuance of the Flood Insurance Rate Map (FIRM) showing BFEs and modified BFEs for each community. This date may be obtained by contacting the office where the FIRM is available for inspection as indicated in the table below.

**ADDRESSES:** The final base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

# FOR FURTHER INFORMATION CONTACT:

Doug Bellomo, P.E., Hazard Identification Section, Emergency Preparedness and Response Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646–2903.

**SUPPLEMENTARY INFORMATION:** The Federal Emergency Management Agency makes the final determinations listed below of BFEs and modified BFEs for each community listed. These modified elevations have been published in newspapers of local circulation and ninety (90) days have elapsed since that publication. The Mitigation Division Director of the Emergency Preparedness and Response Directorate has resolved any appeals resulting from this notification.

This final rule is issued in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4105, and 44 CFR part 67.

The Federal Emergency Management Agency has developed criteria for floodplain management in floodprone areas in accordance with 44 CFR part 60.

Interested lessees and owners of real property are encouraged to review the proof Flood Insurance Study and FIRM available at the address cited below for each community.

The BFEs and modified BFEs are made final in the communities listed below. Elevations at selected locations in each community are shown.

National Environmental Policy Act. This rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. No environmental impact assessment has been prepared.

*Regulatory Flexibility Act.* The Mitigation Division Director of the

Emergency Preparedness and Response Directorate certifies that this rule is exempt from the requirements of the Regulatory Flexibility Act because modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4105, and are required to establish and maintain community eligibility in the NFIP. No regulatory flexibility analysis has been prepared.

*Regulatory Classification.* This final rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

*Executive Order 12612, Federalism.* This rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

*Executive Order 12778, Civil Justice Reform.* This rule meets the applicable standards of section 2(b)(2) of Executive Order 12778.

### List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

■ Accordingly, 44 CFR part 67 is amended to read as follows:

## PART 67—[AMENDED]

■ 1. The authority citation for part 67 continues to read as follows:

**Authority:** 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

#### §67.11 [Amended]

■ 2. The tables published under the authority of § 67.11 are amended as follows:

State	City/town/county	Source of flooding	Location	#Depth in feet above ground. *Elevation in feet (NGVD) modified •Elevation in feet (NAVD) modified
lowa	La Porte City (City) Black Hawk County (FEMA Docket No. P7633).	Cedar River	Approximately 2100 feet downstream of La Porte Road.	♦814
			Approximately 6,500 feet upstream of La Porte Road.	♦815
lowa	La Porte City (City) Black Hawk County (FEMA Docket No. P7633).	Wolf Creek	Approximately 2,100 feet downstream of Illinois Central Gulf Railroad.	♦815
			Approximately 7,550 feet upstream of Main Street.	♦824
		Wolf Creek Overflow	Approximately 2,700 feet downstream of Illinois Central Gulf Railroad.	♦815

State	City/town/county	Source of flooding	Location	#Depth in feet above ground. *Elevation in feet (NGVD) modified ◆Elevation in feet (NAVD) modified
			Approximately 1,7500 feet upstream of Commercial Street.	♦823
	Maps are available for	or inspection at City Hall, 202	Main Street, La Porte City, Iowa.	
Minnesota	Jackson (City) Jackson County (FEMA Dock- et No. P7637).	West Fork Des Moines River.	At the corporate limit, approximately 2,000 feet downstream of the con- fluence of Nelson Creek.	*1,304
			At the corporate limit, about 3,200 feet downstream of Interstate 90.	*1,314
	Maps are available for ir	spection at City Hall, 80 Wes	st Ashley Street, Jackson, Minnesota.	
Ohio	Dublin (City) Franklin County (FEMA Dock- et No. P7633).	North Fork Indian Run	Approximately 100 feet upstream of con- fluence with Indian Run and South Fork Indian Run.	*799
			At county boundary, approximately 1,00 feet upstream of Wareham Drive.	*923
		South Fork Indian Run	Approximately 40 feet upstream from confluence with Indian Run and North Fork Indian Run.	*799
			Approximately 400 feet upstream of con- fluence with Indian Run and North Fork Indian Run.	*818
			Approximately 300 feet downstream of Post Road.	*923
		Indian Run	Just downstream of Post Road Approximately 50 feet upstream of North	*927 *781
			High Street culvert. At confluence of North Fork Indian Run and South Fork Indian Run.	*799
Maps	are available for inspection	n at the Dublin Engineering Bu	⊥ uilding, 5800 Shier-Rings Road, Dublin, Ohio	
Wisconsin	(Unincorporated Areas) (FEMA Docket	Anderson Creek	Approximately 200 feet upstream of U.S. Highway 45.	*750
	No. P7633).		Just upstream of Melody Lane Crossing about 150 feet east of Pioneer Road.	*802
		Mosher Creek	Just upstream of U.S. Highway 45 Just downstream of Rolling Meadows Drive.	*750 *780
Maps are available fo	r inspection at the Municipa	I Office, City/County Governm	nent Center, 160 South Macy Street, Fond du	u Lac, Wisconsin.
Wisconsin	North Fond du Lac (Vil- lage) Fond du Lac County (FEMA Dock-	Anderson Creek	Approximately 1,150 feet upstream of Minnesota Avenue.	*772
	et No. P7633).		Approximately 1.3 miles upstream of Min- nesota Avenue.	*782
		Mosher Creek	At the eastern corporate limit, approxi- mately 2,000 feet downstream of Marcoe Street.	*753
			Approximately 50 feet downstream of Rolling Meadows Drive.	*780
		Lake Winnebago	Shoreline	*750

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.") Dated: November 4, 2003.

#### Anthony S. Lowe,

Mitigation Division Director, Emergency Preparedness and Response Directorate. [FR Doc. 03–28636 Filed 11–14–03; 8:45 am] BILLING CODE 9110–12–P

#### DEPARTMENT OF HOMELAND SECURITY

### Federal Emergency Management Agency

## 44 CFR Part 67

#### **Final Flood Elevation Determinations**

**AGENCY:** Federal Emergency Management Agency, Emergency Preparedness and Response Directorate, Department of Homeland Security. **ACTION:** Final rule.

**SUMMARY:** Base (1% annual-chance) Flood Elevations and modified Base Flood Elevations (BFEs) are made final for the communities listed below. The BFEs and modified BFEs are the basis for the floodplain management measures that each community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

**EFFECTIVE DATE:** The date of issuance of the Flood Insurance Rate Map (FIRM) showing BFEs and modified BFEs for each community. This date may be obtained by contacting the office where the FIRM is available for inspection as indicated in the table below.

**ADDRESSES:** The final base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

# FOR FURTHER INFORMATION CONTACT:

Doug Bellomo, P.E., Hazard Identification Section, Emergency Preparedness and Response Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646–2903.

**SUPPLEMENTARY INFORMATION:** The Federal Emergency Management Agency makes the final determinations listed below of BFEs and modified BFEs for each community listed. These modified elevations have been published in newspapers of local circulation and ninety (90) days have elapsed since that publication. The Mitigation Division Director of the Emergency Preparedness and Response Directorate has resolved any appeals resulting from this notification.

This final rule is issued in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4105, and 44 CFR part 67.

The Federal Emergency Management Agency has developed criteria for floodplain management in floodprone areas in accordance with 44 CFR part 60.

Interested lessees and owners of real property are encouraged to review the proof Flood Insurance Study and FIRM available at the address cited below for each community.

The BFEs and modified BFEs are made final in the communities listed below. Elevations at selected locations in each community are shown.

National Environmental Policy Act. This rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. No environmental impact assessment has been prepared.

*Regulatory Flexibility Act.* The Mitigation Division Director of the

Emergency Preparedness and Response Directorate certifies that this rule is exempt from the requirements of the Regulatory Flexibility Act because modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4105, and are required to establish and maintain community eligibility in the NFIP. No regulatory flexibility analysis has been prepared.

*Regulatory Classification.* This final rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

*Executive Order 12612, Federalism.* This rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

*Executive Order 12778, Civil Justice Reform.* This rule meets the applicable standards of section 2(b)(2) of Executive Order 12778.

### List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

■ Accordingly, 44 CFR part 67 is amended to read as follows:

## PART 67—[AMENDED]

■ 1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

#### §67.11 [Amended]

■ 2. The tables published under the authority of § 67.11 are amended as follows:

Source of flooding and location of referenced elevation	*Elevation in feet (NGVD) modified	Communities affected
Scioto River: Approximately 260 feet upstream of Trabue Road	*743	FEMA Docket No. P7617, Franklin County, OH, City of Columbus, Vil- lage of Marble Cliff, City of Upper Arlington
Approximately 870 feet downstream of Frank Road/Highway 104 Barnes Ditch:	*714	
At the confluence of Scioto River and Barnes Ditch Approximately 800 feet upstream of McKinley Avenue	*735 *736	City of Columbus, OH
Dry Run: At confluence of Scioto River and Dry Run	*729	FEMA Docket No. P7617 City of Columbus, OH
Just downstream of culvert at Conrail crossing	*729	

#### ADDRESSES

#### Franklin County, Ohio

Maps are available for inspection at 280 East Broad Street, 2nd Floor, Columbus, Ohio.