

inspection is scheduled to take place the week of March 29, 2004.

EPA has placed a number of documents pertinent to the inspection in the public docket described in **ADDRESSES**. These documents can be found online in EDOCKET ID No. OAR-2004-0020 and also in hard copy form as item II-A2-48 in Docket A-98-49. In accordance with 40 CFR 194.8, as amended by the final certification decision, EPA is providing the public 30 days to comment on these documents.

If EPA determines as a result of the inspection that the proposed waste streams, processes, systems, and equipment at RFETS adequately control the characterization of transuranic waste, we will notify DOE by letter and place the letter in the official Air Docket in Washington, DC, as well as in the informational docket locations in New Mexico. A letter of approval will allow DOE to dispose of TRU waste at the WIPP using the approved characterization processes. The EPA will not make a determination of compliance prior to the inspection or before the 30-day comment period has closed.

Information on the certification decision is filed in the official EPA Air Docket, Docket No. A-93-02 and is available for review in Washington, DC, and at three EPA WIPP informational docket locations in New Mexico. The dockets in New Mexico contain only major items from the official Air Docket in Washington, DC, plus those documents added to the official Air Docket since the October 1992 enactment of the WIPP LWA.

Dated: March 5, 2004.

Robert Brenner,

Acting Assistant Administrator for Air and Radiation.

[FR Doc. 04-5636 Filed 3-10-04; 8:45 am]

BILLING CODE 6560-50-P

ENVIRONMENTAL PROTECTION AGENCY

[FRL-7635-2]

Notice of Tentative Approval and Solicitation of Request for a Public Hearing for Public Water System Supervision Program Revisions for the State of Delaware

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice of tentative approval and solicitation of requests for a public hearing.

SUMMARY: Notice is hereby given in accordance with the provision of section

1413 of the Safe Drinking Water Act, as amended, and the requirements governing the National Primary Drinking Water Regulations Implementation, 40 CFR part 142, that the State of Delaware is revising its approved Public Water System Supervision Program. Delaware has adopted the Arsenic Rule that requires community and non-transient non-community water systems to comply with the revised arsenic drinking water standard that established the maximum contamination level (MCL) standard at 10 parts per billion. The arsenic drinking water standard to be expressed as 0.010 mg/L. EPA has determined that these revisions, all effective September 19, 2003, are no less stringent than the corresponding Federal regulations. Therefore, EPA has decided to tentatively approve these program revisions. All interested parties are invited to submit written comments on this determination and may request a public hearing.

DATES: Comments or a request for a public hearing must be submitted by April 12, 2004. This determination shall become effective on April 12, 2004, if no timely and appropriate request for a hearing is received and the Regional Administrator does not elect to hold a hearing on his own motion, and if no comments are received which cause EPA to modify its tentative approval.

ADDRESSES: Comments or a request for a public hearing must be submitted to the U.S. Environmental Protection Agency Region III, 1650 Arch Street, Philadelphia, PA 19103-2029. Comments may also be submitted electronically to Steve Maslowski at maslowski.steven@epa.gov.

All documents relating to this determination are available for inspection between the hours of 8 a.m. and 4:30 p.m., Monday through Friday, at the following offices:

- Drinking Water Branch, Water Protection Division, U.S. Environmental Protection Agency Region III, 1650 Arch Street, Philadelphia, PA 19103-2029.
- Office of Drinking Water, Delaware Department of Health and Social Services, Blue Hen Corporate Center, Suite 203, Dover, DE 19901.

FOR FURTHER INFORMATION CONTACT: Steve Maslowski, Drinking Water Branch (3WP22) at the Philadelphia address given above; telephone (215) 814-2371 or fax (215) 814-2318.

SUPPLEMENTARY INFORMATION: All interested parties are invited to submit written comments on this determination and may request a public hearing. All comments will be considered, and, if necessary, EPA will issue a response.

Frivolous or insubstantial requests for a hearing may be denied by the Regional Administrator. However, if a substantial request for a public hearing is made by April 12, 2004, a public hearing will be held.

A request for public hearing shall include the following: (1) The name, address, and telephone number of the individual, organization, or other entity requesting a hearing; (2) a brief statement of the requesting person's interest in the Regional Administrator's determination and of information that the requesting person intends to submit at such a hearing; and (3) the signature of the individual making the request; or, if the request is made on behalf of an organization or other entity, the signature of a responsible official of the organization or other entity.

Dated: March 3, 2004.

Thomas Voltaggio,

Acting Regional Administrator, Region III.

[FR Doc. 04-5512 Filed 3-10-04; 8:45 am]

BILLING CODE 6560-50-P

FEDERAL RESERVE SYSTEM

Consumer Advisory Council; Notice of Meeting of Consumer Advisory Council

The Consumer Advisory Council will meet on Thursday, March 25, 2004. The meeting, which will be open to public observation, will take place at the Federal Reserve Board's offices in Washington, DC, in Dining Room E on the Terrace level of the Martin Building. Anyone planning to attend the meeting should, for security purposes, register no later than Tuesday, March 23, by completing the form found on-line at: <https://www.federalreserve.gov/secure/forms/cacregistration.cfm>

Additionally, attendees must present photo identification to enter the building.

The meeting will begin at 9 a.m. and is expected to conclude at 1 p.m. The Martin Building is located on C Street, NW., between 20th and 21st Streets.

The Council's function is to advise the Board on the exercise of the Board's responsibilities under various consumer financial services laws and on other matters on which the Board seeks its advice. Time permitting, the Council will discuss the following topics:

Community Reinvestment Act: Discussion of issues in connection with the proposed changes to Regulation BB, which implements the Community Reinvestment Act.

Rules for Uniform Standards for Clear and Conspicuous Disclosures:

Discussion of issues in the proposed rules to establish more uniform standards for providing disclosures for: Regulation B, which implements the Equal Credit Opportunity Act; Regulation E, which implements the Electronic Fund Transfer Act; Regulation M, which implements the Consumer Leasing Act; Regulation Z, which implements the Truth in Lending Act; and Regulation DD, which implements the Truth in Savings Act.

General Accounting Office (GAO) Study on Predatory Lending: Discussion of GAO's findings, conclusions, and recommendations.

Committee Reports: Council committees will report on their work.

Other matters initiated by Council members also may be discussed.

Persons wishing to submit views to the Council on any of the above topics may do so by sending written statements to Ann Bistay, Secretary of the Consumer Advisory Council, Division of Consumer and Community Affairs, Board of Governors of the Federal Reserve System, Washington, DC 20551. Information about this meeting may be obtained from Ms. Bistay, 202-452-6470.

Board of Governors of the Federal Reserve System, March 5, 2004.

Jennifer J. Johnson,
Secretary of the Board.

[FR Doc. 04-5452 Filed 3-10-04; 8:45 am]

BILLING CODE 6210-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Centers for Disease Control and Prevention

[60Day-04-30]

Proposed Data Collections Submitted for Public Comment and Recommendations

In compliance with the requirement of section 3506(c)(2)(A) of the

Paperwork Reduction Act of 1995 for opportunity for public comment on proposed data collection projects, the Centers for Disease Control and Prevention (CDC) will publish periodic summaries of proposed projects. To request more information on the proposed projects or to obtain a copy of the data collection plans and instruments, call the CDC Reports Clearance Officer on (404) 498-1210.

Comments are invited on: (a) Whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information shall have practical utility; (b) the accuracy of the agency's estimate of the burden of the proposed collection of information; (c) ways to enhance the quality, utility, and clarity of the information to be collected; and (d) ways to minimize the burden of the collection of information on respondents, including through the use of automated collection techniques or other forms of information technology. Send comments to Seleda Perryman, CDC Assistant Reports Clearance Officer, 1600 Clifton Road, MS-E11, Atlanta, GA 30333. Written comments should be received within 60 days of this notice.

Proposed Project: Health Hazard Evaluations/Technical Assistance and Emerging Problems, OMB No. 0920-0260-EXTENSION-National Institute for Occupational Safety and Health (NIOSH), Centers for Disease Control and Prevention (CDC).

Background

In accordance with the mandates of the Occupational Safety and Health Act of 1970 and the Federal Mine Safety and Health Act of 1977, the National Institute for Occupational Safety and Health (NIOSH) responds to requests for health hazard evaluations to identify chemical, biological or physical hazards in workplaces throughout the United States.

To comprehensively evaluate hazards in response to a request for a health hazard evaluation, NIOSH frequently conducts an on-site evaluation. The main purpose of an on-site evaluation is to help employers and employees identify and eliminate occupational health hazards. The interview and questionnaires are specific to each workplace and its suspected disease(s) and hazards. The questionnaires are composed of items that were developed from standard medical and epidemiologic techniques.

NIOSH distributes interim and final reports of health hazard evaluations (excluding personal identifiers) to requesters, employers, employee representatives, the Department of Labor; and as appropriate to the Occupational Safety and Health Administration or Mine Safety and Health Administration, and other state and federal agencies.

NIOSH administers a followback program to assess the effectiveness of its health hazard evaluation program in reducing workplace hazards. This program entails the mailing of followback questionnaires to employer and employee representatives in the workplace and, in some instances, to a followback on-site evaluation. Due to the large number of investigations conducted each year, as well as the diverse and unpredictable nature of these investigations, and the need to respond quickly to requests for assistance, NIOSH requests consolidated clearance for data collection of its health hazard evaluations. There is no cost to respondents.

Respondents	Number of respondents	Number of responses/respondent	Average burden/response (in hrs)	Total burden hours
Employees (interview)	4000	1	15/60	1000
Employees (questionnaire)	4000	1	30/60	2000
Employees (followback)	300	2	30/60	300
Employers (followback)	300	2	30/60	300
Total	3600