support straps had logged around 7,000 hours time-in-service (TIS).

DGAC France Airworthiness Directive (AD) F–2004–071 was issued to introduce a 4,000 hour life-limit for the tank support straps and to require replacement of straps which had exceeded this life-limit.

Since then, a front tank support has been found damaged during an inspection before reaching 4,000 hours TIS.

The present AD supersedes DGAC France AD F–2004–071, reduces to 2,000 hours the life-limit for the tank support straps and requires replacement of straps which have exceeded the new life-limit.

These actions are intended to address the identified unsafe condition so as to prevent fatigue cracks from occurring in the tank support straps before the established safe life is reached.

The MCAI requires the life-limit of the front fuel tank strap be reduced from 4,000 hours TIS to 2,000 hours TIS and the replacement of front fuel tank straps that have exceeded the new life-limit.

Actions and Compliance

- (f) Unless already done, do the following actions:
- (1) When you accumulate a total of 2,000 hours TIS on the strap or within the next 30 days after April 30, 2008 (the effective date of this AD), whichever occurs later, replace the front fuel tank support strap, part number (P/N) CAP 10–70–08–01, using the instructions in the maintenance manual.
- (2) Repetitively thereafter in intervals not to exceed 2,000 hours TIS on the strap replace the front fuel tank support strap, P/N CAP 10–70–08–01, using the instructions in the maintenance manual.
- (3) If you are unable to establish the accumulated hours TIS on the front fuel tank support strap,
- P/N CAP 10-70-08-01, you must use the total hours TIS accumulated on the airplane for the accumulated hours TIS on the strap.
- (4) Within the next 30 days after the effective date of this AD update the airworthiness limitations section of your maintenance program to reflect the life limit change of P/N CAP 10–70–08–01 from 4,000 hours TIS to 2,000 hours TIS using APEX Aircraft Service Bulletin No. 040102 R1, Revision 1, dated September 18, 2007.

FAA AD Differences

Note: This AD differs from the MCAI and/ or service information as follows: The FAA has established a more universal compliance time for all airplanes. This gives all owners/ operators at least 30 days to comply with the AD.

Other FAA AD Provisions

- (g) The following provisions also apply to this AD:
- (1) Alternative Methods of Compliance (AMOCs): The Manager, Standards Office, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. Send information to ATTN: Sarjapur Nagarajan, Aerospace Engineer, FAA, Small Airplane Directorate, 901 Locust, Room 301, Kansas City, Missouri 64106; telephone: (816) 329–4145; fax: (816)

- 329—4090. Before using any approved AMOC on any airplane to which the AMOC applies, notify your appropriate principal inspector (PI) in the FAA Flight Standards District Office (FSDO), or lacking a PI, your local FSDO.
- (2) Airworthy Product: For any requirement in this AD to obtain corrective actions from a manufacturer or other source, use these actions if they are FAA-approved. Corrective actions are considered FAA-approved if they are approved by the State of Design Authority (or their delegated agent). You are required to assure the product is airworthy before it is returned to service.
- (3) Reporting Requirements: For any reporting requirement in this AD, under the provisions of the Paperwork Reduction Act (44 U.S.C. 3501 et seq.), the Office of Management and Budget (OMB) has approved the information collection requirements and has assigned OMB Control Number 2120–0056.

Related Information

(h) Refer to MCAI European Aviation Safety Agency AD No.: 2007–0285, dated November 13, 2007; and APEX Aircraft Service Bulletin No. 040102 R1, Revision 1, dated September 18, 2007, for related information.

Material Incorporated by Reference

- (i) You must use APEX Aircraft Service Bulletin No. 040102 R1, Revision 1, dated September 18, 2007, to do the actions required by this AD, unless the AD specifies otherwise.
- (1) The Director of the Federal Register approved the incorporation by reference of this service information under 5 U.S.C. 552(a) and 1 CFR part 51.
- (2) For service information identified in this AD, contact Apex Aircraft, Bureau de Navigabilité, 1, route de Troyes, 21121 DAROIS—France; telephone: +33 380 35 65 10; fax +33 380 35 65 15; e-mail: airworthiness@apex-aircraft.com; Internet: http://www.apex-aircraft.com.
- (3) You may review copies at the FAA, Central Region, Office of the Regional Counsel, 901 Locust, Room 506, Kansas City, Missouri 64106; or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202–741–6030, or go to: http://www.archives.gov/federal-register/cfr/ibr-locations.html.

Issued in Kansas City, Missouri, on March 17, 2008.

David R. Showers,

Acting Manager, Small Airplane Directorate, Aircraft Certification Service.

[FR Doc. E8-5955 Filed 3-25-08; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA-2008-0055; Directorate Identifier 2007-CE-099-AD; Amendment 39-15447; AD 2008-07-06]

RIN 2120-AA64

Airworthiness Directives; Pacific Aerospace Corporation, Ltd. Models FU24–954 and FU24A–954 Airplanes

AGENCY: Federal Aviation Administration (FAA), Department of Transportation (DOT).

ACTION: Final rule.

SUMMARY: We are adopting a new airworthiness directive (AD) for the products listed above. This AD results from mandatory continuing airworthiness information (MCAI) issued by an aviation authority of another country to identify and correct an unsafe condition on an aviation product. The MCAI describes the unsafe condition as:

This AD is prompted by reports of loosening rivets securing the threaded inserts in the ends of the aileron control pushrods P/N 08–24015–1. Aileron push-pull rods P/N 08–24015–1 have been installed on aircraft embodying PAC/FU/0340.

We are issuing this AD to require actions to correct the unsafe condition on these products.

DATES: This AD becomes effective April 30, 2008.

On April 30, 2008, the Director of the Federal Register approved the incorporation by reference of certain publications listed in this AD.

ADDRESSES: You may examine the AD docket on the Internet at http://www.regulations.gov or in person at Document Management Facility, U.S. Department of Transportation, Docket Operations, M–30, West Building Ground Floor, Room W12–140, 1200 New Jersey Avenue, SE., Washington, DC 20590.

FOR FURTHER INFORMATION CONTACT: Karl Schletzbaum, Aerospace Engineer, FAA, Small Airplane Directorate, 901 Locust, Room 301, Kansas City, Missouri 64106; telephone: (816) 329–4146; fax: (816) 329–4090.

SUPPLEMENTARY INFORMATION:

Discussion

We issued a notice of proposed rulemaking (NPRM) to amend 14 CFR part 39 to include an AD that would apply to the specified products. That NPRM was published in the **Federal Register** on January 24, 2008 (73 FR 4127). That NPRM proposed to correct an unsafe condition for the specified products. The MCAI states:

This AD is prompted by reports of loosening rivets securing the threaded inserts in the ends of the aileron control pushrods P/N 08–24015–1. Aileron push-pull rods P/N 08–24015–1 have been installed on aircraft embodying PAC/FU/0340.

The MCAI requires an initial and repetitive inspection of the aileron and elevator control push-rods and requires corrective action as necessary.

Comments

We gave the public the opportunity to participate in developing this AD. We received no comments on the NPRM or on the determination of the cost to the public.

Conclusion

We reviewed the available data and determined that air safety and the public interest require adopting the AD as proposed.

Differences Between this AD and the MCAI or Service Information

We have reviewed the MCAI and related service information and, in general, agree with their substance. But we might have found it necessary to use different words from those in the MCAI to ensure the AD is clear for U.S. operators and is enforceable. In making these changes, we do not intend to differ substantively from the information provided in the MCAI and related service information.

We might also have required different actions in this AD from those in the MCAI in order to follow FAA policies. Any such differences are highlighted in a NOTE within the AD.

Costs of Compliance

We estimate that this AD will affect 2 products of U.S. registry. We also estimate that it will take about 1 workhour per product to comply with basic requirements of this AD. The average labor rate is \$80 per work-hour. Required parts will cost about \$100 per product.

Based on these figures, we estimate the cost of this AD to the U.S. operators to be \$360 or \$180 per product.

In addition, we estimate that any necessary follow-on actions would take about 5 work-hours and require parts costing \$100, for a cost of \$500 per product. We have no way of determining the number of products that may need these actions.

Authority for This Rulemaking

Title 49 of the United States Code specifies the FAA's authority to issue

rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. "Subtitle VII: Aviation Programs," describes in more detail the scope of the Agency's authority.

We are issuing this rulemaking under the authority described in "Subtitle VII, Part A, Subpart III, Section 44701: General requirements." Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

Regulatory Findings

We determined that this AD will not have federalism implications under Executive Order 13132. This AD will not have a substantial direct effect on the States, on the relationship between the national government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify this AD:

- (1) Is not a "significant regulatory action" under Executive Order 12866;
- (2) Is not a "significant rule" under DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979); and
- (3) Will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

We prepared a regulatory evaluation of the estimated costs to comply with this AD and placed it in the AD Docket.

Examining the AD Docket

You may examine the AD docket on the Internet at http://www.regulations.gov; or in person at the Docket Management Facility between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains the NPRM, the regulatory evaluation, any comments received, and other information. The street address for the Docket Office (telephone (800) 647–5527) is in the ADDRESSES section. Comments will be available in the AD docket shortly after receipt.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

Adoption of the Amendment

■ Accordingly, under the authority delegated to me by the Administrator, the FAA amends 14 CFR part 39 as follows:

PART 39—AIRWORTHINESS DIRECTIVES

■ 1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§ 39.13 [Amended]

■ 2. The FAA amends § 39.13 by adding the following new AD:

2008–07–06 Pacific Aerospace Corporation, Ltd.: Amendment 39–15447; Docket No. FAA–2008–0055; Directorate Identifier 2007–CE–099–AD.

Effective Date

(a) This airworthiness directive (AD) becomes effective April 30, 2008.

Affected ADs

(b) None.

Applicability

(c) This AD applies to models FU24–954 and FU24A–954 airplanes, all serial numbers, certificated in any category.

Subject

(d) Air Transport Association of America (ATA) Code 27: Flight Controls.

Reason

(e) The mandatory continuing airworthiness information (MCAI) states:

This AD is prompted by reports of loosening rivets securing the threaded inserts in the ends of the aileron control pushrods P/N 08–24015–1. Aileron push-pull rods P/N 08–24015–1 have been installed on aircraft embodying PAC/FU/0340.

The MCAI requires an initial and repetitive inspection of the aileron and elevator control push-rods and requires corrective action as necessary.

Actions and Compliance

- (f) Unless already done, do the following actions:
- (1) Within the next 50 hours time-inservice (TIS) after April 30, 2008 (the effective date of this AD), inspect the pushrod ends on the aileron and elevator control pushrods part number (P/N) 08–24015–1 following Pacific Aerospace Limited Service Bulletin No. PACSB/FU/091, Issue 2, dated November 12, 2007. Repetitively inspect thereafter at intervals not to exceed 150 hours TIS.
- (2) Before further flight after any inspection where any rivets are found on aileron and elevator control pushrods P/N 08–24015–1 that have detectable play between the pushrod and the insert or evidence of working rivets, replace the rivets following Pacific Aerospace Limited Service Bulletin No. PACSB/FU/091, Issue 2, dated November 12, 2007.

FAA AD Differences

Note: This AD differs from the MCAI and/ or service information as follows: No differences.

Other FAA AD Provisions

(g) The following provisions also apply to this AD:

(1) Alternative Methods of Compliance (AMOCs): The Manager, Standards Office, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. Send information to ATTN: Karl Schletzbaum, Aerospace Engineer, FAA, Small Airplane Directorate, 901 Locust, Room 301, Kansas City, Missouri 64106; telephone: (816) 329–4146; fax: (816) 329–4090. Before using any approved AMOC on any airplane to which the AMOC applies, notify your appropriate principal inspector (PI) in the FAA Flight Standards District Office (FSDO), or lacking a PI, your local FSDO.

(2) Airworthy Product: For any requirement in this AD to obtain corrective actions from a manufacturer or other source, use these actions if they are FAA-approved. Corrective actions are considered FAA-approved if they are approved by the State of Design Authority (or their delegated agent). You are required to assure the product is airworthy before it is returned to service.

(3) Reporting Requirements: For any reporting requirement in this AD, under the provisions of the Paperwork Reduction Act (44 U.S.C. 3501 et seq.), the Office of Management and Budget (OMB) has approved the information collection requirements and has assigned OMB Control Number 2120–0056.

Related Information

(h) Refer to MCAI Civil Aviation Authority of New Zealand (CAA), which is the aviation authority for New Zealand, DCA/FU24/177, dated November 28, 2007; and Pacific Aerospace Limited Service Bulletin No. PACSB/FU/091, Issue 2, dated November 12, 2007, for related information.

Material Incorporated by Reference

- (i) You must use Pacific Aerospace Limited Service Bulletin No. PACSB/FU/091, Issue 2, dated November 12, 2007, to do the actions required by this AD, unless the AD specifies otherwise.
- (1) The Director of the Federal Register approved the incorporation by reference of this service information under 5 U.S.C. 552(a) and 1 CFR part 51.
- (2) For service information identified in this AD, contact Pacific Aerospace Limited, Hamilton Airport, Private Bag, 3027 Hamilton, New Zealand; telephone: +64 7–843–6144; facsimile: +64 7–843–6134.
- (3) You may review copies at the FAA, Central Region, Office of the Regional Counsel, 901 Locust, Room 506, Kansas City, Missouri 64106; or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202–741–6030, or go to: http://www.archives.gov/federal-register/cfr/ibr-locations.html.

Issued in Kansas City, Missouri, on March 17, 2008.

David R. Showers,

Acting Manager, Small Airplane Directorate, Aircraft Certification Service.

[FR Doc. E8–5957 Filed 3–25–08; 8:45 am]

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA-2008-0057 Directorate Identifier 2007-CE-102-AD; Amendment 39-15445; AD 2008-07-04]

RIN 2120-AA64

Airworthiness Directives; APEX Aircraft Model CAP 10 B Airplanes

AGENCY: Federal Aviation Administration (FAA), Department of Transportation (DOT).

ACTION: Final rule.

SUMMARY: We are adopting a new airworthiness directive (AD) for the products listed above. This AD results from mandatory continuing airworthiness information (MCAI) issued by an aviation authority of another country to identify and correct an unsafe condition on an aviation product. The MCAI describes the unsafe condition as:

A case of loose bond (ungluing) of one mounting wooden block of the control stick base cover, found during the cover reinstallation, was reported to the Type Certificate Holder (TCH) and led to the issuance of the "recommended" Service Bulletin (SB) No. 031004 in February 2004. Since that date, other similar occurrences have been reported. This SB in its revision 1, has therefore been reclassified "mandatory" by the TCH.

We are issuing this AD to require actions to correct the unsafe condition on these products.

DATES: This AD becomes effective April 30, 2008.

On April 30, 2008, the Director of the Federal Register approved the incorporation by reference of certain publications listed in this AD.

ADDRESSES: You may examine the AD docket on the Internet at http://www.regulations.gov or in person at Document Management Facility, U.S. Department of Transportation, Docket Operations, M–30, West Building Ground Floor, Room W12–140, 1200 New Jersey Avenue, SE., Washington, DC 20590.

FOR FURTHER INFORMATION CONTACT:

Sarjapur Nagarajan, Aerospace Engineer,

FAA, Small Airplane Directorate, 901 Locust, Room 301, Kansas City, Missouri 64106; telephone: (816) 329– 4145; fax: (816) 329–4090.

SUPPLEMENTARY INFORMATION:

Discussion

We issued a notice of proposed rulemaking (NPRM) to amend 14 CFR part 39 to include an AD that would apply to the specified products. That NPRM was published in the **Federal Register** on January 24, 2008 (73 FR 4123). That NPRM proposed to correct an unsafe condition for the specified products. The MCAI states:

A case of loose bond (ungluing) of one mounting wooden block of the control stick base cover, found during the cover reinstallation, was reported to the Type Certificate Holder (TCH) and led to the issuance of the "recommended" Service Bulletin (SB) No.031004 in February 2004. Since that date, other similar occurrences have been reported. This SB in its revision 1, has therefore been reclassified "mandatory" by the TCH.

This Airworthiness Directive (AD) mandates inspection of the mounting blocks of the control stick base cover for loose bonds and repair, as necessary.

These actions are intended to address the identified unsafe condition so as to prevent separation of the mounting blocks from the wing spar which could result in restricted movement of the ailerons and elevators with possible partial or complete loss of controls.

The MCAI requires an inspection of the four mounting wooden blocks of the control stick base cover. You are to take corrective action by repairing any loose blocks where inspection indicates necessary.

Comments

We gave the public the opportunity to participate in developing this AD. We received no comments on the NPRM or on the determination of the cost to the public.

Conclusion

We reviewed the available data and determined that air safety and the public interest require adopting the AD as proposed.

Differences Between This AD and the MCAI or Service Information

We have reviewed the MCAI and related service information and, in general, agree with their substance. But we might have found it necessary to use different words from those in the MCAI to ensure the AD is clear for U.S. operators and is enforceable. In making these changes, we do not intend to differ substantively from the information provided in the MCAI and related service information.