

Energy Effects

We have analyzed this proposed rule under Executive Order 13211, Actions Concerning Regulations That Significantly Affect Energy Supply, Distribution, or Use. We have determined that it is not a "significant energy action" under that order because it is not a "significant regulatory action" under Executive Order 12866 and is not likely to have a significant adverse effect on the supply, distribution, or use of energy. The Administrator of the Office of Information and Regulatory Affairs has not designated it as a significant energy action. Therefore, it does not require a Statement of Energy Effects under Executive Order 13211.

Technical Standards

The National Technology Transfer and Advancement Act (NTTAA) (15 U.S.C. 272 note) directs agencies to use voluntary consensus standards in their regulatory activities unless the agency provides Congress, through the Office of Management and Budget, with an explanation of why using these standards would be inconsistent with applicable law or otherwise impractical. Voluntary consensus standards are technical standards (e.g., specifications of materials, performance, design, or operation; test methods; sampling procedures; and related management systems practices) that are developed or adopted by voluntary consensus standards bodies.

This proposed rule does not use technical standards. Therefore, we did not consider the use of voluntary consensus standards.

Environment

We have analyzed this proposed rule under Department of Homeland Security Management Directive 5100.1, and Commandant Instruction M16475.1D, which guides the Coast Guard in complying with the National Environmental Policy Act of 1969 (NEPA) (42 U.S.C. 4321–4370f), and have made a preliminary determination under the Instruction that this action is not likely to have a significant effect on the human environment because it simply promulgates the operating regulations or procedures for drawbridges. We seek any comments or information that may lead to the discovery of a significant environmental impact from this proposed rule.

List of Subjects in 33 CFR Part 117.

Bridges.

For the reasons discussed in the preamble, the Coast Guard proposes to amend 33 CFR part 117 as follows:

PART 117—DRAWBRIDGE OPERATION REGULATIONS

1. The authority citation for part 117 continues to read as follows:

Authority: 33 U.S.C. 499; 33 CFR 1.05–1(g); Department of Homeland Security Delegation No. 0170.1.

2. Section 117.789 is revised to read as follows:

§ 117.789 Harlem River.

(a) The draws of all railroad bridges across the Harlem River may remain in the closed position from the time a train scheduled to cross the bridge is within five minutes from the bridge, and until that train has fully crossed the bridge. The maximum time permitted for delay shall not exceed ten (10) minutes. Land and water traffic should pass over or through the draw as soon as possible in order to prevent unnecessary delays in the opening and closure of the draw.

(b)(1) The draws of the bridges at 103 Street, mile 0.0, 125 Street (Triborough), mile 1.3, Willis Avenue, mile 1.5, Third Avenue, mile 1.9, Madison Avenue, mile 2.3, 145 Street, mile 2.8, Macombs Dam, mile 3.2, 207 Street, mile 6.0, and the Broadway Bridge, mile 6.8, shall open on signal if at least a four-hour advance notice is given to the New York City Highway Radio (Hotline) Room. The draws need not open for the passage of vessel traffic from 6 a.m. to 9 a.m. and 5 p.m., to 7 p.m., Monday through Friday, except holidays.

(2) The draws of the Willis Avenue Bridge, mile 1.5, Third Avenue Bridge, mile 1.9, and the Madison Avenue Bridge, mile 2.3, need not open for the passage of vessel traffic at various times between 8 a.m. and 5 p.m. on the first Sunday in May and November. The exact time and date of each bridge closure will be published in the Local Notice to Mariners several weeks prior to each closure.

(c) The draw of the Metro North (Park Avenue) Bridge, mile 2.1, shall open on signal, except, as provided in paragraph (a) of this section, if at least a four-hour advance notice is given. The draw need not open for the passage of vessel traffic from 5 a.m. to 10 a.m. and 4 p.m. to 8 p.m., Monday through Friday, except holidays.

(d) The draw of the Spuyten Duyvil railroad bridge, mile 7.9, shall open on signal at all times, except as provided in paragraph (a) of this section.

Dated: October 28, 2008.

Dale G. Gabel,

Rear Admiral, U.S. Coast Guard, Commander, First Coast Guard District.

[FR Doc. E8–26669 Filed 11–7–08; 8:45 am]

BILLING CODE 4910–15-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket No. FEMA–B–1017]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS.

ACTION: Proposed rule.

SUMMARY: Comments are requested on the proposed Base (1 percent annual-chance) Flood Elevations (BFEs) and proposed BFE modifications for the communities listed in the table below. The purpose of this notice is to seek general information and comment regarding the proposed regulatory flood elevations for the reach described by the downstream and upstream locations in the table below. The BFEs and modified BFEs are a part of the floodplain management measures that the community is required either to adopt or show evidence of having in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP). In addition, these elevations, once finalized, will be used by insurance agents, and others to calculate appropriate flood insurance premium rates for new buildings and the contents in those buildings.

DATES: Comments are to be submitted on or before February 9, 2009.

ADDRESSES: The corresponding preliminary Flood Insurance Rate Map (FIRM) for the proposed BFEs for each community are available for inspection at the community's map repository. The respective addresses are listed in the table below.

You may submit comments, identified by Docket No. FEMA–B–1017, to William R. Blanton, Jr., Chief, Engineering Management Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646–3151, or (e-mail) bill.blanton@dhs.gov.

FOR FURTHER INFORMATION CONTACT: William R. Blanton, Jr., Chief, Engineering Management Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646–3151 or (e-mail) bill.blanton@dhs.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency

(FEMA) proposes to make determinations of BFEs and modified BFEs for each community listed below, in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

Comments on any aspect of the Flood Insurance Study and FIRM, other than the proposed BFEs, will be considered.

A letter acknowledging receipt of any comments will not be sent.

Administrative Procedure Act Statement. This matter is not a rulemaking governed by the Administrative Procedure Act (APA), 5 U.S.C. 553. FEMA publishes flood elevation determinations for notice and comment; however, they are governed by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4105, and the National Flood Insurance Act of 1968, 42 U.S.C. 4001 *et seq.*, and do not fall under the APA.

National Environmental Policy Act. This proposed rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. An environmental impact assessment has not been prepared.

Regulatory Flexibility Act. As flood elevation determinations are not within the scope of the Regulatory Flexibility Act, 5 U.S.C. 601–612, a regulatory flexibility analysis is not required.

Executive Order 12866, Regulatory Planning and Review. This proposed rule is not a significant regulatory action

under the criteria of section 3(f) of Executive Order 12866, as amended.

Executive Order 13132, Federalism. This proposed rule involves no policies that have federalism implications under Executive Order 13132.

Executive Order 12988, Civil Justice Reform. This proposed rule meets the applicable standards of Executive Order 12988.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is proposed to be amended as follows:

PART 67—[AMENDED]

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.4 [Amended]

2. The tables published under the authority of § 67.4 are proposed to be amended as follows:

Flooding source(s)	Location of referenced elevation**	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground		Communities affected
		Effective	Modified	
Miller County, Arkansas, and Incorporated Areas				
McKinney Bayou Tributary 2A.	Approximately 4,306 feet downstream from the intersection of Shugar Hill Road and McKinney Bayou Tributary 2A.	None	+272	Unincorporated Areas of Miller County.
	Approximately 630 feet downstream from the intersection of Shugar Hill Road and McKinney Bayou Tributary 2A.	None	+288	

* National Geodetic Vertical Datum.
+ North American Vertical Datum.
Depth in feet above ground.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

Unincorporated Areas of Miller County

Maps are available for inspection at Miller County Courthouse, 400 Laurel St., Texarkana, AR 71854.

Madison County, Florida, and Incorporated Areas

Norton Creek	Approximately 2.1 miles upstream of the confluence with the Withlacoochee River.	None	+69	Town of Lee, Unincorporated Areas of Madison County.
	Approximately 0.1 mile upstream of County Road 53	None	+91	

* National Geodetic Vertical Datum.
+ North American Vertical Datum.
Depth in feet above ground.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Flooding source(s)	Location of referenced elevation**	*Elevation in feet (NGVD) + Elevation in feet (NAVD) #Depth in feet above ground		Communities affected
		Effective	Modified	

Send comments to William R. Blanton, Jr., Chief, Engineering Management Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

Town of Lee

Maps are available for inspection at Lee Town Hall, 286 Northeast County Road 255, Lee, FL.

Unincorporated Areas of Madison County

Maps are available for inspection at Madison County Annex Building, 229 Southwest Pinckney Street, Suite 219, Madison, FL.

Crisp County, Georgia, and Incorporated Areas

Gum Creek	9,000 feet downstream of West Eleventh Street	None	+277	Unincorporated Areas of Crisp County.
	850 feet downstream of West Eleventh Street	None	+284	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

Unincorporated Areas of Crisp County

Maps are available for inspection at 210 Seventh Street, Cordele, GA 31015.

Dougherty County, Georgia, and Incorporated Areas

Dry Creek	Approximately 150 feet upstream of Liberty Expressway.	+182	+184	Unincorporated Areas of Dougherty County.
	At Liberty Expressway	+182	+184	
Dry Creek Tributary 1	Approximately 1,875 feet downstream of Moultrie Road.	None	+238	Unincorporated Areas of Dougherty County.
	Approximately 1,275 feet upstream of Moultrie Road	None	+249	
Dry Creek Tributary 4	Approximately 2,400 feet downstream of U.S. Highway 19.	None	+174	Unincorporated Areas of Dougherty County.
	Approximately 4,136 feet downstream of U.S. Highway 19.	None	+174	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

Unincorporated Areas of Dougherty County

Maps are available for inspection at 222 Pine Avenue, Albany, GA 31702.

Lamar County, Georgia, and Incorporated Areas

Tobesofkee Creek	Approximately 204 feet downstream of Barnesville Corporate Limits.	None	+764	Unincorporated Areas of Lamar County.
	Approximately 1 foot downstream of Barnesville Corporate Limits.	None	+765	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Flooding source(s)	Location of referenced elevation **	*Elevation in feet (NGVD) + Elevation in feet (NAVD) #Depth in feet above ground		Communities affected
		Effective	Modified	

ADDRESSES**Unincorporated Areas of Lamar County**

Maps are available for inspection at 326 Thomaston Street, Lamar, GA 30204.

Mitchell County, Georgia, and Incorporated Areas

Big Slough	Upstream just within Camilla city limits	None	+161	Unincorporated Areas of Mitchell County.
	Directly downstream of U.S. Hwy 19	None	+163	
	Directly upstream of U.S. Hwy 19	None	+165	
	Upstream of Sylvester Road	None	+169	
Big Slough Tributary 10	Downstream of Moultrie Road	None	+169	Unincorporated Areas of Mitchell County.
	Upstream of S MacArthur Drive	None	+175	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES**Unincorporated Areas of Mitchell County**

Maps are available for inspection at P.O. Box 187, Camilla, GA 31730.

Thomas County, Georgia, and Incorporated Areas

Gatling Branch Tributary 11 ..	Approximately 40 feet upstream of Pine Tree Boulevard.	None	+262	Unincorporated Areas of Thomas County, City of Thomasville.
	Approximately 128 feet downstream of Pine Tree Boulevard.	None	+262	
Wards Creek	Approximately 1,900 feet downstream of Habersham Road.	None	+220	City of Thomasville, Unincorporated Areas of Thomas County.
	Approximately 469 feet upstream of Habersham Road	None	+232	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES**City of Thomasville**

Maps are available for inspection at 111 Victoria Place, Thomasville, GA 31799.

Unincorporated Areas of Thomas County

Maps are available for inspection at P.O. Box 920, Thomasville, GA 31799.

Upson County, Georgia, and Incorporated Areas

Bell Creek	Approximately 1,990 feet upstream of Raines Street ..	+582	+584	Unincorporated Areas of Upson County.
	Approximately 1,800 feet downstream of Raines Street.	+604	+605	
Potato Creek	Approximately 50 feet downstream of Crest Highway	+615	+616	Unincorporated Areas of Upson County.
	Approximately 5,400 feet upstream of Crest Highway	+636	+637	
Potato Creek Tributary	At Jeff Davis Road	+711	+712	Unincorporated Areas of Upson County.
	Approximately 100 feet upstream of Jeff Davis Road	+713	+714	
Town Branch	Approximately 5,461 feet downstream of Davis Lake Road.	+582	+584	Unincorporated Areas of Upson County.

Flooding source(s)	Location of referenced elevation**	*Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground		Communities affected
		Effective	Modified	
	Approximately 4,600 feet upstream of Davis Lake Road.	+648	+652	

* National Geodetic Vertical Datum.
+ North American Vertical Datum.
Depth in feet above ground.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

Unincorporated Areas of Upson County

Maps are available for inspection at P.O. Box 889, Thomaston, GA 30286.

Worth County, Georgia, and Incorporated Areas

Town Creek Tributary 2	Approximately 270 feet upstream of Young Street	None	+358	Unincorporated Areas of Worth County.
	Approximately 10 feet upstream of West Franklin Street.	None	+364	

* National Geodetic Vertical Datum.
+ North American Vertical Datum.
Depth in feet above ground.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

Unincorporated Areas of Worth County

Maps are available for inspection at 201 North Main Street, Sylvester, GA 31791.

St. Mary Parish County, Louisiana, and Incorporated Areas

Gulf of Mexico	Base Flood Elevation changes ranging from 8 to 14 feet in the form of Coastal AE zones have been made.	+8-19	+8-14	City of Franklin, City of Morgan City, Town of Berwick.
----------------------	--	-------	-------	---

* National Geodetic Vertical Datum.
+ North American Vertical Datum.
Depth in feet above ground.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

City of Franklin

Maps are available for inspection at Franklin City Hall, 300 Iberia Street, Franklin, LA 70538.

City of Morgan City

Maps are available for inspection at Morgan City Hall, 512 First Street, Morgan City, LA 70381.

Town of Berwick

Maps are available for inspection at Berwick Town Hall, 3225 Third Street, Berwick, LA 70342.

Gloucester County, New Jersey, and Incorporated Areas

Brunt Mill Branch	At County Boundary	None	+87	Township of Franklin.
	Approximately 1,573 feet upstream of West Boulevard	None	+93	
Delaware River	At County Boundary	+13	+9	Township of Greenwich, Borough of National Park, Borough of Paulsboro, Township of Logan, Township of West Deptford.
	At County Boundary	+14	+9	

Flooding source(s)	Location of referenced elevation **	*Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground		Communities affected
		Effective	Modified	
Little Ease Run	Approximately 546 feet downstream of East Washington Drive.	None	+103	Borough of Clayton, Borough of Glassboro.
	Approximately 2.1 miles upstream of County Route 610.	None	+119	
Mantua Creek	At mouth	+13	+9	Township of Deptford, Borough of Glassboro, Borough of Paulsboro, Borough of Pitman, Borough of Wenonah, Township of East Greenwich, Township of Mantua, Township of Washington, Township of West Deptford.
	Approximately 62 feet upstream of County Route 634	None	+110	
Oldmans Creek Reach 1	At mouth	+8	+9	Township of Logan.
	Approximately 1,034 feet upstream of Interstate 295 ..	+8	+9	
Pargey Creek	At confluence with Repaupo Creek	+8	+9	Township of East Greenwich, Township of Greenwich, Township of Logan, Township of Woolwich.
	At Swedesboro Avenue	+8	+9	
Raccoon Creek Reach 1	At mouth	+8	+9	Township of Logan, Borough of Swedesboro, Township of Woolwich.
	Approximately 106 feet upstream of Kings Highway ...	+8	+9	
Raccoon Creek Reach 2	Approximately 3,625 feet downstream of Tomlin Station Road.	None	+12	Township of Elk, Borough of Glassboro, Township of Harrison, Township of Woolwich.
	Approximately 2,707 feet upstream of Richwood Road	None	+110	
Repaupo Creek	At confluence with Delaware River	+8	+9	Township of East Greenwich, Township of Greenwich, Township of Logan.
	Approximately 2,390 feet upstream of State Route 44	+8	+9	
Scotland Run Reach 2	Approximately 420 feet downstream of County Route 610.	None	+111	Borough of Clayton, Township of Franklin, Township of Monroe.
	Approximately 5,825 feet upstream of County Route 610.	None	+118	
South Branch Raccoon Creek.	Confluence with Raccoon Creek Reach 2	None	+16	Township of Harrison, Township of South Harrison.
	Approximately 657 feet upstream of County Route 581.	None	+45	
Still Run #1	At confluence with White Sluice Run	+8	+9	Township of East Greenwich, Township of Greenwich.
	Approximately 0.7 mile upstream of Swedesboro Avenue.	+8	+9	
Still Run #2	Approximately 1,200 feet upstream of State Highway 55.	None	+107	Township of Elk, Borough of Clayton.
	Approximately 5,313 feet upstream of County Route 608.	None	+115	
White Sluice Run	At mouth	+8	+9	Township of Greenwich.
	At confluence with London Branch and Still Run #1 ...	+8	+9	
Woodbury Creek	At mouth	+8	+9	Borough of National Park, City of Woodbury, Township of West Deptford.
	Approximately 7,987 feet upstream of Interstate 295 ..	+8	+9	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Flooding source(s)	Location of referenced elevation**	*Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground		Communities affected
		Effective	Modified	

Send comments to William R. Blanton, Jr., Chief, Engineering Management Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

Borough of Clayton

Maps are available for inspection at Clayton Borough Hall, 125 North Delsea Drive, Clayton, NJ.

Borough of Glassboro

Maps are available for inspection at Glassboro Borough Hall, 1 South Main Street, Glassboro, NJ.

Borough of National Park

Maps are available for inspection at National Park Borough Hall, 7 South Grove Avenue, National Park, NJ.

Borough of Paulsboro

Maps are available for inspection at Paulsboro Municipal Building, 1211 Delaware Street, Paulsboro, NJ.

Borough of Pitman

Maps are available for inspection at Pitman Borough Hall, 110 South Broadway, Pitman, NJ.

Borough of Swedesboro

Maps are available for inspection at Swedesboro Borough Hall, 1500 Kings Highway, Swedesboro, NJ.

Borough of Wenonah

Maps are available for inspection at Wenonah Borough Office, 1 South West Avenue, Wenonah, NJ.

City of Woodbury

Maps are available for inspection at Woodbury City Hall, 33 Delaware Street, Woodbury, NJ.

Township of Deptford

Maps are available for inspection at Deptford Township Department of Emergency Management, 1011 Cooper Street, Deptford, NJ.

Township of East Greenwich

Maps are available for inspection at East Greenwich Township Hall/Municipal Building, 159 Democrat Road, Mickleton, NJ.

Township of Elk

Maps are available for inspection at Elk Township Hall, 667 Whig Lane Road, Monroeville, NJ.

Township of Franklin

Maps are available for inspection at Franklin Municipal Building, 1571 Delsea Drive, Franklinville, NJ.

Township of Greenwich

Maps are available for inspection at Greenwich Municipal Building, 420 Washington Street, Gibbstown, NJ.

Township of Harrison

Maps are available for inspection at Harrison Municipal Building, 114 Bridgeton Pike, Mullica Hill, NJ.

Township of Logan

Maps are available for inspection at Logan Township Hall, 125 Main Street, Bridgeport, NJ.

Township of Mantua

Maps are available for inspection at Mantua Township Offices, 401 Main Street, Mantua, NJ.

Township of Monroe

Maps are available for inspection at Monroe Township Hall, 125 Virginia Avenue, Williamstown, NJ.

Township of South Harrison

Maps are available for inspection at South Harrison Township Hall, 664 Harrisonville Road, Harrisonville, NJ.

Township of Washington

Maps are available for inspection at Washington Township Municipal Building, 523 Egg Harbor Road, Sewell, NJ.

Township of West Deptford

Maps are available for inspection at West Deptford Municipal Office, 400 Crown Point Road, West Deptford, NJ.

Township of Woolwich

Maps are available for inspection at Woolwich Township Hall, 121 Woodstown Road, Woolwich, NJ.

Middlesex County, New Jersey, and Incorporated Areas

Ambrose Brook	Approximately 1,875 feet upstream of Stelton Road (Route 529).	None	+78	Township of Edison.
	Approximately 1,820 feet upstream of Stelton Road (Route 529).	None	+78	
Bonygutt Brook	Approximately 700 feet downstream of Bound Brook Road.	+47	+46	Borough of Dunellen, Township of Piscataway.
	Approximately 0.4 mile upstream of South Washington Avenue (Route 529).	+53	+54	
Bound Brook	Upstream side of South Avenue	+49	+47	Township of Piscataway.
	Approximately 750 feet upstream of South Avenue	+49	+48	
Boundary Branch Mill Brook No. 1.	Confluence with Mill Brook No. 1	+38	+45	Borough of Highland Park, Township of Edison.

Flooding source(s)	Location of referenced elevation **	*Elevation in feet (NGVD) + Elevation in feet (NAVD) #Depth in feet above ground		Communities affected
		Effective	Modified	
Coppermine Brook	To 25 feet downstream of Brookhill Avenue	+70	+74	Township of Edison, Township of Woodbridge.
	Confluence with South Branch Rahway River	+39	+40	
Green Brook	Approximately 1,870 feet upstream of Lincoln Highway (Route 27).	None	+59	Borough of Middlesex.
	Confluence with Raritan River	+32	+34	
Lake Lefferts	Downstream side of New Jersey Central Railroad	+33	+34	Township of Old Bridge.
Lawrence Brook	Entire shoreline within Middlesex County	None	+17	
Matawan Creek	Confluence with Raritan River	+9	+11	Township of East Brunswick.
	Downstream side of Westons Mill Dam 1	+12	+11	
Mill Brook No. 1	Downstream side of Old Bridge Matawan Road	None	+17	Township of Old Bridge.
	Approximately 0.8 mile upstream of Old Bridge Matawan Road.	None	+25	
Rahway River	Confluence with Raritan River	+14	+16	Borough of Highland Park.
	Approximately 955 feet upstream of Harrison Avenue	+44	+45	
Raritan River	Confluence with Arthur Kill	+8	+7	Borough of Carteret, Township of Woodbridge.
	County boundary	+9	+7	
South Branch Rahway River	Approximately 1.4 miles downstream of New Jersey Turnpike.	+9	+10	Township of East Brunswick, Borough of Highland Park, Borough of Middlesex, City of New Brunswick, Township of Edison, Township of Piscataway.
	Confluence with Green Brook	+32	+34	
West Branch Mill Brook No. 1.	Upstream side of Wood Avenue	+39	+40	Township of Edison, Township of Woodbridge.
	Approximately 450 feet upstream of County Route 657.	None	+44	
West Branch Mill Brook No. 1.	Confluence with Mill Brook No. 1	+30	+31	Borough of Highland Park.
	Approximately 760 feet upstream of Bartle Court	None	+51	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

Borough of Carteret

Maps are available for inspection at Carteret Memorial Municipal Building, 61 Cooke Avenue, Carteret, NJ.

Borough of Dunellen

Maps are available for inspection at 355 North Avenue, Dunellen, NJ 08812.

Borough of Highland Park

Maps are available for inspection at 3141 Bordertown Avenue, Parlin, NJ 08859.

Borough of Middlesex

Maps are available for inspection at 1200 Mountain Avenue, Middlesex, NJ 08846.

City of New Brunswick

Maps are available for inspection at 78 Bayard Street, New Brunswick, NJ 08901.

Township of East Brunswick

Maps are available for inspection at One Jean Walling Civic Center Drive, East Brunswick, NJ 08816.

Township of Edison

Maps are available for inspection at 100 Municipal Boulevard, Edison, NJ 08817.

Township of Old Bridge

Maps are available for inspection at One Old Bridge Plaza, Old Bridge, NJ 08857.

Township of Piscataway

Maps are available for inspection at 455 Hoes Lane, Piscataway, NJ 08854.

Flooding source(s)	Location of referenced elevation **	*Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground		Communities affected
		Effective	Modified	

Township of Woodbridge

Maps are available for inspection at One Main Street, Woodbridge, NJ 07095.

McKinley County, New Mexico, and Incorporated Areas

Little Puerco Wash	Approximately 211 feet upstream of the intersection of Mesa Avenue at Little Puerco Wash.	None	+6543	City of Gallup, McKinley County.
	Approximately 3,696 feet upstream of the intersection of Mesa Avenue and Little Puerco Wash.	None	+6606	
Puerco River	Approximately 2,904 feet upstream of the intersection of Interstate 40 and State Highway 66.	+6469	+6469	City of Gallup, McKinley County.
	Approximately 1,320 feet upstream of the intersection of Ford Drive and the Puerco River.	+6523	+6523	
Zuni River	Approximately 5,700 feet upstream from Indian Service Route 40.	None	+6259	Pueblo of Zuni.
	Approximately 5,016 feet downstream from the Black Rock Lake Reservoir Dam.	+6326	+6327	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

City of Gallup

Maps are available for inspection at 110 West Aztec Avenue, Gallup, NM 87301.

McKinley County

Maps are available for inspection at Office of the County Manager, 207 West Hill Avenue, Gallup, NM 87301.

Pueblo of Zuni

Maps are available for inspection at Tribal Court, 1203B State Highway 53, Zuni, NM 87327.

York County, Pennsylvania, and Incorporated Areas

Bald Eagle Creek	Approximately 170 feet downstream of Bald Eagle Road.	None	+363	Township of Fawn.
Barsinger Creek & Barsinger Creek Tributary 1.	20 feet downstream of Bald Eagle Road	None	+363	Township of North Hope-well.
	Approximately 550 feet upstream on Arbor Road	None	+521	
Bennett Run	Approximately at Stine Hill Road	None	+660	Township of Fairview.
	At Front Street Bridge over Bennett Run	None	+423	
Centerville Creek	Approximately 230 feet downstream of Front Street ...	None	+423	Township of Shrewsbury.
	Approximately at confluence of South Branch Codorus Creek and Centerville Creek.	None	+534	
	Approximately 300 feet west of intersection of Fissels Church Road and Ridge Road.	None	+623	
Codorus Creek	Approximately 1,500 feet downstream of the confluence of Centerville Creek & Centerville Creek Tributary.	None	+671	Township of East Man-chester.
	Approximately 1,700 feet upstream of the confluence of Centerville Creek & Centerville Creek Tributary.	None	+712	
Codorus Creek	Approximately 2,000 feet upstream of Furnace Road	None	+275	Township of North Codorus.
	Approximately 7,500 feet upstream of Furnace Road	None	+275	
Conewago Creek	Approximately 2,000 feet upstream of Park Road	None	+519	Township of Conewago.
	Approximately 500 feet upstream of Park Road at cross section DC.	None	+528	
Dogwood Run	Approximately 1,800 feet upstream of confluence of Conewago and Little Conewago Creek.	None	+290	Township of Franklin.
	Approximately 350 feet downstream of Bull Road	None	+344	
Dogwood Run	Approximately 2,400 feet upstream of Greenhouse Road.	+672	+677	Township of Franklin.
	Approximately 3,300 feet upstream of Greenhouse Road.	None	+692	

Flooding source(s)	Location of referenced elevation**	*Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground		Communities affected
		Effective	Modified	
Dogwood Run	Approximately 60 feet downstream of the confluence of Dogwood Run and Tributary A.	+523	+526	Borough of Dillsburg.
Dogwood Run	Approximately 1,400 feet upstream of Old Mill Road ..	+529	+531	Township of Carroll.
	Approximately 60 feet downstream of the confluence of Dogwood Run and Tributary A.	+523	+526	
East Branch Codorus Creek	Approximately 2,000 feet upstream of Camp Ground Road.	+602	+604	Township of Springfield.
	Approximately 450 feet downstream of Log Road	None	+494	
Hartman Run	Approximately 600 feet downstream of Hess Farm Road.	None	+518	Borough of Manchester.
	Approximately 200 feet Southeast of intersection of Lightner Avenue and Walnut Street.	None	+389	
Kreutz Creek	Approximately 1,500 feet downstream of Forge Hill Road.	None	+418	Township of Windsor, Township of Lower Windsor.
	Approximately 200 feet South of the end of Owl Valley Road.	None	+424	
Little Conewago Creek	Approximately 325 feet South of the end of Owl Valley Road.	None	+424	Township of Conewago.
	Approximately 800 feet upstream of confluence of Conewago and Little Conewago Creek.	None	+289	
Little Conewago Creek	Approximately 700 feet downstream of Harrisburg Baltimore Expressway.	None	+323	Township of Dover.
	Approximately at Bull Road and Hilton Avenue	None	+374	
Muddy Creek	Approximately at Carlisle Road	None	+381	Township of Lower Chanceford.
	Approximately at the confluence of Scott Creek & Muddy Creek.	None	+220	
Pine Run	Approximately at Bridgeton Road	None	+313	Township of Windsor.
	Approximately at confluence of Pine Run and Pine Run Tributary 2.	None	+551	
South Branch Codorus Creek	Approximately 900 feet downstream from the confluence of Pine Run and Pine Run Tributary 1.	None	+587	Township of North Codorus.
	Approximately 2,000 feet upstream of intersection of Pennsylvania Railroad and Days Mill Road.	None	+391	
South Branch Codorus Creek	Approximately at confluence South Branch Codorus Creek & East Branch Codorus Creek.	None	+416	Township of Springfield.
	Approximately at confluence of South Branch Creek & South Branch Creek Tributary B.	None	+478	
South Branch Codorus Creek	Approximately at confluence of South Branch Codorus Creek & Centerville Creek.	None	+529	Township of Heidelberg.
	Approximately 3,200 feet downstream from Dam	None	+519	
Stony Run No. 1	Approximately 1,300 feet downstream from Dam	None	+519	Township of Fairview.
	Approximately 850 feet downstream of intersection of Andersontown Road and Brenneman Drive.	None	+375	
Stony Run No. 3	Approximately at the intersection of Saw Mill Road and South Wharf Road.	None	+419	Township of Warrington.
	Approximately 80 feet downstream of Beaver Lane	None	+344	
Susquehanna River	Approximately 1,450 feet upstream of Beaver Lane ...	None	+344	Township of Peach Bottom.
	Approximately 3,000 feet East of Cooper Road	None	+112	
Tributary 1 (North Branch Bermudian Creek).	Approximately 800 feet upstream of Lay Road Access Road.	None	+113	Township of Carroll.
	Approximately 450 feet upstream of Cabin Hollow Road.	None	+542	
Tyler Run	Approximately 1,300 feet downstream of Stony Run Road.	None	+571	Township of Spring Garden.
	Approximately 2,000 feet upstream of Tri-Hill Drive	None	+478	
	Approximately 2,450 feet upstream of Tri-Hill Drive	None	+486	

* National Geodetic Vertical Datum.

Depth in feet above ground.

+ North American Vertical Datum.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

Flooding source(s)	Location of referenced elevation**	*Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground		Communities affected
		Effective	Modified	

ADDRESSES

Borough of Dillsburg

Maps are available for inspection at Municipal Building, 151 South Baltimore Street, Dillsburg, PA.

Borough of Manchester

Maps are available for inspection at Municipal Building, 225 South Main Street, Manchester, PA.

Township of Carroll

Maps are available for inspection at Municipal Building, 555 Chestnut Grove Road, Dillsburg, PA.

Township of Conewago

Maps are available for inspection at Municipal Building, 490 Copenhaffer Road, York, PA.

Township of Dover

Maps are available for inspection at Municipal Building, 2480 Wet Canal Road, Dover, PA.

Township of East Manchester

Maps are available for inspection at Municipal Building, 5080 North Sherman Street Extended, Mount Wolf, PA.

Township of Fairview

Maps are available for inspection at Municipal Building, 599 Lewisberry Road, New Cumberland, PA.

Township of Fawn

Maps are available for inspection at Municipal Building, 245 Alum Rock Road, New Park, PA.

Township of Franklin

Maps are available for inspection at Municipal Building, 150 Century Lane, Dillsburg, PA.

Township of Heidelberg

Maps are available for inspection at Municipal Building, 6424 York Road, Spring Grove, PA 17331.

Township of Lower Chanceford

Maps are available for inspection at Municipal Building, 4120 Delta Road, Airville, PA.

Township of Lower Windsor

Maps are available for inspection at Township Office, 111 Walnut Valley Court, Wrightsville, PA 17368.

Township of North Codorus

Maps are available for inspection at Municipal Building, 1986 Stoverstown Road, Spring Grove, PA.

Township of North Hopewell

Maps are available for inspection at Municipal Building, 13081 High Point Road, Felton, PA.

Township of Peach Bottom

Maps are available for inspection at Municipal Building, 545 Broad Street Extended, Delta, PA.

Township of Shrewsbury

Maps are available for inspection at Municipal Building, 12341 Susquehanna Trail, Glen Rock, PA.

Township of Spring Garden

Maps are available for inspection at Administration Building, 558 Ogontz Street, York, PA.

Township of Springfield

Maps are available for inspection at Municipal Building, 9211 Susquehanna Trail South, Seven Valleys, PA.

Township of Warrington

Maps are available for inspection at Municipal Building, 3345 Rosstown Road, Wellsville, PA.

Township of Windsor

Maps are available for inspection at Municipal Building, 1480 Windsor Road, Red Lion, PA 17356.

Anderson County, Texas, and Incorporated Areas

Bassett Creek	Approximately 2,828 Feet downstream from the Intersection of Bassett Road and Bassett Creek.	None	+322	Unincorporated Areas of Anderson County.
	Approximately 1,619 Feet downstream from the Intersection of Bassett Road and Bassett Creek.	None	+326	
Wells Creek	Approximately 1,829 feet downstream from the confluence of Wells Creek, Wells Creek Northwest, and Wells Creek Tributary South.	None	+374	Unincorporated Areas of Anderson County.
	Approximately 373 feet downstream from North Loop 256.	None	+374	
	Approximately 1,020 feet downstream from Moody Street.	None	+381	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

Flooding source(s)	Location of referenced elevation**	*Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground		Communities affected
		Effective	Modified	

**BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to William R. Blanton, Jr., Chief, Engineering Management Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

Unincorporated Areas of Anderson County

Maps are available for inspection at County Courthouse, 500 North Church Street, Palestine, TX 75801.

(Catalog of Federal Domestic Assistance No. 97.022, "Flood Insurance.")

Dated: October 31, 2008.

Michael K. Buckley,

Acting Assistant Administrator, Mitigation Directorate, Department of Homeland Security, Federal Emergency Management Agency.

[FR Doc. E8-26709 Filed 11-7-08; 8:45 am]

BILLING CODE 9110-12-P

FEDERAL COMMUNICATIONS COMMISSION

47 CFR Part 51

[WC Docket No. 04-347; FCC 08-237]

Petition of South Slope for Classification as an Incumbent Local Exchange Carrier in the Oxford, Tiffin and Solon, IA Exchanges; Section 251(h)(2)

AGENCY: Federal Communications Commission.

ACTION: Proposed rule.

SUMMARY: In the Notice of Proposed Rulemaking (NPRM), the Federal Communications Commission (Commission) seeks comment on whether South Slope Cooperative Telephone Company, Inc. (South Slope) should be treated as an incumbent local exchange carrier (LEC) for purposes of section 251 of the Communications Act of 1934, as amended, (Communications Act or Act) in the Iowa exchanges of Oxford, Tiffin and Solon as provided for in section 251(h)(2) of the Act. The Commission also requests comment on the appropriate regulatory treatment of South Slope and Iowa Telecommunications Services, Inc. (Iowa Telecom), the legacy incumbent LEC in those exchanges pursuant to section 251 of the Act, if the Commission concludes that South Slope should be accorded incumbent LEC treatment in the Oxford, Tiffin and Solon exchanges.

DATES: Comments are due on or before December 10, 2008. Reply comments are due on or before December 31, 2008.

ADDRESSES: You may submit comments, identified by WC Docket No. 04-347, by any of the following methods:

- *Federal eRulemaking Portal:* <http://www.regulations.gov>. Follow the instructions for submitting comments.
- *Federal Communications Commission's Web site:* <http://www.fcc.gov/cgb/ecfs/>. Follow the instructions for submitting comments.

- *Mail:* Parties choosing to file by paper must file an original and four copies of each filing in WC Docket No. 07-38. Filings can be sent by hand or messenger delivery, by commercial overnight courier, or by first-class or overnight U.S. Postal Service mail (although the Commission continues to experience delays in receiving U.S. Postal Service mail). If more than one docket or rulemaking number appears in the caption of this proceeding, commenters must submit two additional copies for each additional docket or rulemaking number. The Commission's mail contractor, Vistrionix, Inc., will receive hand-delivered or messenger-delivered paper filings for the Commission's Secretary at 236 Massachusetts Avenue, NE., Suite 110, Washington, DC 20002. The filing hours at this location are 8 a.m. to 7 p.m. All hand deliveries must be held together with rubber bands or fasteners. Any envelopes must be disposed of before entering the building. Commercial overnight mail (other than U.S. Postal Service Express Mail and Priority Mail) must be sent to 9300 East Hampton Drive, Capitol Heights, MD 20743. U.S. Postal Service first-class mail, Express Mail, and Priority Mail should be addressed to 445 12th Street, SW., Washington, DC 20554. All filings must be addressed to the Commission's Secretary, Office of the Secretary, Federal Communications Commission.

- *People with Disabilities:* Contact the FCC to request reasonable

accommodations (accessible format documents, sign language interpreters, CART, etc.) by e-mail: FCC504@fcc.gov or phone: 202-418-0530 or TTY: 202-418-0432.

For detailed instructions for submitting comments and additional information on the rulemaking process, see the **SUPPLEMENTARY INFORMATION** section of this document.

FOR FURTHER INFORMATION CONTACT:

Claudia Pabo, Wireline Competition Bureau, Competition Policy Division, (202) 418-0940.

SUPPLEMENTARY INFORMATION: This is a summary of the Commission's Notice of Proposed Rulemaking in WC Docket No. 04-347, adopted on October 7, 2008, and released on October 10, 2008. The complete text of this Notice of Proposed Rulemaking is available for public inspection Monday through Thursday from 8 a.m. to 4:30 p.m. and Friday from 8 a.m. to 11:30 a.m. in the Commission's Consumer and Governmental Affairs Bureau, Reference Information Center, Room CY-A257, 445 12th Street, SW., Washington, DC 20554. The complete text is available also on the Commission's Internet site at <http://www.fcc.gov>. Alternative formats are available for persons with disabilities by contacting the Consumer and Governmental Affairs Bureau, at (202) 418-0531, TTY (202) 418-7365, or at fcc504@fcc.gov. The complete text of the decision may be purchased from the Commission's duplicating contractor, Best Copying and Printing, Inc., Room CY-B402, 445 12th Street, SW., Washington, DC 20554, telephone (202) 488-5300, facsimile (202) 488-5563, TTY (202) 488-5562, or e-mail at fcc@bcpweb.com.

Synopsis of Further Notice of Proposed Rulemaking

1. In 2004, South Slope, a cooperative telephone company providing service in Iowa, filed a petition requesting that it be treated as an incumbent LEC in the Iowa exchanges of Oxford, Tiffin and