

submitted. Adequate data collection method validation, independent laboratory validation (ILV), and radio-validation data for the method has been submitted. Since there is no reasonable expectation of finding residues of dodine in livestock or poultry, no analytical method for animal tissues is required. *Contact:* Tamue L. Gibson, (703) 305-9096, *e-mail address:* gibson.tamue@epa.gov.

3. *PP 1F7887.* (EPA-HQ-OPP-2011-0741). Cytec Industries, Inc., 5 Garret Mountain Plaza, Woodland Park, NJ 07424, requests to establish tolerances in 40 CFR part 180 for residues of phosphine, in or on asparagus; cherimoya; dates, fresh; figs, fresh; globe artichokes; pawpaws; pineapple, water chestnuts and watercress, and for all fresh fruit and vegetable crop groups (including berry and small fruit; citrus fruit; pome fruit; stone fruit; herbs and spices; *Brassica* leafy vegetables; leafy vegetables; bulb vegetables; cucurbits; fruiting vegetables except cucurbits; legume vegetables, except soybeans; foliage of legume vegetables; root and tuber group; and root and tuber leaves group) at 0.01 ppm. The PAM Vol. II lists, under aluminum phosphide, a colorimetric method level of detection (LOD = 0.01) and a gas liquid chromatography (GLC) method with a flame photometric detection (LOD = 0.001 ppm) as Method A and B, respectively, for the enforcement of tolerances. The residue of concern is phosphine. It is noted that Method A, remains a lettered method because of variable recoveries observed in an Agency method try-out. However, the method has been determined to be acceptable for enforcement because phosphine is highly reactive, and finite residues are not expected. Data submitted in support of the established tolerances were collected by one of these two methods. Because phosphine is an inorganic compound, recovery of residues using FDA Multiresidue Protocols is not expected, and the requirement for such data has been waived by the Agency. *Contact:* Gene Benbow, (703) 347-0235, *e-mail address:* benbow.gene@epa.gov.

4. *PP 1F7897.* (EPA-HQ-OPP-2009-0677). Arysta LifeScience, North America, LLC., 15401 Weston Parkway, Suite 150, Cary, NC 27513, requests to establish a tolerance in 40 CFR part 180 for residues of the fungicide fluoxastrobin, (1E)-[2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl] (5,6-dihydro-1,4,2-dioxazin-3-yl)methanone *O*-methyloxime, and its *Z*-isomer, (1Z)-[2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl] (5,6-dihydro-

1,4,2-dioxazin-3-yl)methanone *O*-methyloxime, in or on rice, grain at 6.0 ppm. Adequate analytical methodology is available for enforcement purposes. The method comprises microwave solvent extraction followed by a solid phase extraction clean-up and quantification by high performance liquid chromatography with tandem mass spectrometric detection (HPLC/MS/MS). The individual detector responses for measured *E*- and *Z*-isomers is summed to give total residue. *Contact:* Heather A. Garvie, (703) 308-0034, *e-mail address:* garvie.heather@epa.gov.

Amended Tolerance

PP 1E7890. (EPA-HQ-OPP-2011-0758). Interregional Research Project Number 4 (IR-4), Rutgers, The State University of New Jersey, 500 College Road East, Suite 201-W., Princeton, NJ 08540, requests to amend the current tolerances in 40 CFR 180.498 for residues of the herbicide sulfentrazone (*N*-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1*H*-1,2,4-triazol-1-yl]phenyl]-methanesulfonamide) and its metabolites 3-hydroxymethyl-sulfentrazone (*N*-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-hydroxymethyl-5-oxo-1*H*-1,2,4-triazol-1-yl]phenyl]methanesulfonamide) and 3-desmethyl sulfentrazone (*N*-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-5-oxo-1*H*-1,2,4-triazol-1-yl]phenyl]methanesulfonamide), in or on bean, lima, succulent at 0.15 ppm by removing the tolerance from the table in Section (a)(2) and adding the tolerance to Section (c) *Tolerances with regional registrations*. Upon approval of the aforementioned tolerance under "New Tolerances", the petition additionally proposes to remove the established tolerance in or on the raw agricultural commodity sunflower, seed at 0.2 ppm. *Contact:* Laura Nollen, (703) 305-7390, *e-mail address:* nollen.laura@epa.gov.

New Tolerance Exemptions

1. *PP 1E7903.* (EPA-HQ-OPP-2011-0736). ISK Biosciences Corporation, 7470 Auburn Road, Suite A, Concord, OH 44077, requests to establish an exemption from the requirement of a tolerance for residues of *D*-mannose (CAS No. 3458-28-4) under 40 CFR 180.920 when used as an inert ingredient (sequestrant) in pesticide formulations applied pre-harvest to all raw agricultural commodities. The petitioner believes no analytical method is needed because this information is not required for the establishment of a tolerance exemption. *Contact:* Mark

Dow, (703) 305-5533, *e-mail address:* dow.mark@epa.gov.

2. *PP 1E7909.* (EPA-HQ-OPP-2011-0732). Momentive Performance Materials, 22 Corporate Woods Blvd., Albany, NY 12211, requests to establish an exemption from the requirement of a tolerance for residues of 2-Propenoic acid, 2-methyl-, polymer with butyl 2-propenoate and ethenylbenzene (CAS No. 25036-16-2) under 40 CFR 180.960 when used as a pesticide inert ingredient as a sticker in pesticide formulations without limitation. The petitioner believes no analytical method is needed because this information is not required for the establishment of a tolerance exemption. *Contact:* Elizabeth Fertich, (703) 347-8560, *e-mail address:* fertich.elizabeth@epa.gov.

List of Subjects

Environmental protection, Agricultural commodities, Feed additives, Food additives, Pesticides and pests, Reporting and recordkeeping requirements.

Dated: September 28, 2011.

Daniel J. Rosenblatt,

Acting Director, Registration Division, Office of Pesticide Programs.

[FR Doc. 2011-25725 Filed 10-4-11; 8:45 am]

BILLING CODE 6560-50-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket ID FEMA-2011-0002; Internal Agency Docket No. FEMA-B-1221]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS.

ACTION: Proposed rule.

SUMMARY: Comments are requested on the proposed Base (1% annual-chance) Flood Elevations (BFEs) and proposed BFE modifications for the communities listed in the table below. The purpose of this proposed rule is to seek general information and comment regarding the proposed regulatory flood elevations for the reach described by the downstream and upstream locations in the table below. The BFEs and modified BFEs are a part of the floodplain management measures that the community is required either to adopt or to show evidence of having in effect in order to qualify or remain qualified for

participation in the National Flood Insurance Program (NFIP). In addition, these elevations, once finalized, will be used by insurance agents and others to calculate appropriate flood insurance premium rates for new buildings and the contents in those buildings.

DATES: Comments are to be submitted on or before January 3, 2012.

ADDRESSES: The corresponding preliminary Flood Insurance Rate Map (FIRM) for the proposed BFEs for each community is available for inspection at the community's map repository. The respective addresses are listed in the table below.

You may submit comments, identified by Docket No. FEMA-B-1221, to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646-4064, or (e-mail) Luis.Rodriguez3@fema.dhs.gov.

FOR FURTHER INFORMATION CONTACT: Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646-4064, or (e-mail) Luis.Rodriguez3@fema.dhs.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA) proposes to make determinations of BFEs and modified

BFEs for each community listed below, in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and also are used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in those buildings.

Comments on any aspect of the Flood Insurance Study and FIRM, other than the proposed BFEs, will be considered. A letter acknowledging receipt of any comments will not be sent.

National Environmental Policy Act. This proposed rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. An environmental impact assessment has not been prepared.

Regulatory Flexibility Act. As flood elevation determinations are not within

the scope of the Regulatory Flexibility Act, 5 U.S.C. 601-612, a regulatory flexibility analysis is not required.

Executive Order 12866, Regulatory Planning and Review. This proposed rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866, as amended.

Executive Order 13132, Federalism. This proposed rule involves no policies that have federalism implications under Executive Order 13132.

Executive Order 12988, Civil Justice Reform. This proposed rule meets the applicable standards of Executive Order 12988.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is proposed to be amended as follows:

PART 67—[AMENDED]

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.4 [Amended]

2. The tables published under the authority of § 67.4 are proposed to be amended as follows:

State	City/town/county	Source of flooding	Location **	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL)	
				Existing	Modified
Unincorporated Areas of Carbon County, Montana					
Montana	Unincorporated Areas of Carbon County.	Clarks Fork Yellowstone River.	Approximately 1.89 miles downstream of Twany Trail.	None	+3304
			Approximately 770 feet downstream of the Rock Creek (Lower) confluence.	None	+3405

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472.

ADDRESSES

Unincorporated Areas of Carbon County

Maps are available for inspection at 17 West 11th Street, Red Lodge, MT 59068.

State	City/town/county	Source of flooding	Location**	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL)	
				Existing	Modified
Unincorporated Areas of Mineral County, Nevada					
Nevada	Unincorporated Areas of Mineral County.	Cottonwood Creek	Approximately 1,400 feet north of the intersection of Marian Drive and U.S. Route 95.	None	#1
Nevada		Mina Fan	Approximately 1,584 feet southwest of the intersection of Cross Street and U.S. Route 95.	None	#1
			Approximately 1.8 miles southwest of the intersection of 1st Street and U.S. Route 95.	None	#1
			Approximately 2.0 miles southwest of the intersection of Cross Street and U.S. Route 95.	None	#1
			Approximately 0.7 mile upstream of the intersection of 1st Street and U.S. Route 95.	None	#1

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472.

ADDRESSES

Unincorporated Areas of Mineral County

Maps are available for inspection at 105 South A Street, Suite 1, Hawthorne, NV 89415.

City of Lubbock, Texas					
Texas	City of Lubbock	Playa System E1	At the intersection of Avenue T and 40th Street.	+3208	+3206
			At the intersection of Slide Road and 58th Street.	+3255	+3256

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

City of Lubbock

Maps are available for inspection at City Hall, 1625 13th Street, Lubbock, TX 79401.

City of McCleary, Washington					
Washington	City of McCleary	East Fork Wildcat Creek	Approximately 360 feet upstream of State Route 108.	None	+245
			Approximately 1,200 feet upstream of the railroad.	None	+268

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

State	City/town/county	Source of flooding	Location **	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in meters (MSL)	
				Existing	Modified

Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

City of McCleary

* Maps are available for inspection at City Hall, 100 South 3rd Street, McCleary, WA 98557.

Flooding source(s)	Location of referenced elevation**	*Elevation in feet (NGVD) +Elevation in feet (NAVD) #Depth in feet above ground ^Elevation in meters (MSL)		Communities affected
		Effective	Modified	
Volusia County, Florida, and Incorporated Areas				
B-19 Canal	At the Spruce Creek confluence	+4	+5	City of Daytona Beach, City of Port Orange, Unincorporated Areas of Volusia County.
B-27 Canal North	Approximately 375 feet upstream of Beville Road	None	+29	City of Holly Hill, Unincorporated Areas of Volusia County.
	At the LPGA Canal confluence	None	+5	
B-27 Canal South	Approximately 75 feet upstream of Calle Grande Street.	None	+5	City of Daytona Beach, City of Holly Hill.
	At the LPGA Canal confluence	None	+5	
Halifax Canal	Approximately 70 feet upstream of Kingston Avenue ..	None	+6	City of Port Orange.
	Approximately 700 feet upstream of Powers Avenue ..	None	+6	
LPGA Canal	Approximately 100 feet upstream of Jackson Street ...	None	+7	City of Holly Hill.
	At the upstream side of Ridgewood Avenue	None	+4	
Laurel Creek	Approximately 1,940 feet upstream of Center Avenue	None	+7	City of Ormond Beach.
	At the upstream side of the railroad	None	+6	
Nova Canal North Reach 1 ..	Approximately 330 feet upstream of Laurel Oaks Circle.	None	+7	City of Holly Hill, Unincorporated Areas of Volusia County.
	Approximately 775 feet downstream of LPGA Boulevard.	None	+7	
Nova Canal North Reach 2 ..	At the upstream side of Alabama Avenue	None	+7	City of Daytona Beach, City of Holly Hill.
	Approximately 1,660 feet downstream of 10th Street ..	None	+7	
Nova Canal South Reach 1 ..	Approximately 925 feet upstream of Orange Avenue ..	None	+8	City of Daytona Beach, City of South Daytona.
	Approximately 125 feet downstream of Reed Canal Road.	None	+7	
Nova Canal South Reach 2 ..	At the Nova Canal North Reach 2 confluence	None	+8	City of Port Orange, City of South Daytona.
	Approximately 1,775 feet upstream of Nova Road	None	+7	
Thompson Creek	At the Nova Canal South Reach 1 confluence	None	+7	City of Ormond Beach.
	At the upstream side of Industrial Drive	+6	+7	
	Approximately 575 feet upstream of Division Avenue	None	+8	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES

City of Daytona Beach

Maps are available for inspection at 950 Bellevue Avenue, Room 600, Daytona Beach, FL 32115.

Flooding source(s)	Location of referenced elevation**	*Elevation in feet (NGVD) +Elevation in feet (NAVD) #Depth in feet above ground ^Elevation in meters (MSL)		Communities affected
		Effective	Modified	

City of Holly Hill

Maps are available for inspection at 1065 Ridgewood Avenue, Holly Hill, FL 32117.

City of Ormond Beach

Maps are available for inspection at 22 South Beach Street, Ormond Beach, FL 32174.

City of Port Orange

Maps are available for inspection at 1000 City Center Circle, Port Orange, FL 32129.

City of South Daytona

Maps are available for inspection at 1672 South Ridgewood Avenue, South Daytona, FL 32119.

Unincorporated Areas of Volusia County

Maps are available for inspection at 123 West Indiana Avenue, DeLand, FL 32720.

Webster County, Iowa, and Incorporated Areas

Des Moines River	Approximately 1.6 miles downstream of U.S. Route 20.	None	+987	City of Fort Dodge, Unincorporated Areas of Webster County.
	Approximately 2.1 miles upstream of East Hawkeye Avenue.	None	+1008	
Lizard Creek	At the Des Moines River confluence	+992	+995	City of Fort Dodge, Unincorporated Areas of Webster County.
	Approximately 0.9 mile upstream of Phinney Park Drive.	+1000	+999	
Soldier Creek	At the Des Moines River confluence	None	+993	City of Fort Dodge, Unincorporated Areas of Webster County.
	Approximately 1.2 miles upstream of Soldier Creek Drive.	None	+1098	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES**City of Fort Dodge**

Maps are available for inspection at 819 1st Avenue South, Fort Dodge, IA 50501.

Unincorporated Areas of Webster County

Maps are available for inspection at the Webster County Courthouse, 701 Central Avenue, 4th Floor, Fort Dodge, IA 50501.

St. Helena Parish, Louisiana, and Incorporated Areas

Joseph Branch	Approximately 0.70 mile upstream of Kendrick Road ..	None	+189	Unincorporated Areas of St. Helena Parish.
	Approximately 0.90 mile upstream of Kendrick Road ..	None	+189	
Ward Line Canal	Approximately 790 feet upstream of Sitman Road	None	+185	Town of Greensburg.
	Approximately 1,480 feet upstream of Sitman Road ...	None	+187	

* National Geodetic Vertical Datum.

North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES**Town of Greensburg**

Maps are available for inspection at the Town Hall, 14560 Louisiana Highway 37, Greensburg, LA 70441

Flooding source(s)	Location of referenced elevation**	*Elevation in feet (NGVD) +Elevation in feet (NAVD) #Depth in feet above ground ^Elevation in meters (MSL)		Communities affected
		Effective	Modified	

Unincorporated Areas of St. Helena Parish

Maps are available for inspection at the St. Helena Parish Police Jury Administration Building, 17911 Louisiana Highway 43, Greensburg, LA 70441.

Oceana County, Michigan (All Jurisdictions)

Lake Michigan	Entire shoreline within community	None	+585	Township of Benona, Township of Claybanks.
Lake Michigan	Entire shoreline within community	None	+584	Township of Golden.
Pentwater Lake	Entire shoreline	None	+584	Township of Weare.

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES**Township of Benona**

Maps are available for inspection at the Benona Township Hall, 7169 West Baker Road, Shelby, MI 49455.

Township of Claybanks

Maps are available for inspection at the Claybanks Township Hall, 7577 West Cleveland Road, New Era, MI 49446.

Township of Golden

Maps are available for inspection at the Golden Township Hall, 5527 West Fox Road, Mears, MI 49436.

Township of Weare

Maps are available for inspection at the Weare Township Hall, 5846 North Oceana Drive, Hart, MI 49420.

Fort Bend County, Texas, and Incorporated Areas

Brazos River	Approximately 2.16 miles downstream of FM 2759	+62	+61	Town of Thompsons.
	Approximately 2.75 miles upstream of the Alcorn Bayou confluence.	None	+71	
Oyster Creek	Approximately 1.1 miles downstream of FM 1464	None	+81	Fort Bend County Municipal Utility District No. 25.
	Approximately 150 feet downstream of FM 1464	None	+81	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

** BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472.

ADDRESSES**Fort Bend County Municipal Utility District No. 25**

Maps are available for inspection at 8522 Katy Freeway, Suite 300, Houston, TX 77024.

Town of Thompsons

Maps are available for inspection at 520 Thompson Oil Field Road, Thompsons, TX 77481.

Montgomery County, Texas, and Incorporated Areas

Arnold Branch	Approximately 1.4 miles downstream of FM 1488	None	+219	Town of Magnolia.
	Approximately 1,475 feet upstream of FM 1488	None	+246	
Peach Creek	Approximately 1,375 feet downstream of Roman Forest Boulevard.	None	+85	Town of Roman Forest.
	Approximately 425 feet upstream of Roman Forest Boulevard.	None	+86	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

Flooding source(s)	Location of referenced elevation**	*Elevation in feet (NGVD) +Elevation in feet (NAVD) #Depth in feet above ground ^Elevation in meters (MSL)	Communities affected
		Effective	Modified

^ Mean Sea Level, rounded to the nearest 0.1 meter.

**BFEs to be changed include the listed downstream and upstream BFEs, and include BFEs located on the stream reach between the referenced locations above. Please refer to the revised Flood Insurance Rate Map located at the community map repository (see below) for exact locations of all BFEs to be changed.

Send comments to Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472.

ADDRESSES

Town of Magnolia

Maps are available for inspection at 510 Magnolia Boulevard, Magnolia, TX 77356.

Town of Roman Forest

Maps are available for inspection at 2430 Roman Forest Boulevard, New Caney, TX 77357.

(Catalog of Federal Domestic Assistance No. 97.022, "Flood Insurance.")

Dated: September 13, 2011.

Sandra K. Knight,

Deputy Associate Administrator for Mitigation, Department of Homeland Security, Federal Emergency Management Agency.

[FR Doc. 2011-25611 Filed 10-4-11; 8:45 am]

BILLING CODE 9110-12-P

FEDERAL COMMUNICATIONS COMMISSION

47 CFR Part 15

[ET Docket No. 10-26; FCC 11-133]

Definition of Part 15 Auditory Assistance Device

AGENCY: Federal Communications Commission.

ACTION: Proposed rule.

SUMMARY: This document proposes to amend the definition of "auditory assistance device" in the Commission's rules to allow such devices to be used by anyone at any location for simultaneous language interpretation, where the spoken words are translated continuously in near real time. This action is taken in response to a petition for declaratory ruling filed by Williams Sound Corporation (Williams Sound Petition), a provider of wireless auditory assistance devices. The current definition restricts the use of part 15 auditory assistance devices that operate in the 72.0-73.0 MHz, 74.6-74.8 MHz, and 75.2-76.0 MHz bands (72-76 MHz bands) to auditory assistance to a handicapped person or persons; such devices may be used for auricular training in an educational institution, for auditory assistance at places of public gatherings, such as a church,

theater, or auditorium, and to handicapped individuals, only, in other locations. The proposed amendment would permit part 15 auditory assistance devices that operate in the 72-76 MHz bands to be used by anyone at any location for simultaneous language interpretation.

DATES: Comments must be filed on or before November 4, 2011, and reply comments must be filed on or before November 21, 2011.

FOR FURTHER INFORMATION CONTACT:

Patrick Forster, Office of Engineering and Technology, (202) 418-7061, e-mail: Patrick.Forster@fcc.gov, TTY (202) 418-2989.

ADDRESSES: You may submit comments, identified by ET Docket No. 10-26, by any of the following methods:

- *Federal Communications Commission's Web Site:* <http://fjallfoss.fcc.gov/ecfs2/>. Follow the instructions for submitting comments.
- *Mail:* [Optional: Include the mailing address for paper, disk, or CD-ROM submissions needed/requested by your Bureau or Office. Do not include the Office of the Secretary's mailing address here.]
- *People with Disabilities:* Contact the FCC to request reasonable accommodations (accessible format documents, sign language interpreters, CART, etc.) by e-mail: FCC504@fcc.gov or phone: 202-418-0530 or TTY: 202-418-0432.

For detailed instructions for submitting comments and additional information on the rulemaking process, see the **SUPPLEMENTARY INFORMATION** of this document.

SUPPLEMENTARY INFORMATION: This is a summary of the Commission's *Order and Notice of Proposed Rule Making*, ET Docket No. 10-26, FCC 11-133, adopted September 9, 2011, and released

September 16, 2011. The full text of this document is available for inspection and copying during normal business hours in the FCC Reference Center (Room CY-A257), 445 12th Street, SW., Washington, DC 20554. The complete text of this document also may be purchased from the Commission's copy contractor, Best Copy and Printing, Inc., 445 12th Street, SW., Room CY-B402, Washington, DC 20554. The full text may also be downloaded at: <http://www.fcc.gov>.

Pursuant to §§ 1.415 and 1.419 of the Commission's rules, 47 CFR 1.415, 1.419, interested parties may file comments and reply comments on or before the dates indicated on the first page of this document. Comments may be filed using the Commission's Electronic Comment Filing System (ECFS). See *Electronic Filing of Documents in Rulemaking Proceedings*, 63 FR 24121 (1998).

- *Electronic Filers:* Comments may be filed electronically using the Internet by accessing the ECFS: <http://fjallfoss.fcc.gov/ecfs2/>.

- *Paper Filers:* Parties who choose to file by paper must file an original and one copy of each filing. If more than one docket or rulemaking number appears in the caption of this proceeding, filers must submit two additional copies for each additional docket or rulemaking number.

Filings can be sent by hand or messenger delivery, by commercial overnight courier, or by first-class or overnight U.S. Postal Service mail. All filings must be addressed to the Commission's Secretary, Office of the Secretary, Federal Communications Commission.

- All hand-delivered or messenger-delivered paper filings for the Commission's Secretary must be delivered to FCC Headquarters at 445