

## NATIONAL FOUNDATION ON THE ARTS AND THE HUMANITIES

### National Endowment for the Arts

#### National Council on the Arts 187th Meeting

**AGENCY:** National Endowment for the Arts, National Foundation on the Arts and the Humanities.

**ACTION:** Notice of meeting.

**SUMMARY:** Pursuant to section 10(a)(2) of the Federal Advisory Committee Act (Pub. L. 92-463), as amended, notice is hereby given that a meeting of the National Council on the Arts will be held in Conference Room 3063/3064 and Conference Rooms A & B at Constitution Center, 400 7th St. SW., Washington, DC 20506. Agenda times are approximate.

**DATES:** Wednesday, March 23, 2016 from 12:30 p.m. to 2:30 p.m. and Thursday, March 24, 2016 from 9:00 a.m. to 11:30 a.m.

**FOR FURTHER INFORMATION CONTACT:** Office of Public Affairs, National Endowment for the Arts, Washington, DC 20506, at 202/682-5570.

**SUPPLEMENTARY INFORMATION:** The meeting on March 23rd from 12:30 p.m. to 2:30 p.m., will be in Conference Room 3063/3064 and will be closed for discussion of National Medal of Arts nominations. The meeting on March 24th, in Conference Rooms A & B from 9:30 a.m. to 11:30 a.m., will be open to the public on a space available basis. The tentative agenda is as follows: The meeting will begin at 9:00 a.m. with opening remarks and voting on recommendations for funding and rejection and guidelines, followed by updates from the Chairman. There also will be the following presentations (times are approximate): From 9:30 a.m. to 9:45 a.m.—*Presentation on 50th Anniversary videos* (Jessamyn Sarmiento, Director of Public Affairs, NEA); from 9:45 a.m. to 10:15 a.m.—*Presentation on IMPart at the Art League of Alexandria* (Suzanne Bethel, Executive Director of the Art League of Alexandria); from 10:15 a.m.—10:45 a.m.—*Presentation on “All the Way Home”* (Marty Pottenger, Executive Director, Terra Moto Inc.); and from 10:45 a.m.—11:15 a.m.—*Presentation on Hot Shop for Heroes Program* (Deborah Lenk, Executive Director, Museum of Glass). From 11:00–11:15 there will be concluding remarks from the Chairman and announcement of voting results. The meeting will adjourn at 11:30 a.m. The Thursday, March 24th session also will be webcast. To register to watch the webcasting of this open

session of the meeting, go to <http://artsgov.adobeconnect.com/nca-march2016-webcast/event/registration.html>.

If, in the course of the open session discussion, it becomes necessary for the Council to discuss non-public commercial or financial information of intrinsic value, the Council will go into closed session pursuant to subsection (c)(4) of the Government in the Sunshine Act, 5 U.S.C. 552b, and in accordance with the February 15, 2012 determination of the Chairman. Additionally, discussion concerning purely personal information about individuals, such as personal biographical and salary data or medical information, may be conducted by the Council in closed session in accordance with subsection (c)(6) of 5 U.S.C. 552b.

Any interested persons may attend, as observers, Council discussions and reviews that are open to the public. If you need special accommodations due to a disability, please contact the Office of Accessibility, National Endowment for the Arts, 1100 Pennsylvania Avenue NW., Washington, DC 20506, 202/682-5733, Voice/T.T.Y. 202/682-5496, at least seven (7) days prior to the meeting.

Dated: February 29, 2016.

**Kathy Plowitz-Worden,**  
Panel Coordinator, Office of Guidelines and Panel Operations.

[FR Doc. 2016-04665 Filed 3-2-16; 8:45 am]

**BILLING CODE 7537-01-P**

## NUCLEAR REGULATORY COMMISSION

[Docket Nos. 52-025 and 52-026; NRC-2008-0252]

### Vogtle Electric Generating Station, Units 3 and 4; Southern Nuclear Operating Company; Addition of Instruments to Design Reliability Assurance Program (D-RAP)

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Exemption and combined license amendment; issuance.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) is granting an exemption to allow a departure from the certification information of Tier 1 of the generic design control document (DCD) and is issuing License Amendment No. 43 to Combined Licenses (COLs), NPF-91 and NPF-92. The COLs were issued to Southern Nuclear Operating Company, Inc., (SNC), Georgia Power Company, Oglethorpe Power Corporation, MEAG Power SPVM, LLC., MEAG Power SPVJ, LLC., MEAG Power

SPVP, LLC., and the City of Dalton, Georgia (together “the licensee”); for construction and operation of the Vogtle Electric Generating Plant (VEGP) Units 3 and 4, located in Burke County, Georgia.

The granting of the exemption allows the changes to Tier 1 information requested in the amendment. Because the acceptability of the exemption was determined in part by the acceptability of the amendment, the exemption and amendment are being issued concurrently.

**DATES:** March 3, 2016.

**ADDRESSES:** Please refer to Docket ID NRC-2008-0252 when contacting the NRC about the availability of information regarding this document. You may obtain publicly-available information related to this document using any of the following methods:

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2008-0252. Address questions about NRC dockets to Carol Gallagher; telephone: 301-415-3463; email: [Carol.Gallagher@nrc.gov](mailto:Carol.Gallagher@nrc.gov). For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC’s Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly-available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select “ADAMS Public Documents” and then select “Begin Web-based ADAMS Search.” For problems with ADAMS, please contact the NRC’s Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov). The ADAMS accession number for each document referenced (if it is available in ADAMS) is provided the first time that a document is referenced. The request for the amendment and exemption was submitted by letter dated October 7, 2014 (ADAMS Accession No. ML14280A391) and supplemented by letter dated September 4, 2015 (ADAMS Accession No. ML15247A515).

- *NRC’s PDR:* You may examine and purchase copies of public documents at the NRC’s PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

**FOR FURTHER INFORMATION CONTACT:** Ruth C. Reyes, Office of New Reactors, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone: 301-415-3249; email: [Ruth.Reyes@nrc.gov](mailto:Ruth.Reyes@nrc.gov).

**SUPPLEMENTARY INFORMATION:**

## I. Introduction

The NRC is granting an exemption from Tier 1 information in the certified DCD incorporated by reference in part 52 of title 10 of the *Code of Federal Regulations* (10 CFR), appendix D, "Design Certification Rule for the AP1000 Design," and issuing License Amendment No. 43 to COLs, NPF-91 and NPF-92, to the licensee. The exemption is required by Paragraph A.4 of Section VIII, "Processes for Changes and Departures," appendix D to 10 CFR part 52 to allow the licensee to depart from Tier 1 information. With the requested amendment, the licensee sought a change to the feedwater controller program so it will respond as required to plant transients while minimizing the potential for actuation when it is not desirable.

Part of the justification for granting the exemption was provided by the review of the amendment. Because the exemption is necessary in order to issue the requested license amendment, the NRC granted the exemption and issued the amendment concurrently, rather than in sequence. This included issuing a combined safety evaluation containing the NRC staff's review of both the exemption request and the license amendment. The exemption met all applicable regulatory criteria set forth in 10 CFR 50.12, 10 CFR 52.7, and Section VIII.A.4 of appendix D to 10 CFR part 52. The license amendment was found to be acceptable as well. The combined safety evaluation is available in ADAMS under Accession No. ML15258A559.

Identical exemption documents (except for referenced unit numbers and license numbers) were issued to the licensee for VEGP Units 3 and 4 (COLs NPF-91 and NPF-92). The exemption documents for VEGP Units 3 and 4 can be found in ADAMS under Accession Nos. ML15258A536 and ML15258A550, respectively. The exemption is reproduced (with the exception of abbreviated titles and additional citations) in Section II of this document. The amendment documents for COLs NPF-91 and NPF-92 are available in ADAMS under Accession Nos. ML15258A479 and ML15258A530, respectively. A summary of the amendment documents is provided in Section III of this document.

## II. Exemption

Reproduced below is the exemption document issued to Vogtle Units 3 and 4. It makes reference to the combined safety evaluation that provides the reasoning for the findings made by the NRC (and listed under Item 1) in order to grant the exemption:

1. In a letter dated October 7, 2014, and supplemented by letter dated September 4, 2015, the licensee requested from the Commission an exemption to allow departures from Tier 1 information in the certified DCD incorporated by reference in 10 CFR part 52, appendix D as part of license amendment request 14-006, "Addition of Instruments to Design Reliability Assurance Program (D-RAP)."

For the reasons set forth in Section 3.1 of the NRC staff's Safety Evaluation that supports this license amendment, which can be found at ADAMS Accession No. ML15258A559, the Commission finds that:

- A. The exemption is authorized by law;
- B. the exemption presents no undue risk to public health and safety;
- C. the exemption is consistent with the common defense and security;
- D. special circumstances are present in that the application of the rule in this circumstance is not necessary to serve the underlying purpose of the rule;
- E. the special circumstances outweigh any decrease in safety that may result from the reduction in standardization caused by the exemption; and
- F. the exemption will not result in a significant decrease in the level of safety otherwise provided by the design.

2. Accordingly, the licensee is granted an exemption from the certified DCD Tier 1, as described in the licensee's request dated October 7, 2014, and supplemented by letter dated September 4, 2015. This exemption is related to, and necessary for, the granting of License Amendment No. 43, which is being issued concurrently with this exemption.

3. As explained in Section 5.0 of the NRC staff's Safety Evaluation that supports this license amendment (ADAMS Accession No. ML15258A559), this exemption meets the eligibility criteria for categorical exclusion set forth in 10 CFR 51.22(c)(9). Therefore, pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment needs to be prepared in connection with the issuance of the exemption.

4. This exemption is effective as of the date of its issuance.

## III. License Amendment Request

By letter dated October 7, 2014, and supplemented by letter dated September 4, 2015, the licensee requested that the NRC amend the COLs for VEGP, Units 3 and 4, COLs NPF-91 and NPF-92. The proposed amendment is described in Section I, above.

The Commission has determined for these amendments that the application

complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations. The Commission has made appropriate findings as required by the Act and the Commission's rules and regulations in 10 CFR Chapter I, which are set forth in the license amendment.

A notice of consideration of issuance of amendment to facility operating license or combined license, as applicable, proposed no significant hazards consideration determination, and opportunity for a hearing in connection with these actions, was published in the **Federal Register** on July 7, 2015 (80 FR 38761). The September 4, 2015, supplement had no effect on the no significant hazards consideration determination, and no comments were received during the 30-day comment period.

The Commission has determined that these amendments satisfy the criteria for categorical exclusion in accordance with 10 CFR 51.22. Therefore, pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment need be prepared for these amendments.

## IV. Conclusion

Using the reasons set forth in the combined safety evaluation, the staff granted the exemption and issued the amendment that the licensee requested on October 7, 2014, as supplemented by letter dated September 4, 2015. The exemption and amendment were issued on January 12, 2016 as part of a combined package to the licensee (ADAMS Accession No. ML15258A465).

Dated at Rockville, Maryland, this 25th day of February 2016.

For the Nuclear Regulatory Commission.

**John McKirgan,**

*Chief, Licensing Branch 4, Division of New Reactor Licensing, Office of New Reactors.*

[FR Doc. 2016-04754 Filed 3-2-16; 8:45 am]

**BILLING CODE 7590-01-P**

## NUCLEAR REGULATORY COMMISSION

[Docket No. 72-1035: EA-16-005: NRC-2016-0046]

**In The Matter of Duke Energy Corporation, Crystal River Nuclear Generating Station, Independent Spent Fuel Storage Installation: Order Modifying License (Effective Immediately)**

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Order; modification.