

### Preliminary Determinations by the ITC

The ITC will preliminarily determine, within 45 days after the date on which the Petitions were filed, whether there is a reasonable indication that imports of silicon metal from Australia, Brazil, and/or Kazakhstan are materially injuring, or threatening material injury to, a U.S. industry.<sup>33</sup> A negative ITC determination will result in the investigation being terminated with respect to that country.<sup>34</sup> Otherwise, these investigations will proceed according to statutory and regulatory time limits.

### Submission of Factual Information

Factual information is defined in 19 CFR 351.102(b)(21) as: (i) Evidence submitted in response to questionnaires; (ii) evidence submitted in support of allegations; (iii) publicly available information to value factors under 19 CFR 351.408(c) or to measure the adequacy of remuneration under 19 CFR 351.511(a)(2); (iv) evidence placed on the record by the Department; and (v) evidence other than factual information described in (i)–(iv). Any party, when submitting factual information, must specify under which subsection of 19 CFR 351.102(b)(21) the information is being submitted and, if the information is submitted to rebut, clarify, or correct factual information already on the record, to provide an explanation identifying the information already on the record that the factual information seeks to rebut, clarify, or correct. Time limits for the submission of factual information are addressed in 19 CFR 351.301, which provides specific time limits based on the type of factual information being submitted. Parties should review the regulations prior to submitting factual information in these investigations.

### Extension of Time Limits Regulation

Parties may request an extension of time limits before the expiration of a time limit established under 19 CFR 351.301, or as otherwise specified by the Secretary. In general, an extension request will be considered untimely if it is filed after the expiration of the time limit established under 19 CFR 351.301. For submissions that are due from multiple parties simultaneously, an extension request will be considered untimely if it is filed after 10:00 a.m. on the due date. Under certain circumstances, we may elect to specify a different time limit by which extension requests will be considered untimely for submissions which are due

from multiple parties simultaneously. In such a case, we will inform parties in the letter or memorandum setting forth the deadline (including a specified time) by which extension requests must be filed to be considered timely. An extension request must be made in a separate, stand-alone submission; under limited circumstances we will grant untimely-filed requests for the extension of time limits. Review *Extension of Time Limits; Final Rule*, 78 FR 57790 (September 20, 2013), available at <http://www.gpo.gov/fdsys/pkg/FR-2013-09-20/html/2013-22853.htm>, prior to submitting factual information in these investigations.

### Certification Requirements

Any party submitting factual information in an AD or CVD proceeding must certify to the accuracy and completeness of that information.<sup>35</sup> Parties are hereby reminded that revised certification requirements are in effect for company/government officials, as well as their representatives. Investigations initiated on the basis of petitions filed on or after August 16, 2013, and other segments of any AD or CVD proceedings initiated on or after August 16, 2013, should use the formats for the revised certifications provided at the end of the *Final Rule*.<sup>36</sup> The Department intends to reject factual submissions if the submitting party does not comply with the applicable revised certification requirements.

### Notification to Interested Parties

Interested parties must submit applications for disclosure under APO in accordance with 19 CFR 351.305. On January 22, 2008, the Department published *Antidumping and Countervailing Duty Proceedings: Documents Submission Procedures; APO Procedures*, 73 FR 3634 (January 22, 2008). Parties wishing to participate in these investigations should ensure that they meet the requirements of these procedures (e.g., the filing of letters of appearance as discussed at 19 CFR 351.103(d)).

This notice is issued and published pursuant to sections 702 and 777(i) of the Act.

<sup>35</sup> See section 782(b) of the Act.

<sup>36</sup> See *Certification of Factual Information To Import Administration During Antidumping and Countervailing Duty Proceedings*, 78 FR 42678 (July 17, 2013) (“*Final Rule*”); see also frequently asked questions regarding the *Final Rule*, available at [http://enforcement.trade.gov/tlei/notices/factual\\_info\\_final\\_rule\\_FAQ\\_07172013.pdf](http://enforcement.trade.gov/tlei/notices/factual_info_final_rule_FAQ_07172013.pdf).

Dated: March 28, 2017.

**Ronald K. Lorentzen,**

*Acting Assistant Secretary for Enforcement and Compliance.*

### Appendix I

#### Scope of the Investigations

The scope of these investigation covers all forms and sizes of silicon metal, including silicon metal powder. Silicon metal contains at least 85.00 percent but less than 99.99 percent silicon, and less than 4.00 percent iron, by actual weight. Semiconductor grade silicon (merchandise containing at least 99.99 percent silicon by actual weight and classifiable under Harmonized Tariff Schedule of the United States (HTSUS) subheading 2804.61.0000) is excluded from the scope of these investigations.

Silicon metal is currently classifiable under subheadings 2804.69.1000 and 2804.69.5000 of the HTSUS. While HTSUS numbers are provided for convenience and customs purposes, the written description of the scope remains dispositive.

[FR Doc. 2017–06622 Filed 4–3–17; 8:45 am]

BILLING CODE 3510–DS–P

## DEPARTMENT OF COMMERCE

### International Trade Administration

[A–428–844]

#### Certain Carbon and Alloy Steel Cut-to-Length Plate From the Federal Republic of Germany: Final Determination of Sales at Less Than Fair Value

**AGENCY:** Enforcement and Compliance, International Trade Administration, Department of Commerce.

**SUMMARY:** The Department of Commerce (the Department) determines that certain carbon and alloy steel cut-to-length plate (CTL plate) from the Federal Republic of Germany (Germany) is being, or is likely to be, sold in the United States at less than fair value (LTFV). The period of investigation (POI) is April 1, 2015, through March 31, 2016. The final dumping margins of sales at LTFV are listed below in the “Final Determination” section of this notice.

**DATES:** Effective April 4, 2017.

**FOR FURTHER INFORMATION CONTACT:** Ross Belliveau or David Goldberger, AD/CVD Operations, Office II, Enforcement and Compliance, International Trade Administration, U.S. Department of Commerce, 1401 Constitution Avenue NW., Washington, DC 20230; telephone: (202) 482–4952 and (202) 482–4136, respectively.

**SUPPLEMENTARY INFORMATION:**

<sup>33</sup> See section 703(a)(2) of the Act.

<sup>34</sup> See section 703(a)(1) of the Act.

## Background

On November 14, 2016, the Department published the *Preliminary Determination* of sales at LTFV of CTL plate from Germany.<sup>1</sup> On November 29, 2016, we amended our *Preliminary Determination*.<sup>2</sup> A summary of the events that occurred since the Department published the *Preliminary Determination*, as well as a full discussion of the issues raised by parties for this final determination, may be found in the Issues and Decision Memorandum, which is hereby adopted by this notice.<sup>3</sup>

## Scope of the Investigation

The scope of the investigation covers CTL plate from Germany. For a complete description of the scope of the investigation, see Appendix I.

## Analysis of Comments Received

All issues raised in the case and rebuttal briefs by parties in this investigation are addressed in the Issues and Decision Memorandum. A list of the issues raised is attached to this notice as Appendix II. The Issues and Decision Memorandum is a public document and is on file electronically via Enforcement and Compliance's Antidumping and Countervailing Duty Centralized Electronic Service System (ACCESS). ACCESS is available to registered users at <https://access.trade.gov>, and it is available to all parties in the Central Records Unit, room B-8024 of the main Department of Commerce building. In addition, a complete version of the Issues and Decision Memorandum can be accessed directly at <http://enforcement.trade.gov/frn/index.html>. The signed and electronic versions of the Issues and Decision Memorandum are identical in content.

## Verification

As provided in section 782(i) of the Tariff Act of 1930, as amended (the Act), in November and December 2016, we

<sup>1</sup> See *Certain Carbon and Alloy Steel Cut-to-Length Plate From the Federal Republic of Germany: Preliminary Determination of Sales at Less Than Fair Value and Postponement of Final Determination*, 81 FR 79446 (November 14, 2016) (*Preliminary Determination*).

<sup>2</sup> See *Certain Carbon and Alloy Steel Cut-to-Length Plate From the Federal Republic of Germany: Amended Preliminary Determination of Sales at Less Than Fair Value*, 81 FR 85930 (November 29, 2016) (*Amended Preliminary Determination*).

<sup>3</sup> See Memorandum, "Issues and Decision Memorandum for the Final Affirmative Determination in the Less-Than-Fair-Value Investigation of Certain Carbon and Alloy Steel Cut-to-Length Plate From Germany," dated concurrently with this notice (Issues and Decision Memorandum).

conducted verification of the sales and cost information submitted by AG der Dillinger Hüttenwerke (Dillinger) and Ilseburger Grobblech GmbH, Salzgitter Mannesmann Grobblech GmbH, Salzgitter Flachstahl GmbH, and Salzgitter Mannesmann International GmbH (collectively, Salzgitter) for use in our final determination. We used standard verification procedures, including an examination of relevant accounting and production records, and original source documents provided by Dillinger and Salzgitter.<sup>4</sup>

## Changes Since the Preliminary Determination

Based on our analysis of the comments received and our findings at verification, we made certain changes to the margin calculations for Dillinger and Salzgitter. For a discussion of these changes, see the "Margin Calculations" section of the Issues and Decision Memorandum.

## All-Others Rate

Section 735(c)(5)(A) of the the Act provides that the estimated all-others rate shall be an amount equal to the weighted average of the estimated weighted-average dumping margins established for exporters and producers individually investigated excluding any zero or *de minimis* margins, and margins determined entirely under section 776 of the Act.

For the final determination, the Department calculated the all-others

<sup>4</sup> For discussion of our verification findings, see the following memoranda: Memorandum, "Verification of the Sales Response of AG der Dillinger Hüttenwerke in the Antidumping Duty Investigation of Certain Carbon and Alloy Steel Cut-to-Length Plate From Germany," dated December 20, 2016; Memorandum, "Verification of Berg Steel Pipe Corp. in the Antidumping Duty Investigation of Certain Carbon and Alloy Steel Cut-to-Length Plate From Germany," dated January 4, 2017; Memorandum, "Verification of the Cost Response of Salzgitter AG in the Antidumping Duty Investigation of Certain Carbon and Alloy Steel Cut-to-Length Plate from Federal Republic of Germany," dated January 4, 2017; Memorandum, "Verification of the Sales Response of Berg Steel Pipe Corp. in the Antidumping Duty Investigation of Certain Carbon and Alloy Steel Cut-to-Length Plate from the Federal Republic of Germany," dated January 25, 2017; Memorandum, "Verification of the Home Market Sales Response of Salzgitter Mannesmann Grobblech GmbH in the Antidumping Duty Investigation of Certain Carbon and Alloy Steel Cut-to-Length Plate From the Federal Republic of Germany," dated January 31, 2017; Memorandum, "Verification of the Sales Response of Salzgitter Mannesmann International GmbH in the Antidumping Duty Investigation of Certain Carbon and Alloy Steel Cut-to-Length Plate From the Federal Republic of Germany," dated February 1, 2017; Memorandum, "Verification of the Sales Response of Salzgitter Mannesmann Stahlhandel GmbH International GmbH in the Antidumping Duty Investigation of Certain Carbon and Alloy Steel Cut-to-Length Plate From the Federal Republic of Germany," dated February 1, 2017.

rate based on a weighted average of Dillinger's and Salzgitter's margins using publicly-ranged quantities of their sales of subject merchandise.<sup>5</sup>

## Final Determination

The final weighted-average dumping margins are as follows:

Exporter/manufacturer	Weighted-average dumping margins (percent)
AG der Dillinger Hüttenwerke ... Ilseburger Grobblech GmbH, Salzgitter Mannesmann Grobblech GmbH, Salzgitter Flachstahl GmbH, and Salzgitter Mannesmann Inter- national GmbH .....	5.38
All Others .....	22.90
	21.03

## Disclosure

We will disclose the calculations performed within five days of the date of publication of this notice to parties in this proceeding in accordance with 19 CFR 351.224(b).

## Continuation of Suspension of Liquidation

In accordance with section 735(c)(1)(B) of the Act, the Department will instruct U.S. Customs and Border Protection (CBP) to continue to suspend liquidation of all appropriate entries of CTL plate from Germany, as described in Appendix I of this notice, which were entered, or withdrawn from warehouse, for consumption on or after November 14, 2016, the date of publication of the preliminary determination of this investigation in the **Federal Register**.

Further, the Department will instruct CBP to require a cash deposit equal to the estimated amount by which the normal value exceeds the U.S. price as shown above.

<sup>5</sup> See Memorandum, "Certain Carbon and Alloy Steel Cut-to-Length Plate From Germany: Calculation of the Final Margin for All Other Companies," dated March 29, 2017. With two respondents, we normally calculate (A) a weighted-average of the dumping margins calculated for the mandatory respondents; (B) a simple average of the dumping margins calculated for the mandatory respondents using each company's publicly-ranged values for the merchandise under consideration. We compare (B) and (C) to (A) and select the rate closest to (A) as the most appropriate rate for all other companies. See *Ball Bearings and Parts Thereof From France, Germany, Italy, Japan, and the United Kingdom: Final Results of Antidumping Duty Administrative Reviews, Final Results of Changed-Circumstances Review, and Revocation of an Order in Part*, 75 FR 53661, 53663 (September 1, 2010).

### International Trade Commission (ITC) Notification

In accordance with section 735(d) of the Act, we will notify the ITC of the final affirmative determination of sales at LTFV. Because the final determination in this proceeding is affirmative, in accordance with section 735(b)(2) of the Act, the ITC will make its final determination as to whether the domestic industry in the United States is materially injured, or threatened with material injury, by reason of imports of CTL plate from Germany no later than 45 days after our final determination. If the ITC determines that material injury or threat of material injury does not exist, the proceeding will be terminated and all cash deposits will be refunded. If the ITC determines that such injury does exist, the Department will issue an antidumping duty order directing CBP to assess, upon further instruction by the Department, antidumping duties on all imports of the subject merchandise entered, or withdrawn from warehouse, for consumption on or after the effective date of the suspension of liquidation.

### Notification Regarding Administrative Protective Orders (APO)

This notice serves as a reminder to parties subject to APO of their responsibility concerning the disposition of proprietary information disclosed under APO in accordance with 19 CFR 351.305(a)(3). Timely notification of the return or destruction of APO materials, or conversion to judicial protective order, is hereby requested. Failure to comply with the regulations and the terms of an APO is a sanctionable violation.

This determination and this notice are issued and published pursuant to sections 735(d) and 777(i)(1) of the Act.

Dated: March 29, 2017.

**Ronald K. Lorentzen,**

*Acting Assistant Secretary for Enforcement and Compliance.*

### Appendix I

#### Scope of the Investigation

The products covered by this investigation are certain carbon and alloy steel hot-rolled or forged flat plate products not in coils, whether or not painted, varnished, or coated with plastics or other non-metallic substances (cut-to-length plate). Subject merchandise includes plate that is produced by being cut-to-length from coils or from other discrete length plate and plate that is rolled or forged into a discrete length. The products covered include (1) Universal mill plates (*i.e.*, flat-rolled products rolled on four faces or in a closed box pass, of a width exceeding 150 mm but not exceeding 1250 mm, and of a thickness of not less than 4 mm, which are not in coils and without

patterns in relief), and (2) hot-rolled or forged flat steel products of a thickness of 4.75 mm or more and of a width which exceeds 150 mm and measures at least twice the thickness, and which are not in coils, whether or not with patterns in relief. The covered products described above may be rectangular, square, circular or other shapes and include products of either rectangular or non-rectangular cross-section where such non-rectangular cross-section is achieved subsequent to the rolling process, *i.e.*, products which have been "worked after rolling" (*e.g.*, products which have been beveled or rounded at the edges).

For purposes of the width and thickness requirements referenced above, the following rules apply:

(1) except where otherwise stated where the nominal and actual thickness or width measurements vary, a product from a given subject country is within the scope if application of either the nominal or actual measurement would place it within the scope based on the definitions set forth above; and

(2) where the width and thickness vary for a specific product (*e.g.*, the thickness of certain products with non-rectangular cross-section, the width of certain products with non-rectangular shape, *etc.*), the measurement at its greatest width or thickness applies.

Steel products included in the scope of this investigation are products in which: (1) Iron predominates, by weight, over each of the other contained elements; and (2) the carbon content is 2 percent or less by weight.

Subject merchandise includes cut-to-length plate that has been further processed in the subject country or a third country, including but not limited to pickling, oiling, levelling, annealing, tempering, temper rolling, skin passing, painting, varnishing, trimming, cutting, punching, beveling, and/or slitting, or any other processing that would not otherwise remove the merchandise from the scope of the investigation if performed in the country of manufacture of the cut-to-length plate.

All products that meet the written physical description, are within the scope of this investigation unless specifically excluded or covered by the scope of an existing order. The following products are outside of, and/or specifically excluded from, the scope of this investigation:

(1) Products clad, plated, or coated with metal, whether or not painted, varnished or coated with plastic or other non-metallic substances;

(2) military grade armor plate certified to one of the following specifications or to a specification that references and incorporates one of the following specifications:

- MIL-A-12560,
- MIL-DTL-12560H,
- MIL-DTL-12560J,
- MIL-DTL-12560K,
- MIL-DTL-32332,
- MIL-A-46100D,
- MIL-DTL-46100-E,
- MIL-46177C,
- MIL-S-16216K Grade HY80,
- MIL-S-16216K Grade HY100,
- MIL-S-24645A HSLA-80;
- MIL-S-24645A HSLA-100,

- T9074-BD-GIB-010/0300 Grade HY80,
- T9074-BD-GIB-010/0300 Grade HY100,
- T9074-BD-GIB-010/0300 Grade HSLA80,
- T9074-BD-GIB-010/0300 Grade HSLA100, and
- T9074-BD-GIB-010/0300 Mod. Grade HSLA115,

except that any cut-to-length plate certified to one of the above specifications, or to a military grade armor specification that references and incorporates one of the above specifications, will not be excluded from the scope if it is also dual- or multiple-certified to any other non-armor specification that otherwise would fall within the scope of this investigation;

(3) stainless steel plate, containing 10.5 percent or more of chromium by weight and not more than 1.2 percent of carbon by weight;

(4) CTL plate meeting the requirements of ASTM A-829, Grade E 4340 that are over 305 mm in actual thickness;

(5) Alloy forged and rolled CTL plate greater than or equal to 152.4 mm in actual thickness meeting each of the following requirements:

(a) Electric furnace melted, ladle refined & vacuum degassed and having a chemical composition (expressed in weight percentages):

- Carbon 0.23–0.28,
- Silicon 0.05–0.20,
- Manganese 1.20–1.60,
- Nickel not greater than 1.0,
- Sulfur not greater than 0.007,
- Phosphorus not greater than 0.020,
- Chromium 1.0–2.5,
- Molybdenum 0.35–0.80,
- Boron 0.002–0.004,
- Oxygen not greater than 20 ppm,
- Hydrogen not greater than 2 ppm, and
- Nitrogen not greater than 60 ppm;

(b) With a Brinell hardness measured in all parts of the product including mid thickness falling within one of the following ranges:

- (i) 270–300 HBW,
- (ii) 290–320 HBW, or
- (iii) 320–350HBW;

(c) Having cleanliness in accordance with ASTM E45 method A (Thin and Heavy): A not exceeding 1.5, B not exceeding 1.0, C not exceeding 0.5, D not exceeding 1.5; and

(d) Conforming to ASTM A578–S9 ultrasonic testing requirements with acceptance criteria 2 mm flat bottom hole;

(6) Alloy forged and rolled steel CTL plate over 407 mm in actual thickness and meeting the following requirements:

(a) Made from Electric Arc Furnace melted, Ladle refined & vacuum degassed, alloy steel with the following chemical composition (expressed in weight percentages):

- Carbon 0.23–0.28,
- Silicon 0.05–0.15,
- Manganese 1.20–1.50,
- Nickel not greater than 0.4,
- Sulfur not greater than 0.010,
- Phosphorus not greater than 0.020,
- Chromium 1.20–1.50,
- Molybdenum 0.35–0.55,
- Boron 0.002–0.004,
- Oxygen not greater than 20 ppm,
- Hydrogen not greater than 2 ppm, and
- Nitrogen not greater than 60 ppm;

(b) Having cleanliness in accordance with ASTM E45 method A (Thin and Heavy): A not exceeding 1.5, B not exceeding 1.5, C not exceeding 1.0, D not exceeding 1.5;

(c) Having the following mechanical properties:

(i) With a Brinell hardness not more than 237 HBW measured in all parts of the product including mid thickness; and having a Yield Strength of 75ksi min and UTS 95ksi or more, Elongation of 18% or more and Reduction of area 35% or more; having Charpy V at -75 degrees F in the longitudinal direction equal or greater than 15 ft. lbs (single value) and equal or greater than 20 ft. lbs (average of 3 specimens) and conforming to the requirements of NACE MR01-75; or

(ii) With a Brinell hardness not less than 240 HBW measured in all parts of the product including mid thickness; and having a Yield Strength of 90 ksi min and UTS 110 ksi or more, Elongation of 15% or more and Reduction of area 30% or more; having Charpy V at -40 degrees F in the longitudinal direction equal or greater than 21 ft. lbs (single value) and equal or greater than 31 ft. lbs (average of 3 specimens);

(d) Conforming to ASTM A578-S9 ultrasonic testing requirements with acceptance criteria 3.2 mm flat bottom hole; and

(e) Conforming to magnetic particle inspection in accordance with AMS 2301;

(7) Alloy forged and rolled steel CTL plate over 407 mm in actual thickness and meeting the following requirements:

(a) Made from Electric Arc Furnace melted, ladle refined & vacuum degassed, alloy steel with the following chemical composition (expressed in weight percentages):

- Carbon 0.25–0.30,
- Silicon not greater than 0.25,
- Manganese not greater than 0.50,
- Nickel 3.0–3.5,
- Sulfur not greater than 0.010,
- Phosphorus not greater than 0.020,
- Chromium 1.0–1.5,
- Molybdenum 0.6–0.9,
- Vanadium 0.08 to 0.12
- Boron 0.002–0.004,
- Oxygen not greater than 20 ppm,
- Hydrogen not greater than 2 ppm, and
- Nitrogen not greater than 60 ppm.

(b) Having cleanliness in accordance with ASTM E45 method A (Thin and Heavy): A not exceeding 1.0(t) and 0.5(h), B not exceeding 1.5(t) and 1.0(h), C not exceeding 1.0(t) and 0.5(h), and D not exceeding 1.5(t) and 1.0(h);

(c) Having the following mechanical properties: A Brinell hardness not less than 350 HBW measured in all parts of the product including mid thickness; and having a Yield Strength of 145ksi or more and UTS 160ksi or more, Elongation of 15% or more and Reduction of area 35% or more; having Charpy V at -40 degrees F in the transverse direction equal or greater than 20 ft. lbs (single value) and equal or greater than 25 ft. lbs (average of 3 specimens);

(d) Conforming to ASTM A578-S9 ultrasonic testing requirements with acceptance criteria 3.2 mm flat bottom hole; and

(e) Conforming to magnetic particle inspection in accordance with AMS 2301.

The products subject to the investigation are currently classified in the Harmonized Tariff Schedule of the United States (HTSUS) under item numbers: 7208.40.3030, 7208.40.3060, 7208.51.0030, 7208.51.0045, 7208.51.0060, 7208.52.0000, 7211.13.0000, 7211.14.0030, 7211.14.0045, 7225.40.1110, 7225.40.1180, 7225.40.3005, 7225.40.3050, 7226.20.0000, and 7226.91.5000.

The products subject to the investigation may also enter under the following HTSUS item numbers: 7208.40.6060, 7208.53.0000, 7208.90.0000, 7210.70.3000, 7210.90.9000, 7211.19.1500, 7211.19.2000, 7211.19.4500, 7211.19.6000, 7211.19.7590, 7211.90.0000, 7212.40.1000, 7212.40.5000, 7212.50.0000, 7214.10.0000, 7214.30.0010, 7214.30.0080, 7214.91.0015, 7214.91.0060, 7214.91.0090, 7225.11.0000, 7225.19.0000, 7225.40.5110, 7225.40.5130, 7225.40.5160, 7225.40.7000, 7225.99.0010, 7225.99.0090, 7226.11.1000, 7226.11.9060, 7226.19.1000, 7226.19.9000, 7226.91.0500, 7226.91.1530, 7226.91.1560, 7226.91.2530, 7226.91.2560, 7226.91.7000, 7226.91.8000, and 7226.99.0180.

The HTSUS subheadings above are provided for convenience and customs purposes only. The written description of the scope of the investigation is dispositive.

## Appendix II

### List of Topics Discussed in the Issues and Decision Memorandum

- I. Summary
- II. Background
- III. Scope of the Investigation
- IV. Scope Comments
- V. Margin Calculations
- VI. Discussion of the Issues
  1. Differential Pricing Methodology
  2. Application of Adverse Facts Available to Salzgitter
  3. Excluding Sales Produced by an Unaffiliated Manufacturer for Salzgitter
  4. Shipment Date for Salzgitter's Export Price Sales
  5. Level of Trade for Salzgitter
  6. Capping Freight Revenue for Berg Steel Pipe Corp.'s (BSPC's) Sales
  7. Capping BSPC's Revenues for Further Manufacturing by Associated Expenses
  8. Salzgitter's Short-Term Euro-Denominated Interest Rate
  9. Treatment of Salzgitter Home Market Resales of Further-Processed CTL Plate
  10. Adding a Fabrication Product Characteristic for Salzgitter
  11. Salzgitter Credit Expense Revisions at Verification
  12. Salzgitter Home Market Revenue Items
  13. MGB Underreported Costs
  14. MGB Scrap Offset
  15. Cost Adjustments for Other Salzgitter Manufacturing Entities
  16. MGB's G&A Ratio Denominator
  17. Further Manufacturing General and Administrative (G&A) Ratio Denominator
  18. Further Manufacturing Scrap Offset
  19. Further Manufacturing Verification Minor Corrections
  20. Home Market Affiliated Service Center Sales for Dillinger
  21. Level of Trade for Dillinger
  22. Reassignment of Quality Codes for Dillinger

23. Descaling Product Characteristic for Dillinger
24. Interest Rate for Dillinger's U.S. Credit Expenses
25. Excluding Sales of Military Grade Plate for Dillinger
26. Payment Dates for Certain of Dillinger's Home Market and U.S. Sales
27. Corrections from Verification for Dillinger
28. Currency Conversions for Certain Movement Expenses Reported for Dillinger's U.S. Sales
29. Inclusion of Interest Rate in the Affiliated Input Cost of Production for Dillinger
30. Non-Prime Plate Product Costs for Dillinger
31. Blast Furnace Coke Adjustment for Dillinger
32. Dillinger's Reported Affiliated Party Costs
33. G&A Expense Ratio Adjustment Related to Services Obtained from an Affiliated Party for Dillinger
34. Cost Reconciliation Adjustments for Dillinger

## VII. Recommendation

[FR Doc. 2017-06628 Filed 4-3-17; 8:45 am]

BILLING CODE 3510-DS-P

## DEPARTMENT OF COMMERCE

### International Trade Administration

[A-427-828]

### Certain Carbon and Alloy Steel Cut-to-Length Plate From France: Final Determination of Sales at Less Than Fair Value

**AGENCY:** Enforcement and Compliance, International Trade Administration, Department of Commerce.

**SUMMARY:** The Department of Commerce (the Department) determines that certain carbon and alloy steel cut-to-length plate (CTL plate) from France is being, or is likely to be, sold in the United States at less than fair value (LTFV). The period of investigation (POI) is April 1, 2015, through March 31, 2016. The final dumping margins of sales at LTFV are listed below in the "Final Determination" section of this notice.

**DATES:** Effective April 4, 2017.

**FOR FURTHER INFORMATION CONTACT:** Brandon Custard or Terre Keaton Stefanova, AD/CVD Operations, Office II, Enforcement and Compliance, International Trade Administration, U.S. Department of Commerce, 1401 Constitution Avenue NW., Washington, DC 20230; telephone: (202) 482-1823 and (202) 482-1280, respectively.

### SUPPLEMENTARY INFORMATION:

#### Background

On November 14, 2016, the Department published the *Preliminary*