# Figure 1 to Paragraph (g)(4) of this AD – Restart In-Flight by Windmilling

# Restart in-flight by windmilling

- ! In case of an engine malfunction determine the root cause and only continue in case a safe restart is possible.
- 1. Max. demonstrated altitude for immediate restart by windmilling: 15.000ft
- 2. Max. demonstrated altitude for restart after 10 min. and ambient air temperature higher than ISA by windmilling: 10.000ft
- 3. Max. demonstrated altitude for restart after 5 min. and ambient air temperature between ISA and ISA minus 10 °C by windmilling: 10.000ft
- 4. Max. demonstrated altitude for restart after 2 min. and ambient air temperature below ISA minus 10  $^{\circ}$ C by windmilling: 10.000ft
  - 5. Airspeed: see applicable Aircraft Flight Manual
  - 6. Power Levers "IDLE"
  - 7. Engine Master "ON"
- ! Move power lever slightly forward to a power rating assuring that the referring engine is delivering thrust, as a rotating propeller is not a guarantee for a running engine.

# (h) Alternative Methods of Compliance (AMOCs)

(1) The Manager, ECO Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or local Flight Standards District Office, as appropriate. If sending information directly to the manager of the ECO Branch, send it to the attention of the person identified in paragraph (i)(1) of this AD. You may email your request to: ANE-AD-AMOC@faa.gov.

(2) Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the local flight standards district office/certificate holding district office.

#### (i) Related Information

(1) For more information about this AD, contact Barbara Caufield, Aerospace Engineer, ECO Branch, FAA, 1200 District Avenue, Burlington, MA 01803; phone: 781–238–7146; fax: 781–238–7199; email: barbara.caufield@faa.gov.

(2) Refer to European Aviation Safety Agency AD 2017–0103, dated June 14, 2017, for more information. You may examine the EASA AD in the AD docket on the internet at http://www.regulations.gov by searching for and locating it in Docket No. FAA-2017-1138.

(3) For service information identified in this AD, contact Austro Engine GmbH, Rudolf-Diesel-Strasse 11, A–2700 Weiner Neustadt, Austria; phone: +43 2622 23000; fax: +43 2622 23000–2711; internet: www.austroengine.at. You may view this referenced service information at the FAA, Engine & Propeller Standards Branch, 1200 District Avenue, Burlington, MA. For information on the availability of this material at the FAA, call 781–238–7759.

 $\label{eq:second-sec$ 

## Robert J. Ganley,

Manager, Engine and Propeller Standards Branch, Aircraft Certification Service. [FR Doc. 2018–11378 Filed 5–31–18; 8:45 am]

BILLING CODE 4910-13-P

# DEPARTMENT OF TRANSPORTATION

# **Federal Aviation Administration**

## 14 CFR Part 39

[Docket No. FAA-2018-0491; Product Identifier 2017-NM-158-AD]

### RIN 2120-AA64

# Airworthiness Directives; Airbus Airplanes

**AGENCY:** Federal Aviation Administration (FAA), DOT.

**ACTION:** Notice of proposed rulemaking (NPRM).

**SUMMARY:** We propose to adopt a new airworthiness directive (AD) for all Airbus Model A310 series airplanes. This proposed AD was prompted by a determination that new or more restrictive maintenance requirements and airworthiness limitations are necessary. This proposed AD would require revising the maintenance or inspection program, as applicable, to

incorporate new or more restrictive maintenance requirements and airworthiness limitations. We are proposing this AD to address the unsafe condition on these products.

**DATES:** We must receive comments on this proposed AD by July 16, 2018.

**ADDRESSES:** You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

- Federal eRulemaking Portal: Go to http://www.regulations.gov. Follow the instructions for submitting comments.
  - Fax: 202-493-2251.
- *Mail*: U.S. Department of Transportation, Docket Operations, M– 30, West Building Ground Floor, Room W12–140, 1200 New Jersey Avenue SE, Washington, DC 20590.
- Hand Delivery: Deliver to Mail address above between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

For service information identified in this NPRM, contact Airbus SAS, Airworthiness Office—EAW, 1 Rond Point Maurice Bellonte, 31707 Blagnac Cedex, France; telephone +33 5 61 93 36 96; fax +33 5 61 93 44 51; email account.airworth-eas@airbus.com; internet http://www.airbus.com. You may view this service information at the FAA, Transport Standards Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206–231–3195.

### **Examining the AD Docket**

You may examine the AD docket on the internet at http://www.regulations.gov by searching for and locating Docket No. FAA-2018-0491; or in person at the Docket Management Facility between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this NPRM, the regulatory evaluation, any comments received, and other information. The street address for the Docket Operations office (telephone 800-647-5527) is in the ADDRESSES section. Comments will be available in the AD docket shortly after receipt.

FOR FURTHER INFORMATION CONTACT: Dan Rodina, Aerospace Engineer, International Section, Transport Standards Branch, FAA, 2200 South 216th Street, Des Moines, WA 98198; telephone and fax 206–231–3225.

### SUPPLEMENTARY INFORMATION:

# Comments Invited

We invite you to send any written relevant data, views, or arguments about this proposal AD. Send your comments to an address listed under the ADDRESSES section. Include "Docket No.

FAA–2018–0491; Product Identifier 2017–NM–158–AD" at the beginning of your comments. We specifically invite comments on the overall regulatory, economic, environmental, and energy aspects of this NPRM. We will consider all comments received by the closing date and may amend this NPRM based on those comments.

We will post all comments we receive, without change, to http://www.regulations.gov, including any personal information you provide. We will also post a report summarizing each substantive verbal contact we receive about this NPRM.

#### Discussion

The European Aviation Safety Agency (EASA), which is the Technical Agent for the Member States of the European Union, has issued EASA Airworthiness Directive 2017–0206, dated October 12, 2017 (referred to after this as the Mandatory Continuing Airworthiness Information, or "the MCAI"), to correct an unsafe condition for all Airbus Model A310 series airplanes. The MCAI states:

The airworthiness limitations for the Airbus A310 aeroplanes, which are approved by EASA, are currently defined and published in the Airbus A310 Airworthiness Limitations Section (ALS) documents. The Damage Tolerant Airworthiness Limitation Items are specified in the A310 ALS Part 2. These instructions have been identified as mandatory for continuing airworthiness.

Failure to accomplish these instructions could result in an unsafe condition.

EASA previously issued AD 2016–0217 [which corresponds to FAA AD 2017–21–08, Amendment 39–19079 (82 FR 48904, October 23, 2017) ("AD 2017–21–08")] to require compliance with the maintenance requirements and associated airworthiness limitations defined in Airbus A310 ALS Part 2 Revision 01, Variation 1.1 and Variation 1.2.

Since that [EASA] AD was issued, new or more restrictive maintenance requirements and associated airworthiness limitations were approved by the EASA. Consequently, Airbus published Revision 02 of the A310 ALS Part 2, compiling all ALS Part 2 changes approved since previous Revision 01.

For the reason described above, this [EASA] AD retains the requirements of EASA AD 2016–0217, which is superseded, and requires accomplishment of the actions specified in Airbus A310 ALS Part 2 Revision 02.

The unsafe condition is fatigue cracking, damage, or corrosion in principal structural elements, which could result in reduced structural integrity of the airplane. You may examine the MCAI in the AD docket on the internet at <a href="http://www.regulations.gov">http://www.regulations.gov</a> by searching for and locating Docket No. FAA—2018—0491.

# Relationship Between Proposed AD and AD 2017–21–08

This NPRM would not supersede AD 2017–21–08. Rather, we have determined that a stand-alone AD would be more appropriate to address the changes in the MCAI. This NPRM would require revising the maintenance or inspection program to incorporate the new maintenance requirements and airworthiness limitations. Accomplishment of the proposed actions would then terminate all requirements of AD 2017–21–08.

# **Related Service Information Under 1 CFR Part 51**

Airbus has issued A310
Airworthiness Limitations Section
(ALS), Part 2, "Damage Tolerant
Airworthiness Limitation Items (DT–
ALI)," Revision 02, dated August 28,
2017. This service information describes
airworthiness limitations applicable to
the DT–ALIs. This service information
is reasonably available because the
interested parties have access to it
through their normal course of business
or by the means identified in the
ADDRESSES section.

# FAA's Determination and Requirements of This Proposed AD

This product has been approved by the aviation authority of another country, and is approved for operation in the United States. Pursuant to our bilateral agreement with the State of Design Authority, we have been notified of the unsafe condition described in the MCAI and service information referenced above. We are proposing this AD because we evaluated all pertinent information and determined an unsafe condition exists and is likely to exist or develop on other products of the same type design.

This proposed AD would require revisions to certain operator maintenance documents to include new actions (e.g., inspections). Compliance with these actions is required by 14 CFR 91.403(c). For airplanes that have been previously modified, altered, or repaired in the areas addressed by this proposed AD, the operator may not be able to accomplish the actions described in the revisions. In this situation, to comply with 14 CFR 91.403(c), the operator must request approval for an alternative method of compliance according to paragraph (j)(1) of this proposed AD. The request should include a description of changes to the required actions that will ensure the continued operational safety of the airplane.

#### **Costs of Compliance**

We estimate that this proposed AD affects 6 airplanes of U.S. registry.

We estimate the following costs to comply with this proposed AD:

We have determined that revising the maintenance or inspection program takes an average of 90 work-hours per operator, although we recognize that this number may vary from operator to operator. In the past, we have estimated that this action takes 1 work-hour per airplane. Since operators incorporate maintenance or inspection program changes for their affected fleet(s), we have determined that a per-operator estimate is more accurate than a per-airplane estimate. Therefore, we estimate the total cost per operator to be \$7,650 (90 work-hours × \$85 per work-hour).

# **Authority for This Rulemaking**

Title 49 of the United States Code specifies the FAA's authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. "Subtitle VII: Aviation Programs," describes in more detail the scope of the Agency's authority.

We are issuing this rulemaking under the authority described in "Subtitle VII, Part A, Subpart III, Section 44701: General requirements." Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

This proposed AD is issued in accordance with authority delegated by the Executive Director, Aircraft Certification Service, as authorized by FAA Order 8000.51C. In accordance with that order, issuance of ADs is normally a function of the Compliance and Airworthiness Division, but during this transition period, the Executive Director has delegated the authority to issue ADs applicable to transport category airplanes to the Director of the System Oversight Division.

#### Regulatory Findings

We determined that this proposed AD would not have federalism implications under Executive Order 13132. This proposed AD would not have a substantial direct effect on the States, on the relationship between the national Government and the States, or on the

distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify this proposed regulation:

- 1. Is not a "significant regulatory action" under Executive Order 12866;
- 2. Is not a "significant rule" under the DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979);
- 3. Will not affect intrastate aviation in Alaska: and
- 4. Will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

#### List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

#### The Proposed Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA proposes to amend 14 CFR part 39 as follows:

# PART 39—AIRWORTHINESS DIRECTIVES

■ 1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

## § 39.13 [Amended]

■ 2. The FAA amends § 39.13 by adding the following new airworthiness directive (AD):

Airbus: Docket No. FAA-2018-0491; Product Identifier 2017-NM-158-AD.

#### (a) Comments Due Date

We must receive comments by July 16, 2018.

#### (b) Affected ADs

This AD affects AD 2017–21–08, Amendment 39–19079 (82 FR 48904, October 23, 2017) ("AD 2017–21–08").

#### (c) Applicability

This AD applies to Airbus Model A310–203, -204, -221, -222, -304, -322, -324, and -325 airplanes, certificated in any category, all manufacturer serial numbers.

## (d) Subject

Air Transport Association (ATA) of America Code 05, Time limits/maintenance checks.

# (e) Reason

This AD was prompted by a determination that new or more restrictive maintenance requirements and airworthiness limitations are necessary. We are issuing this AD to prevent fatigue cracking, damage, or corrosion in principal structural elements, which could result in reduced structural integrity of the airplane.

#### (f) Compliance

Comply with this AD within the compliance times specified, unless already done.

# (g) Maintenance or Inspection Program Revision

Within 90 days after the effective date of this AD, revise the maintenance or inspection program, as applicable, to incorporate the information specified in Airbus A310 Airworthiness Limitations Section (ALS), Part 2, "Damage Tolerant Airworthiness Limitation Items (DT-ALI)," Revision 02, dated August 28, 2017. The initial compliance time for doing the tasks is at the time specified in Airbus A310 Airworthiness Limitations Section (ALS), Part 2, "Damage Tolerant Airworthiness Limitation Items (DT-ALI)," Revision 02, dated August 28, 2017, or within 90 days after the effective date of this AD, whichever occurs later.

#### (h) No Alternative Actions or Intervals

After the maintenance or inspection program has been revised as required by paragraph (g) of this AD, no alternative actions (e.g., inspections) or intervals may be used unless the actions or intervals are approved as an alternative method of compliance (AMOC) in accordance with the procedures specified in paragraph (j)(1) of this AD.

#### (i) Terminating Action for AD 2017-21-08

Accomplishing the actions required by this AD terminates all requirements of AD 2017–21–08.

### (j) Other FAA AD Provisions

The following provisions also apply to this AD:

- (1) Alternative Methods of Compliance (AMOCs): The Manager, International Section, Transport Standards Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or local Flight Standards District Office, as appropriate. If sending information directly to the International Section, send it to the attention of the person identified in paragraph (k)(2) of this AD. Information may be emailed to: 9-ANM-116-AMOC-REQUESTS@faa.gov. Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the local flight standards district office/certificate holding district office.
- (2) Contacting the Manufacturer: For any requirement in this AD to obtain corrective actions from a manufacturer, the action must be accomplished using a method approved by the Manager, International Section, Transport Standards Branch, FAA; or the European Aviation Safety Agency (EASA); or Airbus's EASA Design Organization Approval (DOA). If approved by the DOA, the approval must include the DOA-authorized signature.

#### (k) Related Information

(1) Refer to Mandatory Continuing Airworthiness Information (MCAI) EASA Airworthiness Directive 2017–0206, dated October 12, 2017, for related information. This MCAI may be found in the AD docket on the internet at http://www.regulations.gov by searching for and locating Docket No. FAA–2018–0491.

- (2) For more information about this AD, contact Dan Rodina, Aerospace Engineer, International Section, Transport Standards Branch, FAA, 2200 South 216th Street, Des Moines, WA 98198; telephone and fax 206–231–3225.
- (3) For service information identified in this AD, contact Airbus SAS, Airworthiness Office—EAW, 1 Rond Point Maurice Bellonte, 31707 Blagnac Cedex, France; telephone +33 5 61 93 36 96; fax +33 5 61 93 44 51; email account.airworth-eas@airbus.com; internet http://www.airbus.com. You may view this service information at the FAA, Transport Standards Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206–231–3195.

Issued in Des Moines, Washington, on May 21, 2018.

#### James Cashdollar,

Acting Director, System Oversight Division, Aircraft Certification Service.

[FR Doc. 2018–11680 Filed 5–31–18; 8:45 am]

BILLING CODE 4910-13-P

#### DEPARTMENT OF TRANSPORTATION

### **Federal Aviation Administration**

#### 14 CFR Part 39

[Docket No. FAA-2013-0555; Product Identifier 2010-SW-047-AD]

#### RIN 2120-AA64

Airworthiness Directives; Airbus Helicopters Deutschland GmbH Helicopters (Previously Eurocopter Deutschland GmbH)

**AGENCY:** Federal Aviation Administration (FAA), DOT.

**ACTION:** Notice of proposed rulemaking (NPRM).

**SUMMARY:** We propose to revise Airworthiness Directive (AD) 2014–05– 06 for Eurocopter Deutschland GmbH Model EC135 and MBB-BK 117C-2 helicopters. AD 2014-05-06 requires repetitive inspections of the flightcontrol bearings, replacing any loose bearings with airworthy flight-control bearings, and installing bushings and washers. This proposed AD would retain the requirements of AD 2014-05-06 but would remove the repetitive inspections. The actions of this proposed AD are intended to correct an unsafe condition on these products. DATES: We must receive comments on

this proposed AD by July 31, 2018.

ADDRESSES: You may send comments by

**ADDRESSES:** You may send comments by any of the following methods:

- Federal eRulemaking Docket: Go to http://www.regulations.gov. Follow the online instructions for sending your comments electronically.
  - Fax: 202-493-2251.
- *Mail:* Send comments to the U.S. Department of Transportation, Docket Operations, M–30, West Building Ground Floor, Room W12–140, 1200 New Jersey Avenue SE, Washington, DC 20590–0001.
- Hand Delivery: Deliver to the "Mail" address between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

## **Examining the AD Docket**

You may examine the AD docket on the internet at http:// www.regulations.gov by searching for and locating Docket No. FAA-2013-0555; or in person at Docket Operations between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this proposed AD, the European Aviation Safety Agency (EASA) AD, the economic evaluation, any comments received and other information. The street address for Docket Operations (telephone 800-647-5527) is in the ADDRESSES section. Comments will be available in the AD docket shortly after receipt.

For service information identified in this proposed rule, contact Airbus Helicopters, 2701 N. Forum Drive, Grand Prairie, TX 75052; telephone (972) 641–0000 or (800) 232–0323; fax (972) 641–3775; or at http://www.helicopters.airbus.com/website/en/ref/Technical-Support\_73.html. You may review service information at the FAA, Office of the Regional Counsel, Southwest Region, 10101 Hillwood Pkwy, Room 6N–321, Fort Worth, TX 76177.

FOR FURTHER INFORMATION CONTACT: Matt Fuller, Senior Aviation Safety Engineer, Safety Management Section, Rotorcraft Standards Branch, FAA, 10101 Hillwood Pkwy., Fort Worth, TX 76177; telephone (817) 222–5110; email matthew.fuller@faa.gov.

# SUPPLEMENTARY INFORMATION:

#### **Comments Invited**

We invite you to participate in this rulemaking by submitting written comments, data, or views. We also invite comments relating to the economic, environmental, energy, or federalism impacts that might result from adopting the proposals in this document. The most helpful comments reference a specific portion of the proposal, explain the reason for any recommended change, and include supporting data. To ensure the docket

does not contain duplicate comments, commenters should send only one copy of written comments, or if comments are filed electronically, commenters should submit only one time.

We will file in the docket all comments that we receive, as well as a report summarizing each substantive public contact with FAA personnel concerning this proposed rulemaking. Before acting on this proposal, we will consider all comments we receive on or before the closing date for comments. We will consider comments filed after the comment period has closed if it is possible to do so without incurring expense or delay. We may change this proposal in light of the comments we receive.

#### Discussion

EASA, which is the Technical Agent for the Member States of the European Union, issued EASA AD No. 2010–0058, dated March 30, 2010, for Eurocopter Deutschland GmbH (now Airbus Helicopters Deutschland GmbH) Model EC135, EC635, and MBB-BK 117C-2 helicopters. EASA advises that during an inspection of an MBB-BK117 C-2, "bearings were detected which had not been correctly fixed." EASA advises that this condition, if not detected and corrected, may cause the affected control lever to shift in the axial direction and contact the helicopter structure, possibly resulting in reduced helicopter control. As some bearings on the EC135 and MBB-BK 117C-2 helicopter are installed with the same procedure, they are equally affected by the possibility of the unsafe condition, EASA advises.

As a result, we published AD 2014–05–06 (79 FR 13196, March 10, 2014), which requires repetitively inspecting the flight-control bearings, replacing any loose bearings with an airworthy flight-control bearing, and installing bushings and washers.

# Actions Since AD 2014–05–06 Was Issued

Since we published AD 2014–05–06, EASA issued AD No. 2010–0058R1, dated April 7, 2017, to remove the repetitive inspections required by EASA AD No. 2010–0058. EASA advises that a review of data and feedback from inservice helicopters determined the Airbus Helicopters modification removes the need for repetitive inspections. We have made a similar determination and are issuing this proposed AD to remove the repetitive inspections required by AD 2014–05–06.