

malfunctions; and (2) user facilities to report device-related deaths directly to manufacturers and FDA and serious injuries to the manufacturer. Section 213 of the Food and Drug Administration Modernization Act of 1997 (Pub. L. 105–115) amended section 519(b) of the FD&C Act relating to mandatory reporting by user facilities of deaths, serious injuries, and serious illnesses associated with the use of medical devices. This amendment legislated the replacement of universal user facility reporting by a system that is limited to a “. . . subset of user facilities that constitutes a representative profile of user reports” for device-related deaths and serious injuries. This amendment is reflected in section 519(b)(5)(A) of the FD&C Act. This legislation provides FDA with the opportunity to design and implement a

national surveillance network, composed of well-trained clinical facilities, to provide high-quality data on medical devices in clinical use. This system is called the Medical Product Safety Network (MedSun).
FDA is seeking OMB clearance to continue to use electronic data collection to obtain the information on Form FDA 3500A (approved under OMB control number 0910–0291) related to medical devices and tissue products from the user facilities participating in MedSun, to obtain a demographic profile of the facilities, and for additional questions, which will permit FDA to better understand the cause of reported adverse events. Participation in the program is voluntary and includes approximately 300 facilities.

In addition to collecting data on the electronic adverse event report form, MedSun collects additional information from participating sites about reported problems emerging from the MedSun hospitals. This data collection is also voluntary and is collected on the same website as the report information.
The burden estimate is based on the number of facilities participating in MedSun (300). FDA estimates an average of 18 reports per site annually. This estimate is based on MedSun working to promote reporting in general from the sites, as well as promoting reporting from specific parts of the hospitals, such as the pediatric intensive care units, the electrophysiology laboratories, and the hospital laboratories.
FDA estimates the burden of this collection of information as follows:

TABLE 1—ESTIMATED ANNUAL REPORTING BURDEN ¹

Activity	Number of respondents	Number of responses per respondent	Total annual responses	Average burden per response	Total hours
Adverse event reporting	300	18	5,400	0.50 (30 minutes)	2,700

¹ There are no capital costs or operating and maintenance costs associated with this collection of information.

Our estimated burden for the information collection reflects an overall decrease of 113 hours despite a corresponding increase of 1,650 responses. We attribute this adjustment to an increase in the number of submissions we received over the last few years but a decrease in the amount of time spent entering data due to IT efficiencies that have been built into the MedSun reporting system to reduce data entry by user facilities.

Dated: September 6, 2019.
Lowell J. Schiller,
Principal Associate Commissioner for Policy.
[FR Doc. 2019–20355 Filed 9–19–19; 8:45 am]
BILLING CODE 4164–01–P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket Nos. FDA–2019–D–1647, FDA–2019–D–1649, FDA–2019–D–1651, and FDA–2019–D–1652]

Safety and Performance Based Pathway Device-Specific Guidance; Draft Guidances for Industry and Food and Drug Administration Staff; Availability

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice of availability.

SUMMARY: The Food and Drug Administration (FDA or Agency) is announcing the availability of several device-specific draft guidance documents for the Safety and Performance Based Pathway—specifically, “Spinal Plating Systems—Performance Criteria for Safety and Performance Based Pathway; Draft Guidance for Industry and Food and Drug Administration Staff”; “Cutaneous Electrode for Recording Purposes—Performance Criteria for Safety and Performance Based Pathway; Draft Guidance for Industry and Food and Drug Administration Staff”; “Conventional Foley Catheters—Performance Criteria for Safety and Performance Based Pathway; Draft Guidance for Industry and Food and Drug Administration Staff”; and “Orthopedic Non-Spinal Metallic Bone Screws and Washers—Performance Criteria for Safety and Performance Based Pathway; Draft Guidance for Industry and Food and Drug Administration Staff.” The device-specific draft guidances identified in this notice were developed in accordance with the finalized guidance entitled “Safety and Performance Based Pathway.” These draft guidances are not final nor are they in effect at this time.

DATES: Submit either electronic or written comments on the draft guidances by December 19, 2019 to ensure that the Agency considers your comment on these draft guidance documents before it begins work on the final version of the guidance documents.

ADDRESSES: You may submit comments on any guidance at any time as follows:

Electronic Submissions

Submit electronic comments in the following way:

- **Federal eRulemaking Portal:** <https://www.regulations.gov>. Follow the instructions for submitting comments. Comments submitted electronically, including attachments, to <https://www.regulations.gov> will be posted to the docket unchanged. Because your comment will be made public, you are solely responsible for ensuring that your comment does not include any confidential information that you or a third party may not wish to be posted, such as medical information, your or anyone else’s Social Security number, or confidential business information, such as a manufacturing process. Please note that if you include your name, contact information, or other information that identifies you in the body of your comments, that information will be posted on <https://www.regulations.gov>.

- If you want to submit a comment with confidential information that you do not wish to be made available to the public, submit the comment as a written/paper submission and in the manner detailed (see “Written/Paper Submissions” and “Instructions”).

Written/Paper Submissions

Submit written/paper submissions as follows:

- *Mail/Hand Delivery/Courier (for written/paper submissions):* Dockets Management Staff (HFA-305), Food and Drug Administration, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852.

- For written/paper comments submitted to the Dockets Management Staff, FDA will post your comment, as well as any attachments, except for information submitted, marked and identified, as confidential, if submitted as detailed in “Instructions.”

Instructions: All submissions received must include Docket No. FDA-2019-D-1647 for “Spinal Plating Systems—Performance Criteria for Safety and Performance Based Pathway; Draft Guidance for Industry and Food and Drug Administration Staff”; Docket No. FDA-2019-D-1649 for “Cutaneous Electrode for Recording Purposes—Performance Criteria for Safety and Performance Based Pathway; Draft Guidance for Industry and Food and Drug Administration Staff”; Docket No. FDA-2019-D-1651 for “Conventional Foley Catheters—Performance Criteria for Safety and Performance Based Pathway; Draft Guidance for Industry and Food and Drug Administration Staff”; and Docket No. FDA-2019-D-1652 for “Orthopedic Non-Spinal Metallic Bone Screws and Washers—Performance Criteria for Safety and Performance Based Pathway; Draft Guidance for Industry and Food and Drug Administration Staff.” Received comments will be placed in the dockets and, except for those submitted as “Confidential Submissions,” publicly viewable at <https://www.regulations.gov> or at the Dockets Management Staff between 9 a.m. and 4 p.m., Monday through Friday.

- *Confidential Submissions—*To submit a comment with confidential information that you do not wish to be made publicly available, submit your comments only as a written/paper submission. You should submit two copies total. One copy will include the information you claim to be confidential with a heading or cover note that states “THIS DOCUMENT CONTAINS CONFIDENTIAL INFORMATION.” The Agency will review this copy, including the claimed confidential information, in its consideration of comments. The

second copy, which will have the claimed confidential information redacted/blacked out, will be available for public viewing and posted on <https://www.regulations.gov>. Submit both copies to the Dockets Management Staff. If you do not wish your name and contact information to be made publicly available, you can provide this information on the cover sheet and not in the body of your comments and you must identify this information as “confidential.” Any information marked as “confidential” will not be disclosed except in accordance with 21 CFR 10.20 and other applicable disclosure law. For more information about FDA’s posting of comments to public dockets, see 80 FR 56469, September 18, 2015, or access the information at: <https://www.gpo.gov/fdsys/pkg/FR-2015-09-18/pdf/2015-23389.pdf>.

Docket: For access to the docket to read background documents or the electronic and written/paper comments received, go to <https://www.regulations.gov> and insert the docket number, found in brackets in the heading of this document, into the “Search” box and follow the prompts and/or go to the Dockets Management Staff, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852.

You may submit comments on any guidance at any time (see 21 CFR 10.115(g)(5)).

An electronic copy of the guidances are available for download from the internet. See the **SUPPLEMENTARY INFORMATION** section for information on electronic access to the guidances. Submit written requests for a single hard copy of the draft guidances entitled “Spinal Plating Systems—Performance Criteria for Safety and Performance Based Pathway; Draft Guidance for Industry and Food and Drug Administration Staff,” “Cutaneous Electrode for Recording Purposes—Performance Criteria for Safety and Performance Based Pathway; Draft Guidance for Industry and Food and Drug Administration Staff,” “Conventional Foley Catheters—Performance Criteria for Safety and Performance Based Pathway; Draft Guidance for Industry and Food and Drug Administration Staff,” or “Orthopedic Non-Spinal Metallic Bone Screws and Washers—Performance Criteria for Safety and Performance Based Pathway; Draft Guidance for Industry and Food and Drug Administration Staff” to the Office of Policy, Guidance and Policy Development, Center for Devices and Radiological Health, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 66, Rm. 5431, Silver Spring,

MD 20993-0002. Send one self-addressed adhesive label to assist that office in processing your request.

FOR FURTHER INFORMATION CONTACT: Jason Ryans, Center for Devices and Radiological Health, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 66, Rm. 1613, Silver Spring, MD 20993-0002, 301-796-4908.

SUPPLEMENTARY INFORMATION:

I. Background

These device-specific draft guidances provide performance criteria for premarket notification (510k) submissions to support the optional Safety and Performance Based Pathway, as described in the guidance entitled “Safety and Performance Based Pathway.”¹ As described in that guidance, substantial equivalence is rooted in comparisons between new devices and predicate devices. However, the Federal Food, Drug, and Cosmetic Act does not preclude FDA from using performance criteria to facilitate this comparison. If a legally marketed device performs at certain levels relevant to its safety and effectiveness, and a new device meets those levels of performance for the same characteristics, FDA could find the new device as safe and effective as the legally marketed device. Instead of reviewing data from direct comparison testing between the two devices, FDA could support a finding of substantial equivalence with data demonstrating the new device meets the level of performance of an appropriate predicate device(s). Under this optional Safety and Performance Based Pathway, a submitter could satisfy the requirement to compare its device with a legally marketed device by, among other things, independently demonstrating that the device’s performance meets performance criteria as established in the above-listed guidances, when finalized, rather than using direct predicate comparison testing for some of the performance characteristics.

II. Significance of Guidance

These draft guidances are being issued consistent with FDA’s good guidance practices regulation (21 CFR 10.115). These draft guidances, when finalized, will represent the current thinking of FDA on performance criteria for the “Safety and Performance Based Pathway for Spinal Plating Systems,” “Cutaneous Electrode for Recording Purposes,” “Conventional Foley Catheters,” and “Orthopedic Non-

¹ Available at <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/safety-and-performance-based-pathway>.

Spinal Metallic Bone Screws and Washers.” They do not establish any rights for any person and are not binding on FDA or the public. You can use an alternative approach if it satisfies the requirements of the applicable statutes and regulations. These guidances are not subject to Executive Order 12866.

III. Electronic Access

Persons interested in obtaining a copy of the draft guidances may do so by downloading an electronic copy from the internet. A search capability for all Center for Devices and Radiological Health guidance documents is available at <https://www.fda.gov/MedicalDevices/DeviceRegulationandGuidance/GuidanceDocuments/default.htm>. These draft guidances are also available at <https://www.regulations.gov>. Persons

unable to download an electronic copy of either “Spinal Plating Systems—Performance Criteria for Safety and Performance Based Pathway; Draft Guidance for Industry and Food and Drug Administration Staff (document number 19008),” “Cutaneous Electrode for Recording Purposes—Performance Criteria for Safety and Performance Based Pathway; Draft Guidance for Industry and Food and Drug Administration Staff (document number 19014),” “Conventional Foley Catheters—Performance Criteria for Safety and Performance Based Pathway; Draft Guidance for Industry and Food and Drug Administration Staff (document number 19010),” or “Orthopedic Non-Spinal Metallic Bone Screws and Washers—Performance Criteria for Safety and Performance

Based Pathway; Draft Guidance for Industry and Food and Drug Administration Staff (document number 19009)” may send an email request to CDRH-Guidance@fda.hhs.gov to receive an electronic copy of the documents. Please use the document number and complete title to identify the guidance you are requesting.

IV. Paperwork Reduction Act of 1995

These draft guidance documents refer to previously approved collections of information. These collections of information are subject to review by the Office of Management and Budget (OMB) under the Paperwork Reduction Act of 1995 (44 U.S.C. 3501–3520). The collections of information have been approved by OMB as listed in the following table:

21 CFR part or guidance	Topic	OMB control No.
807, subpart E “Requests for Feedback on Medical Device Submissions: The Q-Submission Program and Meetings with Food and Drug Administration Staff”.	Premarket Notification Q-Submissions	0910–0120 0910–0756

Dated: September 16, 2019.

Lowell J. Schiller,

Principal Associate Commissioner for Policy.

[FR Doc. 2019–20370 Filed 9–19–19; 8:45 am]

BILLING CODE 4164–01–P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket No. FDA–2019–N–3403]

The Food and Drug Administration Solicits Input on Potential Role for Abuse-Deterrent Formulations of Central Nervous System Stimulants; Establishment of a Public Docket; Request for Comments

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice; establishment of a public docket; request for comments.

SUMMARY: The Food and Drug Administration (FDA) is establishing a public docket to receive comments from interested parties, including patients, patient advocates, healthcare providers, academics, researchers, the pharmaceutical industry, and other government entities, on considerations related to the development and evaluation of abuse-deterrent formulations (ADFs) of central nervous system stimulants and whether such products could play a role in addressing

public health concerns related to prescription stimulant misuse and abuse. This notice provides an overview of available postmarket data on the use, misuse, and abuse of prescription stimulants and associated morbidity and mortality, along with similar data on prescription opioids to provide context; background information on the development and evaluation of ADF products; and specific questions on which FDA seeks input. The Appendix lists the sources used in developing this overview.

DATES: Submit either electronic or written comments by November 19, 2019.

ADDRESSES: FDA is establishing a docket for public comment. The docket number is FDA–2019–N–3403. The docket will close on November 19, 2019. Please note that late, untimely filed comments will not be considered. Electronic comments must be submitted on or before November 19, 2019. The <https://www.regulations.gov> electronic filing system will accept comments until 11:59 p.m. Eastern Time at the end of November 19, 2019. Comments received by mail/hand delivery/courier (for written/paper submissions) will be considered timely if they are postmarked or the delivery service acceptance receipt is on or before that date.

You may submit comments as follows:

Electronic Submissions

Submit electronic comments in the following way:

- **Federal eRulemaking Portal:** <https://www.regulations.gov>. Follow the instructions for submitting comments. Comments submitted electronically, including attachments, to <https://www.regulations.gov> will be posted to the docket unchanged. Because your comment will be made public, you are solely responsible for ensuring that your comment does not include any confidential information that you or a third party may not wish to be posted, such as medical information, your or anyone else’s Social Security number, or confidential business information, such as a manufacturing process. Please note that if you include your name, contact information, or other information that identifies you in the body of your comments, that information will be posted on <https://www.regulations.gov>.

- If you want to submit a comment with confidential information that you do not wish to be made available to the public, submit the comment as a written/paper submission and in the manner detailed (see “Written/Paper Submissions” and “Instructions”).

Written/Paper Submissions

Submit written/paper submissions as follows:

- **Mail/Hand Delivery/Courier (for written/paper submissions):** Dockets Management Staff (HFA–305), Food and